

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: July 19, 2004, 15:28:48 ; Search time 54 Seconds
(without alignments)
1292.393 Million cell updates/sec

Title: US-10-614-990-2
Perfect score: 1268
Sequence: 1 MLQNSAVLLVLVISASATHE.....NLRGEEDSPSHIKRTSHESA 247

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 1586107

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_29Jan04:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result		%	Query				
No.	Score	Match	Length	DB	ID	Description	
1	1268	100.0	247	2	AAR84522	Aar84522	Stannioca
2	1268	100.0	247	3	AAB23264	Aab23264	Human sta
3	1268	100.0	247	3	AAy55750	Aay55750	Human sta
4	1268	100.0	247	3	AAy57166	Aay57166	Human cor
5	1268	100.0	247	3	AAy92901	Aay92901	Human sta
6	1268	100.0	247	4	AAB62473	Aab62473	Human sta
7	1268	100.0	247	4	AAB62690	Aab62690	Lng108, a
8	1268	100.0	247	5	ABB06259	Abb06259	Human sta
9	1268	100.0	247	6	ABP97748	Abp97748	Amino aci

10	1268	100.0	247	6	ABR47600	Abr47600 Breast ca
11	1268	100.0	247	6	ABG72290	Abg72290 Human Cor
12	1268	100.0	247	7	ADD48082	Add48082 Human Pro
13	1231	97.1	247	7	ADD48080	Add48080 Rat Prote
14	937	73.9	276	3	AAB56848	Aab56848 Human pro
15	680.5	53.7	261	1	AAP82968	Aap82968 Corpuscle
16	662.5	52.2	256	4	AAB62474	Aab62474 Coho salm
17	628	49.5	170	3	AAY55749	Aay55749 A. austra
18	358	28.2	70	4	AAM18134	Aam18134 Peptide #
19	358	28.2	70	4	ABB37166	Abb37166 Peptide #
20	358	28.2	70	4	AAM30637	Aam30637 Peptide #
21	358	28.2	70	4	ABB31928	Abb31928 Peptide #
22	358	28.2	70	4	ABB22472	Abb22472 Protein #
23	358	28.2	70	4	AAM70300	Aam70300 Human bon
24	358	28.2	70	4	AAM57878	Aam57878 Human bra
25	358	28.2	70	4	ABG52000	Abg52000 Human liv
26	358	28.2	70	4	AAM05763	Aam05763 Peptide #
27	358	28.2	70	5	ABG39940	Abg39940 Human pep
28	354.5	28.0	296	3	AAY67926	Aay67926 Mouse sta
29	354.5	28.0	296	4	AAB61623	Aab61623 Murine st
30	354	27.9	293	2	AAY41255	Aay41255 Adipogene
31	354	27.9	293	3	AAB26872	Aab26872 Human adi
32	354	27.9	293	4	AAB93965	Aab93965 Human pro
33	354	27.9	302	3	AAY67925	Aay67925 Human sta
34	354	27.9	302	4	AAB98971	Aab98971 Human adi
35	354	27.9	302	4	AAB61621	Aab61621 Human sta
36	354	27.9	302	4	AAB31797	Aab31797 Amino aci
37	354	27.9	302	4	AAB95330	Aab95330 Human pro
38	354	27.9	302	5	ABJ05546	Abj05546 Breast ca
39	354	27.9	302	5	AAE26113	Aae26113 Human BS2
40	354	27.9	302	6	ABR47601	Abr47601 Breast ca
41	354	27.9	302	6	ADA00844	Ada00844 Human bre
42	354	27.9	302	7	ADA27593	Ada27593 Human sta
43	354	27.9	302	7	ADB80516	Adb80516 Ovarian c
44	351.5	27.7	251	5	ABG32549	Abg32549 Human sta
45	346.5	27.3	301	6	ABU56615	Abu56615 Lung canc

ALIGNMENTS

RESULT 1

AAR84522

ID AAR84522 standard; protein; 247 AA.

XX

AC AAR84522;

XX

DT 19-APR-1996 (first entry)

XX

DE Stanniocalcin from Corpuscles of Stannius.

XX

KW stanniocalcin; Corpuscles of Stannius; hypocalcaemia; hypercalcaemia;

KW electrolyte disorder; osteoporosis; Paget's disease; treatment.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Region 1. .33
 FT /label= prepro_region
 FT Protein 34. .247
 FT /label= mature_stanniocalcin
 XX
 PN WO9524411-A1.
 XX
 PD 14-SEP-1995.
 XX
 PF 09-MAY-1994; 94WO-US005136.
 XX
 PR 08-MAR-1994; 94US-00208005.
 XX
 PA (HUMA-) HUMAN GENOME SCI INC.
 XX
 PI Olsen H, Adams MD;
 XX
 DR WPI; 1995-328227/42.
 DR N-PSDB; AAT02438.
 XX
 PT Human corpuscles of Stannius polypeptide(s) - used to treat
 PT hypercalcaemia, hypocalcaemia and other electrolyte disorders.
 XX
 PS Claim 14; Fig 1; 41pp; English.
 XX
 CC Stanniocalcin, a Corpuscles of Stannius polypeptide is encoded by
 CC AAT02438. Stanniocalcin functions as a hypocalcaemic agent, and can be
 CC used for the treatment of e.g. electrolyte disorders which lead to renal,
 CC bone and heart diseases, hypertension, hypercalcaemia and disorders due
 CC to elevated bone resorption, e.g. osteoporosis and Paget's disease
 XX
 SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 2; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60

 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120

 Qy 121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECD EDTVSTIRD 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECD EDTVSTIRD 180

 Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRN LRG EEDSPSHIK 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRN LRG EEDSPSHIK 240

 Qy 241 RTS HESA 247
 |||||||
 Db 241 RTS HESA 247

RESULT 2

AAB23264

ID AAB23264 standard; protein; 247 AA.

XX

AC AAB23264;

XX

DT 02-FEB-2001 (first entry)

XX

DE Human stanniocalcin.

XX

KW Human; stanniocalcin; STC; osteogenesis; bone disease; osteoporosis;
KW mineral metabolism regulator; prophylaxis; therapy.

XX

OS Homo sapiens.

XX

PN JP2000229880-A.

XX

PD 22-AUG-2000.

XX

PF 10-FEB-1999; 99JP-00033262.

XX

PR 10-FEB-1999; 99JP-00033262.

XX

PA (SNOW) SNOW BRAND MILK PROD CO LTD.

XX

DR WPI; 2000-605236/58.

DR

XX

PT An osteogenesis promotor useful in the prevention and/or treatment of
PT bone diseases such as osteoporosis.

XX

PS Example 1; Page 5-6; 6pp; Japanese.

XX

CC The invention relates to a novel osteogenesis-promoting composition which
CC contains stanniocalcin (STC) as the active component. Stanniocalcin is a
CC possible regulator of mineral metabolism. The composition is useful as a
CC prophylactic and/or therapeutic agent for bone diseases such as
CC osteoporosis. The present sequence represents human stanniocalcin which
CC was used in an exemplification of the invention

XX

SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 3; Length 247;

Best Local Similarity 100.0%; Pred. No. 1.2e-123;

Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSRVAAQNSAEVVRCLNSALQVGCAGAFACL 60
|

Db 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSRVAAQNSAEVVRCLNSALQVGCAGAFACL 60

QY 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120
|

Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120

Qy 121 IAEVQEECYSKLNVCSIAKRNPAAITEVVLQPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 180
|

Db 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDTVSTIRD 180

Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||

Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

Qy 241 RTSHESA 247
 ||||||

Db 241 RTSHESA 247

RESULT 3

AAAY55750

ID AAY55750 standard; protein; 247 AA.

XX

AC AAY55750;

XX

DT 11-FEB-2000 (first entry)

XX

DE Human stanniocalcin polypeptide.

XX

KW Stanniocalcin-alpha polypeptide; teleocalcin; hypocalcin; hypercalcemic;
 KW anti-hypercalcemic glycoprotein hormone; corpuscles of stannius; PTH;
 KW parathyroid hormone; bone reabsorption; osteoporosis; gene therapy; bone;
 KW electrolyte disorder; renal; heart disease; osteopetrosis; human;
 KW Paget's disease; hypercalcemia.

XX

OS Homo sapiens.

XX

PN US5994103-A.

XX

PD 30-NOV-1999.

XX

PF 02-JUN-1995; 95US-00460529.

XX

PR 10-NOV-1994; 94WO-US013206.

XX

PA (HUMA-) HUMAN GENOME SCI INC.

XX

PI Fleischmann RD, Olsen HS;

XX

DR WPI; 2000-038260/03.

XX

PT Isolated nucleic acids encoding human stanniocalcin-alpha useful for
 PT treating electrolyte disorders which lead to renal, bone and heart
 PT diseases, osteoporosis and Paget's disease.

XX

PS Disclosure; Fig 3; 21pp; English.

XX

CC The invention provides a human stanniocalcin-alpha polypeptide (also
 CC called teleocalcin and hypocalcin). Stanniocalcin-alpha is an anti-
 CC hypercalcemic glycoprotein hormone produced by the corpuscles of
 CC stannius. It has a similar reported biological activity to that of
 CC parathyroid hormone (PTH) and both these proteins exhibit dual functions
 CC in mammals. They exert hypercalcemic activity due to stimulation of bone
 CC reabsorption. Further PTH has a biphasic action on bone metabolism (i.e.
 CC at low doses it increases bone formation and at high doses it increases

CC bone reabsorption. Accordingly, human stanniocalcin-alpha and antagonists
 CC of it (under different circumstances) may be used to treat osteoporosis.
 CC The DNA may be used to produce human stanniocalcin-alpha according to
 CC standard recombinant DNA methodologies. The human stanniocalcin-alpha may
 CC be produced either in vitro in a fermentation culture or in vivo as part
 CC of a gene therapy protocol, and may be used to treat electrolyte
 CC disorders which lead to renal, bone and heart diseases. Due to the
 CC biphasic nature of stanniocalcin-alpha it may be used to treat
 CC osteoporosis, osteopetrosis and Paget's disease. Alternatively, the
 CC polypeptides may be used as antigens in the production of antibodies to
 CC stanniocalcin-alpha and to assay for agonists and antagonists of its
 CC activity. The antibodies and antagonists may be used to inhibit the
 CC activity of stanniocalcin-alpha and may be used to treat osteoporosis and
 CC hypercalcemia. The present sequence represents a human stanniocalcin

XX

SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 3; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC	60
Db	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC	60
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM	120
Db	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM	120
Qy	121	IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD	180
Db	121	IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD	180
Qy	181	SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK	240
Db	181	SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK	240
Qy	241	RTSHESA	247
Db	241	RTSHESA	247

RESULT 4

AAY57166

ID AAY57166 standard; protein; 247 AA.

XX

AC AAY57166;

XX

DT 11-FEB-2000 (first entry)

XX

DE Human corpuscles of stanian polypeptide.

XX

KW Corpuscles of stanian polypeptide; calcium; inhibition; human; renal;
 KW therapeutic; bone; heart disease; hypocalcemia; osteopetrosis.

XX

OS Homo sapiens.

XX

PN US5994301-A.
 XX
 PD 30-NOV-1999.
 XX
 PF 28-APR-1995; 95US-00431117.
 XX
 PR 08-MAR-1994; 94US-00208005.
 XX
 PA (HUMA-) HUMAN GENOME SCI INC.
 XX
 PI Adams MD, Olsen HS;
 XX
 DR WPI; 2000-038269/03.
 DR N-PSDB; AAZ39520.
 XX
 PT Human corpuscles of stanius polypeptides used to inhibit calcium uptake.
 XX
 PS Claim 4; Fig 1A-B; 23pp; English.
 XX
 CC This represents a human corpuscles of stanius polypeptide, having a
 CC calcium uptake inhibitory activity. The cDNA is deposited under the
 CC accession number ATCC Deposit No. 75652. The polypeptide can be used in a
 CC method for the treatment of a patient having need to inhibit uptake of
 CC calcium. The method is also used for the therapeutic treatment of renal,
 CC bone, and heart diseases, and the antagonist (may be an antibody) may be
 CC used for treating hypocalcemia., and osteoperosis
 XX
 SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 3; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL	60
Db	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL	60
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORM	120
Db	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORM	120
Qy	121	IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD	180
Db	121	IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD	180
Qy	181	SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK	240
Db	181	SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK	240
Qy	241	RTSHESA	247
Db	241	RTSHESA	247

RESULT 5
 AAY92901
 ID AAY92901 standard; protein; 247 AA.

XX
 AC AAY92901;
 XX
 DT 26-SEP-2000 (first entry)
 XX
 DE Human stanniocalcin protein.
 XX
 KW PCR primer; human; stanniocalcin; inhibitor; differentiation; maturation;
 KW adipocyte; obesity; diabetes; hypertension; heart disease.
 XX
 OS Homo sapiens.
 XX
 PN WO200016795-A1.
 XX
 PD 30-MAR-2000.
 XX
 PF 17-SEP-1999; 99WO-JP005080.
 XX
 PR 17-SEP-1998; 98JP-00263004.
 XX
 PA (SNOW) SNOW BRAND MILK PROD CO LTD.
 XX
 PI Goto M, Tomoyasu A, Yamaguchi K, Kinoshita M, Nakagawa N;
 XX
 DR WPI; 2000-283445/24.
 DR N-PSDB; AAA11145.
 XX
 PT Treating or preventing obesity, which is a risk factor for diabetes,
 PT hypertension and heart disease, comprises administering an agent
 PT containing stanniocalcin.
 XX
 PS Example 1; Page 16; 19pp; Japanese.
 XX
 CC This sequence represents the human stanniocalcin protein. Stanniocalcin
 CC is an inhibitor of the differentiation and maturation of adipocytes. The
 CC protein is used for preventing and treating obesity which is a risk
 CC factor for diabetes, hypertension, and heart disease. The coding sequence
 CC was isolated from IMR-90 cells
 XX
 SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 3; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MLQNSAVLLVLVISASATHEAEQNDVSPRKSRVAAQNSAEVVRCLNSALQVGC	60
Db	1	MLQNSAVLLVLVISASATHEAEQNDVSPRKSRVAAQNSAEVVRCLNSALQVGC	60
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM	120
Db	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM	120
Qy	121	IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDT	180
Db	121	IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDT	180

Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240

Qy 241 RTSHESA 247
 |||||||
 Db 241 RTSHESA 247

RESULT 6

AAB62473

ID AAB62473 standard; protein; 247 AA.

XX

AC AAB62473;

XX

DT 09-JUL-2001 (first entry)

XX

DE Human stanniocalcin (STC) protein.

XX

KW Stanniocalcin; STC; neuroprotective; antiinflammatory; antianemic;
 KW antirheumatic; antiarthritic; dermatological; antiallergic; human;
 KW nephrotropic; antithyroid; immunosuppressive; antidiabetic; vulnerary;
 KW antiasthmatic; hemostatic; antiarrhythmic; vasotropic; antipsoriatic;
 KW antitumor; anti HIV; antiparkinsonian; nootropic; cell proliferation;
 KW hemostatic; thrombolytic.

XX

OS Homo sapiens.

XX

PN WO200130969-A2.

XX

PD 03-MAY-2001.

XX

PF 20-OCT-2000; 2000WO-US029432.

XX

PR 27-OCT-1999; 99US-0161740P.

XX

PA (HUMA-) HUMAN GENOME SCI INC.

PA (UYHE-) UNIV HELSINKI.

XX

PI Olsen HS, Zhang K, Lindsberg P, Tatlisumak T, Kaste M;

PI Andersson LC;

XX

DR WPI; 2001-308626/32.

DR N-PSDB; AAF83297.

XX

PT Novel composition useful for treating or protecting neural cells, for
 PT treating Addison's disease, organ rejection, hyperproliferative disorder,
 PT cancer, AIDS, multiple sclerosis, comprises stanniocalcin polypeptide.

XX

PS Claim 1; Fig 1A-C; 253pp; English.

XX

CC The invention relates to a human stanniocalcin (STC) polypeptide. A
 CC pharmaceutical composition comprising the STC is useful for treating a
 CC patient in need of increased levels of STC activity. STC and its
 CC modulators are useful for treating disorders or abnormalities of nervous
 CC system, cerebrovascular diseases, dementia, encephalitis, central nervous
 CC system infections or neoplasms, demyelinating diseases,

CC encephalomyelitis, spinal cord diseases, mental retardation such as
 CC Down's syndrome, Tay-Sachs disease, neuromuscular diseases such as
 CC muscular dystrophy, myasthenia gravis, deficiencies or disorders of
 CC immune system such as Addison's disease, hemolytic anemia, rheumatoid
 CC arthritis, dermatitis, glomerulonephritis, Goodpasture's Syndrome,
 CC Grave's disease, multiple sclerosis, autoimmune thyroiditis, systemic
 CC lupus erythematosus, insulin dependent diabetes mellitus, allergic
 CC reactions and conditions such as asthma, for treating and/or preventing
 CC organ rejection or graft-versus-host disease, hyperproliferative diseases
 CC such as purpura, Gaucher's disease, cardiovascular disorders such as
 CC arrhythmias, telangiectasia, vasculitis, and for treatment of disease or
 CC disorders with neovascularization. The composition can be used to treat
 CC hemangioma, psoriasis, angiofibroma, atherosclerotic plaques, delayed
 CC wound healing, granulations, Osler-Weber syndrome, solid tumors such as
 CC Kaposi's sarcoma, cancer, AIDS, neurodegenerative disorders such as
 CC Alzheimer's disease, Parkinson's disease, wound healing, and for treating
 CC or detecting infectious agents. The present sequence represents the human
 CC STC polypeptide
 XX
 SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 4; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGC GAFACL 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGC GAFACL 60

Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120

Qy 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDEDTVSTIRD 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDEDTVSTIRD 180

Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240

Qy 241 RTS HESA 247
 |||||
 Db 241 RTS HESA 247

RESULT 7
 AAB62690
 ID AAB62690 standard; protein; 247 AA.
 XX
 AC AAB62690;
 XX
 DT 06-AUG-2001 (first entry)
 XX
 DE Lng108, a diagnostic marker for cancer.
 XX
 KW Lng108; cancer; diagnostic marker; cytotoxic; immune response; imaging.

XX
 OS Homo sapiens.
 XX
 PN WO200132209-A1.
 XX
 PD 10-MAY-2001.
 XX
 PF 03-NOV-2000; 2000WO-US030482.
 XX
 PR 04-NOV-1999; 99US-0163444P.
 XX
 PA (DIAD-) DIADEXUS INC.
 XX
 PI Recipon H, Macina RA, Chen S, Sun Y;
 XX
 DR WPI; 2001-316386/33.
 DR N-PSDB; AAF83823.
 XX
 PT Novel assay for diagnosing and monitoring cancer, involves determining
 PT levels of Lngl08 in cells, tissues or bodily fluids of the patient, and
 PT comparing with control.
 XX
 PS Disclosure; Page 33-34; 36pp; English.
 XX
 CC The invention relates to diagnosing the presence of cancer or diagnosing
 CC metastases of cancer in a patient that involves determining levels of
 CC Lngl08 in a sample of cells, tissues or bodily fluids in a patient, and
 CC comparing the determined levels with levels of Lngl08 a normal human
 CC control. The method is useful for diagnosing the presence of cancer,
 CC diagnosing metastases of cancer, staging cancer, monitoring cancer, and
 CC monitoring a change in stage of the cancer, in a patient. A therapeutic
 CC agent which is an antibody labeled with paramagnetic ions or a
 CC radioisotope, and conjugated with a cytotoxic agent is useful for imaging
 CC cancer in a patient. A molecule which downregulates the expression or
 CC activity of Lngl08, is useful for treating cancer in a patient. Lngl08
 CC protein is useful for inducing an immune response against a target cell
 CC expressing Lngl08. The present sequence represents the human Lngl08
 CC polypeptide
 XX
 SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 4; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRLNSALQVGC	60
Db	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRLNSALQVGC	60
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRR	120
Db	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRR	120
Qy	121	IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYNRLVRSILLECEDTV	180
Db	121	IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYNRLVRSILLECEDTV	180

Qy 181 SIMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
 |||||
 Db 181 SIMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
 Qy 241 RTSHESA 247
 |||||
 Db 241 RTSHESA 247

RESULT 8

ABB06259

ID ABB06259 standard; protein; 247 AA.

XX

AC ABB06259;

XX

DT 23-MAY-2002 (first entry)

XX

DE Human staniocalcin 1 protein.

XX

KW Human; staniocalcin 1; osteopathic; osteogenesis failure; osteoporosis;

KW bone mass reduction; traumatic bone injury; osteomalacia; bone disease;

KW rheumatic bone disease; cancer associated bone disease; rachitis;

KW arthritis deformans.

XX

OS Homo sapiens.

XX

PN WO200204013-A1.

XX

PD 17-JAN-2002.

XX

PF 10-JUL-2001; 2001WO-JP005962.

XX

PR 11-JUL-2000; 2000JP-00209926.

XX

PA (BMLB-) BML INC.

XX

PI Yoshiko Y, Koide Y, Igarashi A, Takano S, Maeda N, Aubin JE;

XX

DR WPI; 2002-164600/21.

DR N-PSDB; ABL40225.

XX

PT Agent used for treating bone diseases e.g. osteoporosis, traumatic bone

PT injury, osteomalacia, rheumatic bone diseases, bone diseases associated

PT with cancer and arthritis deformans containing staniocalcin I.

XX

PS Claim 2; Fig 1; 24pp; Japanese.

XX

CC The present invention describes an agent containing staniocalcin 1,

CC particularly of human origin. Staniocalcin 1 has osteopathic activity.

CC The agent can be used for treating diseases relating to osteogenesis

CC failure or reduction in bone mass e.g. osteoporosis, traumatic bone

CC injury, osteomalacia, rheumatic bone diseases, bone diseases associated

CC with cancer, bone diseases due to phosphorus or calcium metabolic error,

CC rachitis and arthritis deformans. The agent increases bone mass. The

CC present sequence represents human staniocalcin 1

XX

SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 5; Length 247;
Best Local Similarity 100.0%; Pred. No. 1.2e-123;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSrvAAQNSAEVVRCLNSALQVGCGAFACL 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSrvAAQNSAEVVRCLNSALQVGCGAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTskVFLAIRRCSTFQRM 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTskVFLAIRRCSTFQRM 120

Qy    121 IAEVQEECYskLNVCSIAKRNPeaITEVVQLPNHFSNRYNRLVRSLLCEDTVSTIRD 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IAEVQEECYskLNVCSIAKRNPeaITEVVQLPNHFSNRYNRLVRSLLCEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKvLLRNLRGEEDSPSHIK 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKvLLRNLRGEEDSPSHIK 240

Qy    241 RTSHESA 247
          |||||||
Db    241 RTSHESA 247
```

RESULT 9

ABP97748

ID ABP97748 standard; protein; 247 AA.

XX

AC ABP97748;

XX

DT 28-MAY-2003 (first entry)

XX

DE Amino acid sequence of human STC1 polypeptide.

XX

KW Human; angiogenesis; wound healing; retinopathy; ischemia; inflammation;

KW microvasculopathy; bone healing; skin inflammation; HOG3; HOG8; HOG18;

KW follicular development; CA9; HXB; IGFBP5; HFARP; STC1; mig-6; SSR4;

KW cancer.

XX

OS Homo sapiens.

XX

PN WO2003010205-A1.

XX

PD 06-FEB-2003.

XX

PF 26-JUL-2002; 2002WO-US023786.

XX

PR 26-JUL-2001; 2001US-0307600P.

PR 24-JUL-2002; 2002US-00201642.

XX

PA (UYDU-) UNIV DUKE MEDICAL CENT.

XX

PI Riggins GJ, Lal A;

XX

DR WPI; 2003-239423/23.

DR N-PSDB; ABZ77288.
 XX
 PT Inhibiting angiogenesis for treating wound healing, retinopathy,
 PT ischemia, inflammation, microvasculopathy, bone healing, skin
 PT inflammation or follicular development by providing to a subject an
 PT antisense polynucleotide.
 XX
 PS Claim 4; Page 61; 66pp; English.
 XX
 CC The present sequence is a human STC1 polypeptide. It is used in the
 CC method of the invention. The specification describes a method modulating
 CC angiogenesis associated with wound healing, retinopathy, ischemia,
 CC inflammation, microvasculopathy, bone healing, skin inflammation or
 CC follicular development. The method comprises providing to a subject HOG3,
 CC HOG8, HOG18, CA9, HXB, IGFBP5, HFARP, STC1, mig-6 or SSR4. The methods,
 CC antisense polynucleotides, polypeptides and antibodies are useful for
 CC treating wound healing, retinopathy, ischemia, inflammation,
 CC microvasculopathy, bone healing, skin inflammation or follicular
 CC development, or cancer such as breast, colon or lung cancer, or
 CC glioblastoma
 XX
 SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 6; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

Qy      1 MLQNSAVLLVLVISASATHEAEQNDVSVPKSRVAAQNSAEVVRCLNSALQVGCGAFACL 60
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDVSVPKSRVAAQNSAEVVRCLNSALQVGCGAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy    121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSLLECEDTVSTIRD 180
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSLLECEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
      ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

Qy    241 RTSHESA 247
      |||||
Db    241 RTSHESA 247

```

RESULT 10

ABR47600

ID ABR47600 standard; protein; 247 AA.

XX

AC ABR47600;

XX

DT 12-JUN-2003 (first entry)

XX

DE Breast cancer associated protein sequence SEQ ID NO:441.

XX
 KW Human; breast cancer; cytostatic; gene therapy.
 XX
 OS Homo sapiens.
 XX
 PN WO2003004989-A2.
 XX
 PD 16-JAN-2003.
 XX
 PF 21-JUN-2002; 2002WO-US019669.
 XX
 PR 21-JUN-2001; 2001US-0299887P.
 PR 27-JUN-2001; 2001US-0301572P.
 PR 18-JUL-2001; 2001US-0306501P.
 PR 25-SEP-2001; 2001US-0325002P.
 PR 05-MAR-2002; 2002US-0362585P.
 PR 14-MAY-2002; 2002US-0380391P.
 XX
 PA (MILL-) MILLENIUM PHARM INC.
 XX
 PI Lillie J, Gannavarapu M, Glatt K, Hoersh S, Kamatkar S;
 PI Mertens M, Monahan JE, Myer V, Wang Y, Xu Y, Zhao X, Meyers RE;
 PI Bast RC, Hortobagyi GN, Pusztai L, Meric F, Sahin A, Mills GB;
 XX
 DR WPI; 2003-210381/20.
 DR N-PSDB; ACC50301.
 XX
 PT Breast cancer diagnosis or treatment by comparing the level of expression
 PT of a marker in a patient sample with that in the control non-breast
 PT cancer sample.
 XX
 PS Claim 1; SEQ ID NO 441; 128pp; English.
 XX
 CC The present invention describes a method for assessing whether a patient
 CC is afflicted with breast cancer. The method comprises comparing the level
 CC of expression of a marker (gene/polypeptide see ACC50076 to ACC50334 and
 CC ABR47386 to ABR47632) in a patient sample and the normal level of
 CC expression of the marker in a control non-breast cancer sample, where a
 CC significant increase in the level of expression of the marker in the
 CC patient sample and the normal level is an indication that the patient is
 CC afflicted with breast cancer. The breast cancer associated sequences from
 CC the present invention have cytostatic activities and can be used in gene
 CC therapy. The method is useful for diagnosing and treating breast cancer.
 CC N.B. The sequence data for this patent did not form part of the printed
 CC specification, but was obtained in electronic format directly from WIPO
 CC at ftp.wipo.int/pub/published_pct_sequences
 XX
 SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 6; Length 247;
 Best Local Similarity 100.0%; Pred. No. 1.2e-123;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSRVAAQNSAEVVRCLNSALQVGC GAFACL 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSRVAAQNSAEVVRCLNSALQVGC GAFACL 60

Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
 |||
 Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy 121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180
 |||
 Db 121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180

Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
 |||
 Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

Qy 241 RTSHESA 247
 |||
 Db 241 RTSHESA 247

RESULT 11

ABG72290

ID ABG72290 standard; protein; 247 AA.

XX

AC ABG72290;

XX

DT 14-MAR-2003 (first entry)

XX

DE Human Corpuscles of Stannius protein.

XX

KW Human; Corpuscles of Stannius protein; calcium uptake inhibitor;
 KW renal excretion of phosphate; electrolyte disorder; renal disease;
 KW bone disease; heart disease; arterial hypertension; bone resorption;
 KW osteoporosis; Paget's disease; hypercalcaemia; hyperparathyroidism;
 KW hypervitaminosis D; tumour; serum calcium level; sarcoidosis;
 KW hyperthyroidism; adrenal insufficiency; serum albumin; plasma protein;
 KW GI calcium absorption; stanniocalcin; osteopathic; cytostatic;
 KW hypotensive.

XX

OS Homo sapiens.

XX

PN US2002146791-A1.

XX

PD 10-OCT-2002.

XX

PF 05-APR-2002; 2002US-00116051.

XX

PR 08-MAR-1994; 94US-00208005.

PR 28-APR-1995; 95US-00431117.

PR 17-MAY-1999; 99US-00312610.

XX

PA (HUMA-) HUMAN GENOME SCI INC.

XX

PI Olsen HS, Adams MD;

XX

DR WPI; 2003-147579/14.

DR N-PSDB; ABX15152.

XX

PT Isolated polynucleotide for encoding polypeptides used to diagnose and
 PT treat electrolyte disorders leading to renal disease, e.g. Paget's

PT disease, hypercalcemia and sarcoidosis.

XX

PS Claim 13; Fig 1; 26pp; English.

XX

CC The present invention relates to the isolation of human Corpuscles of
CC Stannius protein, and the polynucleotide sequence encoding it. Human
CC Corpuscles of Stannius protein inhibits calcium uptake and reduces renal
CC excretion of phosphate. The polynucleotide sequence is useful for
CC encoding Corpuscles of Stannius protein for therapeutic purposes, e.g. in
CC the treatment of electrolyte disorders that lead to renal, bone or heart
CC disease, such as arterial hypertension, disorders due to elevated bone
CC resorption (e.g. osteoporosis and Paget's disease), and hypercalcaemia
CC (e.g. hyperparathyroidism, hypervitaminosis D), tumours that raise serum
CC calcium levels by destroying bone, sarcoidosis, hyperthyroidism, adrenal
CC insufficiency, loss of serum albumin secondary to renal diseases, or
CC excessive GI calcium absorption and elevated concentration of plasma
CC proteins. The encoded polypeptide exhibits a high degree of homology to
CC Stanniocalcin from *Anguilla australis* and from *Oncorhynchus kisutch*. The
CC present sequence represents human corpuscles of stannius protein

XX

SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 6; Length 247;
Best Local Similarity 100.0%; Pred. No. 1.2e-123;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSrvAAQNSAEVVRCLNSALQVGCgAFACL 60
|
Db 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSrvAAQNSAEVVRCLNSALQVGCgAFACL 60

QY 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120
|
Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120

QY 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYNRLVRSLLECDDEDTVSTIRD 180
|
Db 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYNRLVRSLLECDDEDTVSTIRD 180

QY 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
|
Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

QY 241 RTSHEsa 247
|
Db 241 RTSHEsa 247

RESULT 12

ADD48082

ID ADD48082 standard; protein; 247 AA.

XX

AC ADD48082;

XX

DT 29-JAN-2004 (first entry)

XX

DE Human Protein P52823, SEQ ID NO 13779.

XX

KW Human; pain; neuronal tissue; gene therapy;
 KW spinal segmental nerve injury; chronic constriction injury; CCI;
 KW spared nerve injury; SNI; Chung.
 XX
 OS Homo sapiens.
 XX
 PN WO2003016475-A2.
 XX
 PD 27-FEB-2003.
 XX
 PF 14-AUG-2002; 2002WO-US025765.
 XX
 PR 14-AUG-2001; 2001US-0312147P.
 PR 01-NOV-2001; 2001US-0346382P.
 PR 26-NOV-2001; 2001US-0333347P.
 XX
 PA (GEHO) GEN HOSPITAL CORP.
 PA (FARB) BAYER AG.
 XX
 PI Woolf C, D'urso D, Befort K, Costigan M;
 XX
 DR WPI; 2003-268312/26.
 DR GENBANK; P52823.
 XX
 PT New composition comprising two or more isolated polypeptides, useful for
 PT preparing a medicament for treating pain in an animal.
 XX
 PS Claim 1; Page; 1017pp; English.
 XX
 CC The invention discloses a composition comprising two or more isolated rat
 CC or human polynucleotides or a polynucleotide which represents a fragment,
 CC derivative or allelic variation of the nucleic acid sequence. Also
 CC claimed are a vector comprising the novel polynucleotide, a host cell
 CC comprising the vector, a method for identifying a nucleotide sequence
 CC which is differentially regulated in an animal subjected to pain and a
 CC kit to perform the method, an array, a method for identifying an agent
 CC that increases or decreases the expression of the polynucleotide sequence
 CC that is differentially expressed in neuronal tissue of a first animal
 CC subjected to pain, a method for identifying a compound which regulates
 CC the expression of a polynucleotide sequence which is differentially
 CC expressed in an animal subjected to pain, a method for identifying a
 CC compound that regulates the activity of one or more of the
 CC polynucleotides, a method for producing a pharmaceutical composition, a
 CC method for identifying a compound or small molecule that regulates the
 CC activity in an animal of one or more of the polypeptides given in the
 CC specification, a method for identifying a compound useful in treating
 CC pain and a pharmaceutical composition comprising the one or more
 CC polypeptides or their antibodies. The polynucleotide or the compound that
 CC modulates its activity is useful for preparing a medicament for treating
 CC pain (e.g. spinal segmental nerve injury (Chung), chronic constriction
 CC injury (CCI) and spared nerve injury (SNI)) in an animal (e.g. gene
 CC therapy). The sequence presented is a human protein (shown in Table 2 of
 CC the specification) which is differentially expressed during pain. Note:
 CC The sequence data for this patent did not form part of the printed
 CC specification, but was obtained in electronic form directly from WIPO at
 CC ftp.wipo.int/pub/published_pct_sequences.
 XX

SQ Sequence 247 AA;

Query Match 100.0%; Score 1268; DB 7; Length 247;
Best Local Similarity 100.0%; Pred. No. 1.2e-123;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

Qy    241 RTSHESA 247
          |||||||
Db    241 RTSHESA 247
```

RESULT 13

ADD48080

ID ADD48080 standard; protein; 247 AA.

XX

AC ADD48080;

XX

DT 29-JAN-2004 (first entry)

XX

DE Rat Protein P97574, SEQ ID NO 13777.

XX

KW Rat; pain; neuronal tissue; gene therapy; spinal segmental nerve injury;

KW chronic constriction injury; CCI; spared nerve injury; SNI; Chung.

XX

OS Rattus norvegicus.

XX

PN WO2003016475-A2.

XX

PD 27-FEB-2003.

XX

PF 14-AUG-2002; 2002WO-US025765.

XX

PR 14-AUG-2001; 2001US-0312147P.

PR 01-NOV-2001; 2001US-0346382P.

PR 26-NOV-2001; 2001US-0333347P.

XX

PA (GEHO) GEN HOSPITAL CORP.

PA (FARB) BAYER AG.

XX

PI Woolf C, D'urso D, Befort K, Costigan M;

XX

DR WPI; 2003-268312/26.

Qy 241 RTSHESA 247
||| |:|
Db 241 RTSQENA 247

RESULT 14

AAB56848

ID AAB56848 standard; protein; 276 AA.

XX

AC AAB56848;

XX

DT 13-MAR-2001 (first entry)

XX

DE Human prostate cancer antigen protein sequence SEQ ID NO:1426.

XX

KW Human; prostate cancer; prostate cancer antigen; detection; diagnosis;
KW neuroprotective; cytostatic; cardioactive; immunomodulatory; muscular;
KW vulnerary; gastrointestinal; nephrotropic; antiinfective; gynaecological;
KW antibacterial; gene therapy; neural; immune; reproductive; renal;
KW gastrointestinal; pulmonary; cardiovascular; proliferative disorder;
KW wound; infectious disease.

XX

OS Homo sapiens.

XX

PN WO200055174-A1.

XX

PD 21-SEP-2000.

XX

PF 08-MAR-2000; 2000WO-US005988.

XX

PR 12-MAR-1999; 99US-0124270P.

XX

PA (HUMA-) HUMAN GENOME SCI INC.

PA (ROSE/) ROSEN C A.

XX

PI Rosen CA, Ruben SM;

XX

DR WPI; 2000-587513/55.

DR N-PSDB; AAF16051.

XX

PT Prostate cancer associated gene sequences, referred to as prostate cancer
PT antigens, useful for treatment, prevention, and diagnosis of disorders
PT such as prostate cancer.

XX

PS Claim 11; Page 1858-1859; 2338pp; English.

XX

CC AAF15566 to AAF16505 encode the human prostate cancer associated
CC proteins, called prostate cancer antigens, given in AAB56363 to AAB57302.
CC The prostate cancer antigens can have neuroprotective, cytostatic,
CC cardioactive, immunomodulatory, muscular, vulnerary, gastrointestinal,
CC nephrotropic, antiinfective, gynaecological and antibacterial activities,
CC and can be used in gene therapy. The prostate cancer antigen
CC polynucleotides may be used for detection of prostate cancer, chromosome
CC identification, as chromosome markers, and for numerous other diagnostic
CC or research purposes. The prostate cancer antigens may be used to treat
CC disorders such as neural, immune, muscular, reproductive,

CC gastrointestinal, pulmonary, cardiovascular, renal, and proliferative
 CC disorders, wounds, and infectious diseases. AAF16506 to AAF16514 to
 CC AAB57303 represent sequences used in the exemplification of the present
 CC invention
 XX
 SQ Sequence 276 AA;

Query Match 73.9%; Score 937; DB 3; Length 276;
 Best Local Similarity 99.5%; Pred. No. 5e-89;
 Matches 185; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSVPKRSRVAAQNSAEVVRCLNSALQVGCFAFACL 60
 |||||
 Db 89 MLQNSAVLLVLVISASATHEAEQNDVSVPKRSRVAAQNSAEVVRCLNSALQVGCFAFACL 148
 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120
 |||||
 Db 149 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 208
 Qy 121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 180
 |||||
 Db 209 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 268
 Qy 181 SLMEKI 186
 |||||
 Db 269 SLMEXI 274

RESULT 15

AAP82968

ID AAP82968 standard; protein; 261 AA.

XX

AC AAP82968;

XX

DT 25-MAR-2003 (revised)

DT 30-NOV-1990 (first entry).

XX

DE Corpuscles of Stannius CS protein precursor.

XX

KW Corpuscles of Stannius; CS protein; cardiovascular disease; oedema;
 KW heart failure; high blood pressure.

XX

OS *Anguilla australis*.

XX

FH Key Location/Qualifiers

FT Peptide 1. .17

FT /label= signal peptide/prohormone

FT Peptide 18. .288

FT /label= pro-CS

XX

PN WO8803949-A.

XX

PD 02-JUN-1988.

XX

PF 19-NOV-1987; 87WO-AU000389.

XX

PR 21-NOV-1986; 86AU-00009107.

PR 31-DEC-1986; 87AU-00082797.
PR 22-MAY-1987; 87AU-00002086.

XX

PA (FLOR-) FLOREY INST EXPER.

PA (BUTK/) BUTKUS A.

XX

PI Butkus A, Coghlan JP, Roche PJ;

XX

DR WPI; 1988-161619/23.

DR N-PSDB; AAN80655.

XX

PT CS protein of corpuscles of stannius - used for treating cardiovascular

PT disease, renal disease and electrolyte disorders.

XX

PS Disclosure; Page ?; 38pp; English.

XX

CC This prepro-CS protein sequence has its signal or pro-hormone fragment

CC (amino acids -17 to 1) cleaved to yield the pro-CS form which can be

CC processed to yield the mature form. Recombinant DNA methods are utilised

CC in the prodn. of the CS protein. It is useful as e.g. a therapeutic agent

CC for the treatment of cardiovascular disease and oedema. See also

CC AAN80654. (Updated on 25-MAR-2003 to correct PA field.)

XX

SQ Sequence 261 AA;

Query Match 53.7%; Score 680.5; DB 1; Length 261;

Best Local Similarity 61.4%; Pred. No. 2.8e-62;

Matches 124; Conservative 41; Mismatches 36; Indels 1; Gaps 1;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSVPKSRVAAQNSAEVVRCLNSALQVGCGAFACL 60
||: | :| ||: :| :| :::: ||| :| :| : :| |||| ||||| |||||

Db 1 MLRMSGILITLVL-VTAAYEQDESEPLSPRTARFSASSPSDVARCLNGALQVGCSAFACL 59

Qy 61 ENSTCDTDGMYDICKSFLYSAKFDTQGKAFVKESLKCIANGVTSTKVFLAIRRCSTFFORM 120
:||||:||||:||||:||||: ||||| ||||| ||||| ||||| ||||| :|||

Db 60 DNSTCNTDGMHEICRSFLHGAKFDTQGKTFVKESLKCIANGITSKVFLTIRRCSSFFQKM 119

Qy 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYNRLVRSLLCEDEDTVSTIRD 180
|:|||||:||||:||||: ||| :| :| :| :| :| :| :| :| :|

Db 120 ISEVQEECYSKLDLCSVAQSNPEAMGEVAQVPSQFPNRYYSTLLQSLTCEDEDTVEQVRA 179

Qy 181 SLMEKIGPNMASLFHILQTDHC 202
|: :: | | || :|| |

Db 180 GLVSRLEPEMGVLFQLLQTKAC 201

Search completed: July 19, 2004, 15:32:16

Job time : 57 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: July 19, 2004, 15:31:13 ; Search time 19 Seconds
(without alignments)
671.138 Million cell updates/sec

Title: US-10-614-990-2
Perfect score: 1268
Sequence: 1 MLQNSAVLLVLVISASATHE.....NLRGEEDSPSHIKRTSHESA 247

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters: 389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	% Query		DB	ID	Description
	Score	Match Length			
1	1268	100.0 247	2	US-08-208-005C-2	Sequence 2, Appli
2	1268	100.0 247	2	US-09-038-597A-2	Sequence 2, Appli
3	1268	100.0 247	2	US-08-460-529B-10	Sequence 10, Appl
4	1268	100.0 247	2	US-08-431-117A-2	Sequence 2, Appli
5	1268	100.0 247	4	US-09-361-736B-10	Sequence 10, Appl
6	660.5	52.1 204	2	US-08-208-005C-5	Sequence 5, Appli
7	660.5	52.1 204	2	US-09-038-597A-5	Sequence 5, Appli
8	628	49.5 170	2	US-08-460-529B-9	Sequence 9, Appli
9	628	49.5 170	4	US-09-361-736B-9	Sequence 9, Appli
10	354.5	28.0 296	3	US-08-831-132-14	Sequence 14, Appl
11	354.5	28.0 296	3	US-09-416-150-14	Sequence 14, Appl

12	354	27.9	302	3	US-08-831-132-2	Sequence 2, Appli
13	354	27.9	302	3	US-09-416-150-2	Sequence 2, Appli
14	354	27.9	302	4	US-09-193-881-23	Sequence 23, Appl
15	354	27.9	302	4	US-09-361-736B-12	Sequence 12, Appl
16	351.5	27.7	251	4	US-09-361-736B-2	Sequence 2, Appli
17	333.5	26.3	251	2	US-08-460-529B-2	Sequence 2, Appli
18	89.5	7.1	10182	4	US-09-134-001C-3159	Sequence 3159, Ap
19	86	6.8	500	4	US-09-198-452A-299	Sequence 299, App
20	85.5	6.7	656	4	US-09-134-001C-4322	Sequence 4322, Ap
21	83.5	6.6	290	4	US-09-655-908-6	Sequence 6, Appli
22	83.5	6.6	290	4	US-09-655-908-8	Sequence 8, Appli
23	83.5	6.6	1027	4	US-09-762-724-8	Sequence 8, Appli
24	83.5	6.6	1029	4	US-09-762-724-6	Sequence 6, Appli
25	83	6.5	417	4	US-09-134-001C-3810	Sequence 3810, Ap
26	82	6.5	362	4	US-09-134-001C-4670	Sequence 4670, Ap
27	81	6.4	680	4	US-09-298-924-4	Sequence 4, Appli
28	81	6.4	720	2	US-08-840-236-1	Sequence 1, Appli
29	81	6.4	720	2	US-08-505-448A-1	Sequence 1, Appli
30	79.5	6.3	708	1	US-08-145-681-4	Sequence 4, Appli
31	79.5	6.3	708	1	US-08-453-703-4	Sequence 4, Appli
32	79.5	6.3	708	2	US-08-456-106-4	Sequence 4, Appli
33	79.5	6.3	708	3	US-08-456-108-4	Sequence 4, Appli
34	79.5	6.3	708	3	US-09-265-577-4	Sequence 4, Appli
35	79.5	6.3	708	4	US-09-633-739-4	Sequence 4, Appli
36	79	6.2	264	4	US-09-134-000C-5831	Sequence 5831, Ap
37	78.5	6.2	1288	4	US-09-546-934-4	Sequence 4, Appli
38	78	6.2	315	4	US-09-184-964-4	Sequence 4, Appli
39	78	6.2	338	4	US-09-328-352-4723	Sequence 4723, Ap
40	78	6.2	383	4	US-09-328-352-5969	Sequence 5969, Ap
41	78	6.2	781	4	US-09-738-946-8	Sequence 8, Appli
42	77.5	6.1	467	2	US-08-686-599A-17	Sequence 17, Appl
43	76.5	6.0	315	4	US-09-615-192A-378	Sequence 378, App
44	76	6.0	376	4	US-09-489-039A-10020	Sequence 10020, A
45	76	6.0	2802	3	US-09-542-331-1	Sequence 1, Appli

ALIGNMENTS

RESULT 1

US-08-208-005C-2

; Sequence 2, Application US/08208005C

; Patent No. 5837498

; GENERAL INFORMATION:

; APPLICANT: OLSEN, ET AL.

; TITLE OF INVENTION: Corpuscles of Stannius Protein, Stanniocalcin

; NUMBER OF SEQUENCES: 5

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,

; ADDRESSEE: CECCHI, STEWART & OLSTEIN

; STREET: 6 BECKER FARM ROAD

; CITY: ROSELAND

; STATE: NEW JERSEY

; COUNTRY: USA

; ZIP: 07068

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5 INCH DISKETTE

```

;      COMPUTER:  IBM PS/2
;      OPERATING SYSTEM:  MS-DOS
;      SOFTWARE:  WORD PERFECT 5.1
;      CURRENT APPLICATION DATA:
;      APPLICATION NUMBER:  US/08/208,005C
;      FILING DATE:  8 MARCH 1994
;      CLASSIFICATION:  435
;      PRIOR APPLICATION DATA:
;      APPLICATION NUMBER:
;      FILING DATE:
;      ATTORNEY/AGENT INFORMATION:
;      NAME:  FERRARO, GREGORY D.
;      REGISTRATION NUMBER:  36,134
;      REFERENCE/DOCKET NUMBER:  325800-78
;      TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  201-994-1700
;      TELEFAX:  201-994-1744
;      INFORMATION FOR SEQ ID NO:  2:
;      SEQUENCE CHARACTERISTICS:
;      LENGTH:  247 AMINO ACIDS
;      TYPE:  AMINO ACID
;      STRANDEDNESS:
;      TOPOLOGY:  LINEAR
;      MOLECULE TYPE:  PROTEIN
US-08-208-005C-2

```

```

Query Match          100.0%;  Score 1268;  DB 2;  Length 247;
Best Local Similarity 100.0%;  Pred. No. 2.3e-136;
Matches 247;  Conservative 0;  Mismatches 0;  Indels 0;  Gaps 0;

```

```

Qy      1  MLQNSAVLLVLVISASATHEAEQNDVSVPKSRVAAQNSAEVVRCINSALQVGCAGAFACL 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1  MLQNSAVLLVLVISASATHEAEQNDVSVPKSRVAAQNSAEVVRCINSALQVGCAGAFACL 60

Qy      61  ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      61  ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120

Qy      121  IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECD EDTVSTIRD 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      121  IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECD EDTVSTIRD 180

Qy      181  SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      181  SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240

Qy      241  RTSHESA 247
        |||||
Db      241  RTSHESA 247

```

```

RESULT 2
US-09-038-597A-2
; Sequence 2, Application US/09038597A
; Patent No. 5877290
; GENERAL INFORMATION:
; APPLICANT:  OLSEN, ET AL.

```

```

; TITLE OF INVENTION: Corpuscles of Stannius Protein,
; TITLE OF INVENTION: Stanniocalcin
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; ADDRESSEE: CECCHI, STEWART & OLSTEIN
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY
; COUNTRY: USA
; ZIP: 07068
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 INCH DISKETTE
; COMPUTER: IBM PS/2
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/038,597A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/208,005
; FILING DATE: 8-MARCH-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: FERRARO, GREGORY D.
; REGISTRATION NUMBER: 36,134
; REFERENCE/DOCKET NUMBER: 325800-78
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201-994-1700
; TELEFAX: 201-994-1744
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 247 AMINO ACIDS
; TYPE: AMINO ACID
; STRANDEDNESS:
; TOPOLOGY: LINEAR
; MOLECULE TYPE: PROTEIN
US-09-038-597A-2

```

```

Query Match          100.0%; Score 1268; DB 2; Length 247;
Best Local Similarity 100.0%; Pred. No. 2.3e-136;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGC GAFACL 60
        |||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGC GAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
        |||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy    121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDEDTVSTIRD 180
        |||||||
Db    121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
        |||||||

```

Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

Qy 241 RTSHESA 247
 |||||

Db 241 RTSHESA 247

RESULT 3

US-08-460-529B-10
 ; Sequence 10, Application US/08460529B
 ; Patent No. 5994103
 ; GENERAL INFORMATION:
 ; APPLICANT: OLSEN, ET AL.
 ; TITLE OF INVENTION: Human Stanniocalcin-alpha
 ; NUMBER OF SEQUENCES: 10
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
 ; ADDRESSEE: CECCHI, STEWART & OLSTEIN
 ; STREET: 6 BECKER FARM ROAD
 ; CITY: ROSELAND
 ; STATE: NEW JERSEY
 ; COUNTRY: USA
 ; ZIP: 07068
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: 3.5 INCH DISKETTE
 ; COMPUTER: IBM PS/2
 ; OPERATING SYSTEM: MS-DOS
 ; SOFTWARE: WORD PERFECT 5.1
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/460,529B
 ; FILING DATE: June 2, 1995
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: PCT/US94/13206
 ; FILING DATE: 10 NOV 1994
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: MULLINS, J.G.
 ; REGISTRATION NUMBER: 33,073
 ; REFERENCE/DOCKET NUMBER: 325800-334 (PF143)
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 201-994-1700
 ; TELEFAX: 201-994-1744
 ; INFORMATION FOR SEQ ID NO: 10:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 247 AMINO ACIDS
 ; TYPE: AMINO ACID
 ; STRANDEDNESS:
 ; TOPOLOGY: LINEAR
 ; MOLECULE TYPE: PROTEIN
 US-08-460-529B-10

Query Match 100.0%; Score 1268; DB 2; Length 247;
 Best Local Similarity 100.0%; Pred. No. 2.3e-136;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSRVAAQNSAEVVRCLNSALQVGGCAFACL 60
 |||

Db 1 MLQNSAVLLVLVISASATHEAEQNDVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60

Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
 |||

Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy 121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180
 |||

Db 121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180

Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRTNEPQKLKVLLRN LRGEEDSPSHIK 240
 |||

Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRTNEPQKLKVLLRN LRGEEDSPSHIK 240

Qy 241 RTS HESA 247
 |||

Db 241 RTS HESA 247

RESULT 4

US-08-431-117A-2

; Sequence 2, Application US/08431117A

; Patent No. 5994301

; GENERAL INFORMATION:

; APPLICANT: OLSEN, ET AL.

; TITLE OF INVENTION: Coruscles of Stannius Protein, Stanniocalcin

; NUMBER OF SEQUENCES: 8

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,

; ADDRESSEE: CECCHI, STEWART & OLSTEIN

; STREET: 6 BECKER FARM ROAD

; CITY: ROSELAND

; STATE: NEW JERSEY

; COUNTRY: USA

; ZIP: 07068

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5 INCH DISKETTE

; COMPUTER: IBM PS/2

; OPERATING SYSTEM: MS-DOS

; SOFTWARE: WORD PERFECT 5.1

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/431,117A

; FILING DATE:

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 08/208,005

; FILING DATE: 8 MARCH 1994

; ATTORNEY/AGENT INFORMATION:

; NAME: FERRARO, GREGORY D.

; REGISTRATION NUMBER: 36,134

; REFERENCE/DOCKET NUMBER: 325800-296

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 201-994-1700

; TELEFAX: 201-994-1744

; INFORMATION FOR SEQ ID NO: 2:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 247 AMINO ACIDS

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSVPKRSRVAAQNSAEVVRLNSALQVGCAGACL 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 MLQNSAVLLVLVISASATHEAEQNDVSVPKRSRVAAQNSAEVVRLNSALQVGCAGACL 60

Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120

Qy 121 IAEVQEECYSKLNVCSIAKRNP EAITEVVQLPNHFSNRYNRLVRSILLECEDTVSTIRD 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 IAEVQEECYSKLNVCSIAKRNP EAITEVVQLPNHFSNRYNRLVRSILLECEDTVSTIRD 180

Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240

Qy 241 RTSHESA 247
 |||||||
 Db 241 RTSHESA 247

RESULT 6

US-08-208-005C-5

; Sequence 5, Application US/08208005C

; Patent No. 5837498

; GENERAL INFORMATION:

; APPLICANT: OLSEN, ET AL.

; TITLE OF INVENTION: Corpuscles of Stannius Protein, Stanniocalcin

; NUMBER OF SEQUENCES: 5

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,

; ADDRESSEE: CECCHI, STEWART & OLSTEIN

; STREET: 6 BECKER FARM ROAD

; CITY: ROSELAND

; STATE: NEW JERSEY

; COUNTRY: USA

; ZIP: 07068

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5 INCH DISKETTE

; COMPUTER: IBM PS/2

; OPERATING SYSTEM: MS-DOS

; SOFTWARE: WORD PERFECT 5.1

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/208,005C

; FILING DATE: 8 MARCH 1994

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER:

; FILING DATE:

; ATTORNEY/AGENT INFORMATION:

; NAME: FERRARO, GREGORY D.

; REGISTRATION NUMBER: 36,134

; REFERENCE/DOCKET NUMBER: 325800-78

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 201-994-1700

; TELEFAX: 201-994-1744

; INFORMATION FOR SEQ ID NO: 5:

```
; SEQUENCE CHARACTERISTICS:
; LENGTH: 204 AMINO ACIDS
; TYPE: AMINO ACID
; STRANDEDNESS:
; TOPOLOGY: LINEAR
; MOLECULE TYPE: PROTEIN
US-08-208-005C-5
```

```
Query Match          52.1%; Score 660.5; DB 2; Length 204;
Best Local Similarity 60.8%; Pred. No. 3.7e-67;
Matches 118; Conservative 38; Mismatches 37; Indels 1; Gaps 1;
```

```
Qy      11 LVISASATHEAEQNDSVSPRKS RVAQAQNSAEVVRCLNSALQVGC GAFACLENSTCDTDGM 70
      ||:  :|| : :  :: |||::| : : : :| |||| || |||| |||||
Db      12 LVLGTAATFDTDP EEA-SPRRARFSSNSPSDVARCLNGALAVGCGTFACLENSTCDTDGM 70

Qy      71 YDICKSFLYSAAKFDTQGKAFVKESL KCIANGVTSKVFLAIRRCSTFQRMIAEVQEECY 130
      :|||: | :||| | :||| | |||||:||||| |||| | ||||:|||||
Db      71 HDICQLFFHTAATFNTQ GKTFVKESLR CIANGVTSKV FQTIRRCGVFQRMISEVQEECY 130

Qy     131 KLNVC SIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECD EDTVSTIRDSLMEKIGPNM 190
      ::::| :| : |||| | |||:| || ||||: |:||| |||:| |: :| :| :|
Db     131 RLDICGVARSNPEAIGEVVQVPAHF PNRYYSTLLQ SLLACDEETVAVVRAGLVARLGPDM 190

Qy     191 ASLFHILQTDHCAQ 204
      :|| :|| || |
Db     191 ETLFQLLQNKHCPQ 204
```

RESULT 7

US-09-038-597A-5

```
; Sequence 5, Application US/09038597A
; Patent No. 5877290
; GENERAL INFORMATION:
; APPLICANT: OLSEN, ET AL.
; TITLE OF INVENTION: Corpuscles of Stannius Protein,
; TITLE OF INVENTION: Stanniocalcin
; NUMBER OF SEQUENCES: 5
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; ADDRESSEE: CECCHI, STEWART & OLSTEIN
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY
; COUNTRY: USA
; ZIP: 07068
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 INCH DISKETTE
; COMPUTER: IBM PS/2
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/038,597A
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/208,005
```



```

; FILING DATE: 8-MARCH-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: FERRARO, GREGORY D.
; REGISTRATION NUMBER: 36,134
; REFERENCE/DOCKET NUMBER: 325800-78
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201-994-1700
; TELEFAX: 201-994-1744
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 204 AMINO ACIDS
; TYPE: AMINO ACID
; STRANDEDNESS:
; TOPOLOGY: LINEAR
; MOLECULE TYPE: PROTEIN
US-09-038-597A-5

```

```

Query Match          52.1%; Score 660.5; DB 2; Length 204;
Best Local Similarity 60.8%; Pred. No. 3.7e-67;
Matches 118; Conservative 38; Mismatches 37; Indels 1; Gaps 1;

```

```

Qy      11 LVISASATHEAEQNDVSPRKS RVAAQNSAEVVRLNSALQVGC GAFACLENSTCDTDGM 70
        ||:  :|| : :  :: |||::| :: : ::| ||| || ||| ||||| |||||
Db      12 LVLGTAATFDTDPEEA-SPRRARFSSNSPSDVARCLNGALAVGCGTFACLENSTCDTDGM 70

Qy      71 YDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORMIAEVQEECY 130
        :|||: | :|| | :||| |||||:||||| ||| ||||:|||||
Db      71 HDICQLFFHTAATFNTQGKTFVKESLRCIANGVTSKVFTIRRCGVFQRMISEVQEECY 130

Qy      131 KLNVC SIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDT VSTIRDSLM EKIGPNM 190
        :|::| :|: |||| ||||:| || ||||: |:||| |||:|: :| |: :||:|
Db      131 RLDICGVARSNPEAIGEVVQVPAHF PNRYYSTLLQSL LACDEETVAVVRAGLVARLGPDM 190

Qy      191 ASLFHILQTDHCAQ 204
        :|| :|| || |
Db      191 ETLFQLLQNKHCPQ 204

```

RESULT 8

US-08-460-529B-9

; Sequence 9, Application US/08460529B

; Patent No. 5994103

; GENERAL INFORMATION:

; APPLICANT: OLSEN, ET AL.

; TITLE OF INVENTION: Human Stanniocalcin-alpha

; NUMBER OF SEQUENCES: 10

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,

; ADDRESSEE: CECCHI, STEWART & OLSTEIN

; STREET: 6 BECKER FARM ROAD

; CITY: ROSELAND

; STATE: NEW JERSEY

; COUNTRY: USA

; ZIP: 07068

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5 INCH DISKETTE

; COMPUTER: IBM PS/2

```

;   OPERATING SYSTEM:  MS-DOS
;   SOFTWARE:  WORD PERFECT 5.1
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/460,529B
;   FILING DATE:  June 2, 1995
;   CLASSIFICATION:  435
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  PCT/US94/13206
;   FILING DATE:  10 NOV 1994
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  MULLINS, J.G.
;   REGISTRATION NUMBER:  33,073
;   REFERENCE/DOCKET NUMBER:  325800-334 (PF143)
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  201-994-1700
;   TELEFAX:  201-994-1744
;   INFORMATION FOR SEQ ID NO:  9:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  170 AMINO ACIDS
;   TYPE:  AMINO ACID
;   STRANDEDNESS:
;   TOPOLOGY:  LINEAR
;   MOLECULE TYPE:  PROTEIN
US-08-460-529B-9

```

```

Query Match          49.5%;  Score 628;  DB 2;  Length 170;
Best Local Similarity 66.5%;  Pred. No. 1.4e-63;
Matches 113;  Conservative 30;  Mismatches 27;  Indels 0;  Gaps 0;

```

```

Qy      28 SPRKSRVAAQNSAEVVRCLNSALQVGCGAFACLENSTCDTDGMYDICKSFLYSAAKFDTQ 87
      ||| :| :| : ::| |||| ||||| ||||:||||:||||:||||: |||||
Db      1 SPRTARFSASSPSDVARCLNGALQVGCSAFACLDNSTCNTDGMHEICRSFLHGAAKFDTQ 60

Qy      88 GKAFVKESLKCIANGVTISKVFLAIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPEAITE 147
      || ||||| |||||:||||| ||||:||||:||||:||||:||||: ||||: |
Db      61 GKTFVKESLKCIANGITSKVFLTIRRCSSFQKMISEVQEECYSKLDLCSVAQSNPEAMGE 120

Qy      148 VVQLPNHFNSNRYNRLVRSLLCEDTDTVSTIRDSLMEKIGPNMASLFHIL 197
      | |:|: | ||||: |:||| ||||| :| |: :: | | || :|
Db      121 VAQVPSQFPNRYSTLLQSLTCDTVEQVRAGLVSRLEPEMGVLFQLL 170

```

```

RESULT 9
US-09-361-736B-9
; Sequence 9, Application US/09361736B
; Patent No. 6613877
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc.
; TITLE OF INVENTION: Human Stanniocalcin-Alpha
; FILE REFERENCE: PF143P1D1
; CURRENT APPLICATION NUMBER: US/09/361,736B
; CURRENT FILING DATE: 1999-07-28
; PRIOR APPLICATION NUMBER: 08/460,529
; PRIOR FILING DATE: 1995-06-02
; PRIOR APPLICATION NUMBER: PCT/ US94/13206
; PRIOR FILING DATE: 1994-11-30
; NUMBER OF SEQ ID NOS: 12

```

; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 9
; LENGTH: 170
; TYPE: PRT
; ORGANISM: Anguilla australis
US-09-361-736B-9

Query Match 49.5%; Score 628; DB 4; Length 170;
Best Local Similarity 66.5%; Pred. No. 1.4e-63;
Matches 113; Conservative 30; Mismatches 27; Indels 0; Gaps 0;

Qy 28 SPRKSRVAAQNSAEVVRLNSALQVGCGAFACLENSTCDTDGMYDICKSFLYSAAKFDTQ 87
||| :| :| : :|| |||| ||||| |||||:||||:||||:||||: |||||
Db 1 SPRTARFSASSPSDVARCLNGALQVGCSAFACLDNSTCNTDGMHEICRSFLHGAAKFDTQ 60

Qy 88 GKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPFAITE 147
|| |||||:||||| |||||:|:|:|:|:|:|:|:|:|:|:|:|:|:|:|
Db 61 GKTFVKESLKCIANGITSKVFLTIRRCSSFQKMISEVQEECYSKLDLCSVAQSNPEAMGE 120

Qy 148 VVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRDSLMEKIGPNMASLFHIL 197
| |:|:| ||||: |:||| ||||| :| |: :| | | || :|
Db 121 VAQVPSQFPNRYYSTLLQSLTCEDETVQVRAGLVSRLEPEMGVLFQLL 170

RESULT 10

US-08-831-132-14

; Sequence 14, Application US/08831132
; Patent No. 6008322

; GENERAL INFORMATION:

; APPLICANT: Kuestner, Rolf E.
; APPLICANT: Conklin, Darrell C.
; APPLICANT: Lok, Si
; APPLICANT: Buddle, Michele
; APPLICANT: Downey, William
; TITLE OF INVENTION: STANNIOCALCIN-2
; NUMBER OF SEQUENCES: 22
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ZymoGenetics, Inc.
; STREET: 1201 Eastlake Avenue East
; CITY: Seattle
; STATE: WA
; COUNTRY: USA
; ZIP: 98102

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/831,132
; FILING DATE:
; CLASSIFICATION: 424

; ATTORNEY/AGENT INFORMATION:

; NAME: Sawislak, Deborah A.
; REGISTRATION NUMBER: 37,438
; REFERENCE/DOCKET NUMBER: 96-01
; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 206-442-6672
 ; TELEFAX: 206-442-6678
 ; INFORMATION FOR SEQ ID NO: 14:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 296 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 US-08-831-132-14

Query Match 28.0%; Score 354.5; DB 3; Length 296;
 Best Local Similarity 31.7%; Pred. No. 5.4e-32;
 Matches 85; Conservative 45; Mismatches 109; Indels 29; Gaps 5;

QY 7 VLLVLVISASATHEAEQNDSVSP-----RKS RVAAQNSAEVVRCLNSALQVGCGA 56
 | | | | : | : | | : | | : | | : | | : | | |
 Db 10 VTLALVF--ATLDPAQGTDSTNPPEGPDQRSSQOKGRLSLQNTAEIQHCLVNAGDVGCGV 67
 QY 57 FACLENSTCDTDGMYDICKSFLYSAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCST 116
 | | | | : | : | | : | | : | | : | | : | | : | | : | |
 Db 68 FECFENNSCEIQGLHGICMTFLHNAGKFDAQGKSF KDALRCKAHALRHKFGCISRKCPA 127
 QY 117 FORMIAEVQEECYSKLNVCSIAKRNP EAIT EVQLPNHFSNRYNRLVRSLLCEDEDTVS 176
 : | : : | | | | : | | : | | : | | : | | : | | : | |
 Db 128 IREMFVQLQRECYLKHDLCSAAQENVGVIVEMIHF KDLLHEPYVDLVNLLLT CGEDVKE 187
 QY 177 TIRDSLMEKIGPNMASLFHIL-----QTDHCAQTH----PRADFNRRRTNEPQKLKV 224
 : | : : : | | : | | : | | : | | : | | : | | : | |
 Db 188 AVTRSVQAQCEQSWGGLCSILSFCTSNIQRPTAAPEHQPLADRAQLSRPHHRDTHHLLT 247
 QY 225 LLRNLRGEEDSPSHIK-----RTSHESA 247
 | : | | | | | | : | | : | |
 Db 248 ANRGAKGERGSKSHPNAHARGRTGGQSA 275

RESULT 11

US-09-416-150-14

; Sequence 14, Application US/09416150
 ; Patent No. 6171822
 ; GENERAL INFORMATION:
 ; APPLICANT: Kuestner, Rolf E.
 ; Conklin, Darrell C.
 ; Lok, Si
 ; Buddle, Michele
 ; Downey, William
 ; TITLE OF INVENTION: STANNIOCALCIN-2
 ; NUMBER OF SEQUENCES: 22
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: ZymoGenetics, Inc.
 ; STREET: 1201 Eastlake Avenue East
 ; CITY: Seattle
 ; STATE: WA
 ; COUNTRY: USA
 ; ZIP: 98102
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible

```

;      OPERATING SYSTEM: PC-DOS/MS-DOS
;      SOFTWARE: PatentIn Release #1.0, Version #1.25
;
;      CURRENT APPLICATION DATA:
;      APPLICATION NUMBER: US/09/416,150
;      FILING DATE: 11-Oct-1999
;      CLASSIFICATION: <Unknown>
;
;      PRIOR APPLICATION DATA:
;      APPLICATION NUMBER: 08/831,132
;      FILING DATE: <Unknown>
;
;      ATTORNEY/AGENT INFORMATION:
;      NAME: Sawislak, Deborah A.
;      REGISTRATION NUMBER: 37,438
;      REFERENCE/DOCKET NUMBER: 96-01
;
;      TELECOMMUNICATION INFORMATION:
;      TELEPHONE: 206-442-6672
;      TELEFAX: 206-442-6678
;
;      INFORMATION FOR SEQ ID NO: 14:
;      SEQUENCE CHARACTERISTICS:
;      LENGTH: 296 amino acids
;      TYPE: amino acid
;      TOPOLOGY: linear
;      MOLECULE TYPE: protein
;      SEQUENCE DESCRIPTION: SEQ ID NO: 14:
US-09-416-150-14

```

```

Query Match          28.0%; Score 354.5; DB 3; Length 296;
Best Local Similarity 31.7%; Pred. No. 5.4e-32;
Matches 85; Conservative 45; Mismatches 109; Indels 29; Gaps 5;

```

```

Qy      7 VLLVLVISASATHEAEQNDVSP-----RKSRVAAQNSAEVVRCLNSALQVGCGA 56
      | | | | : | : | : | : | : | : | : | : | : | : |
Db      10 VTLALVF--ATLDPAQGTSTNPPEGPQDRSSQQKGRSLQNTAEIQHCLVNAGDVGCGV 67

Qy      57 FACLENSTCDTDGMYDICKSFLYSAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCST 116
      | | | | : | : | : | : | : | : | : | : | : | : |
Db      68 FECFENNSCEIQGLHGICMTFLHNAGKFDAQGKSFIKDALRCKAHALRHKFGCISRKCPA 127

Qy      117 FQMIAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECDTVDTS 176
      : | : : | | | | : | | : | | : | : | : | : |
Db      128 IREMFVQLQRECYLKHDLCSSAAQENVGVIVEMIHFKDLLLHEPYVDLVNLLLTGCEVDKE 187

Qy      177 TIRDSLMEKIGPNMASLFHIL-----QTDHCAQTH----PRADFNRRRTNEPQKLKV 224
      : | : : : | | | : | | : | | : | | : | : |
Db      188 AVTRSVQAQCEQSWGGLCSILSFCTSNIQRPPTAAPEHQPLADRAQLSRPHHRTDHHLT 247

Qy      225 LLRNLRGEEDSPSHIK-----RTSHESA 247
      | : | | | | : | : | : |
Db      248 ANRGAKGERGSKSHPNAHARGRTGGQSA 275

```

RESULT 12

```

US-08-831-132-2
; Sequence 2, Application US/08831132
; Patent No. 6008322
; GENERAL INFORMATION:
; APPLICANT: Kuestner, Rolf E.
; APPLICANT: Conklin, Darrell C.

```


Db 252 RETGRGAKGERGSKSH 267

RESULT 13

; Sequence 2, Application US/09416150

; GENERAL INFORMATION:

Conklin, Darrell C.

Buddle, Michele

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

; CORRESPONDENCE ADDRESS:

STREET: 1201 Eastlake Avenue East

; STATE: WA

; ZIP: 98102

```

; MEDIUM TYPE: Floppy disk

```

OPERATING SYSTEM: PC-DOS/MS-DOS

```

; CURRENT APPLICATION DATA:

```

; FILING DATE: 11-Oct-1999

;
PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 08/831,132

; FILING DATE: <Unknown>

; ATTORNEY/AGENT INFORMATION:

; NAME: Sawislak, Deborah A.

REGISTRATION NUMBER: 37,438

REFERENCE/DOCKET NUMBER: 96-01

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 206-442-6672

TELEFAX: 206-442-6678

; INFORMATION FOR SEO ID NO: 2:

```

: SEOUENCE CHARACTERISTICS:

```

; LENGTH: 302 amino acids

; TYPE: amino acid

TOPOLOGY: linear

; MOLECULE TYPE: protein

```

; SEQUENCE DESCRIPTION: SEQ ID NO: 2:

```

US-09-416-150-2

Best Local Similarity 32.4%; Pred. No. 6.4e-32;

Matches 83; Conservative 45; Mismatches 102; Indels 26; Gaps 4;

```
QY          9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQN SAEVVRLNSALQVGCGAFACL·60
```

| | : :

| | : |

| : | | : : | | : | | : | | : |

```

Db      12 LALVLATFDPARGTDATNPPEGPQDRSSQQKGRLSLQNTAEIQHCLVNAGDVGCGVFECF 71
Qy      61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
      ||::|: |:: || :||::| ||| |||::|::||| |: : : |:: | : |
Db      72 ENNSCEIRGLHGICMTFLHNAGKFDAQGKSFIKDALKCKAHALRHRFGCISRKCPAIREM 131
Qy     121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECEDTVSTIRD 180
      ::::| ||| | :::| :| | | |:: : : | || || | | : |
Db     132 VSQQLQRECYLKHDLCAAAQENTRVIVEMIHFKDLLLHEPYVDLVNLLLTCGEEVKEAITH 191
Qy     181 SLMEKIGPNMASLFHILQ-TDHCAQTHPRADFNRRRTNEPQKL----- 222
      |: : | || || | | | | | | : : ||
Db     192 SVQVQCEQNWGSLCSILSFCTSAIQKPPTAPPERQPQVDRTKLSRAHHGEAGHHLPEPSS 251
Qy     223 KVLLRNLRGEEDSPSH 238
      : | :|| | ||
Db     252 RETGRGAKGERGSKSH 267

```

RESULT 14

US-09-193-881-23

; Sequence 23, Application US/09193881A

; Patent No. 6538119

; GENERAL INFORMATION:

; APPLICANT: Patricia Billing-Medel

; APPLICANT: Maurice Cohen

; APPLICANT: Tracey L. Colpitts

; APPLICANT: Paula N. Friedman

; APPLICANT: Edward N. Granados

; APPLICANT: Michael R. Klass

; APPLICANT: John C. Russell

; APPLICANT: Stephen D. Stroupe

; TITLE OF INVENTION: Reagents and Methods Useful for Detecting Diseases of the

; TITLE OF INVENTION: Breast

; FILE REFERENCE: 6248.US.P1

; CURRENT APPLICATION NUMBER: US/09/193,881A

; CURRENT FILING DATE: 1998-11-18

; NUMBER OF SEQ ID NOS: 29

; SOFTWARE: FastSEQ for Windows Version 3.0

; SEQ ID NO 23

; LENGTH: 302

; TYPE: PRT

; ORGANISM: Homo sapiens

US-09-193-881-23

Query Match 27.9%; Score 354; DB 4; Length 302;

Best Local Similarity 32.4%; Pred. No. 6.4e-32;

Matches 83; Conservative 45; Mismatches 102; Indels 26; Gaps 4;

```

Qy      9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQNSAEVVRC LNSALQVGC GAFACL 60
      | ||:: ||: | | | :| |:: ||::|: || :| |||| | |
Db     12 LALVLATFDPARGTDATNPPEGPQDRSSQQKGRLSLQNTAEIQHCLVNAGDVGCGVFECF 71
Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
      ||::|: |:: || :||::| ||| |||::|::||| |: : : |:: | : |
Db     72 ENNSCEIRGLHGICMTFLHNAGKFDAQGKSFIKDALKCKAHALRHRFGCISRKCPAIREM 131

```



```

Qy      121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECDDEDTVSTIRD 180
      :::| ||| | ::|: |: | | |:: : : | || || | |: |
Db      132 VSQIQRECYLKHDLCAAAQENTRVIVEMIHFKDLLLLHEPYVDLVNLLLTCEEVKEAITH 191

Qy      181 SLMEKIGPNMASLFHILQ-TDHCAQTHPRADFNRRRTNEPQKL----- 222
      |: : | || || | | | |: : ||
Db      192 SVQVQCEQNWGSILCSILSFACTSAIQKPPTAPPERQPQVDRTKLSRAHHGEAGHHLPEPSS 251

Qy      223 KVLLRNLRGEEDSPSH 238
      : | :|| | ||
Db      252 RETGRGAKGERGSKSH 267

```

RESULT 15

US-09-361-736B-12

```

; Sequence 12, Application US/09361736B
; Patent No. 6613877
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc.
; TITLE OF INVENTION: Human Stanniocalcin-Alpha
; FILE REFERENCE: PF143P1D1
; CURRENT APPLICATION NUMBER: US/09/361,736B
; CURRENT FILING DATE: 1999-07-28
; PRIOR APPLICATION NUMBER: 08/460,529
; PRIOR FILING DATE: 1995-06-02
; PRIOR APPLICATION NUMBER: PCT/ US94/13206
; PRIOR FILING DATE: 1994-11-30
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 12
; LENGTH: 302
; TYPE: PRT
; ORGANISM: human
US-09-361-736B-12

```

```

Query Match      27.9%; Score 354; DB 4; Length 302;
Best Local Similarity 32.4%; Pred. No. 6.4e-32;
Matches 83; Conservative 45; Mismatches 102; Indels 26; Gaps 4;

```

```

Qy      9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60
      | ||:: ||: | | | :| |:: ||: ||: || :| ||| | |
Db      12 LALVLATFDPARGT DATNPPEG PQDRSSQ QKGRLSLQNTAEIQHCLVNAGDVGCGVFECF 71

Qy      61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120
      ||::|: |: || :||::| ||| ||::|:|: ||| |: : : |:| :|
Db      72 ENNSCEIRGLHGICMTFLHNAGKFDAQ GKSFIKDALKCKAHALRH RFGCISRKCPAIREM 131

Qy      121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECDDEDTVSTIRD 180
      :::| ||| | ::|: |: | | |:: : : | || || | |: |
Db      132 VSQIQRECYLKHDLCAAAQENTRVIVEMIHFKDLLLLHEPYVDLVNLLLTCEEVKEAITH 191

Qy      181 SLMEKIGPNMASLFHILQ-TDHCAQTHPRADFNRRRTNEPQKL----- 222
      |: : | || || | | | |: : ||
Db      192 SVQVQCEQNWGSILCSILSFACTSAIQKPPTAPPERQPQVDRTKLSRAHHGEAGHHLPEPSS 251

Qy      223 KVLLRNLRGEEDSPSH 238
      : | :|| | ||

```

Db

252 RETGRGAKGERGSKSH 267

Search completed: July 19, 2004, 15:34:25
Job time : 20 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: July 19, 2004, 15:30:13 ; Search time 16 Seconds
(without alignments)
1484.957 Million cell updates/sec

Title: US-10-614-990-2
Perfect score: 1268
Sequence: 1 MLQNSAVLLVLVISASATHE.....NLRGEEDSPSHIKRTSHESA 247

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283366 seqs, 96191526 residues

Total number of hits satisfying chosen parameters: 283366

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_78:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	%		DB	ID	Description
		Query	Match Length			
1	680.5	53.7	263	2	A54648	stanniocalcin prec
2	662.5	52.2	256	2	I51197	stanniocalcin - co
3	354	27.9	302	2	JE0357	stanniocalcin homo
4	150	11.8	40	2	B60841	teleocalcin - coho
5	149	11.8	40	2	A60841	teleocalcin - sock
6	123	9.7	33	2	S06337	teleocalcin - rain
7	102	8.0	473	2	T04799	hypothetical prote
8	94	7.4	1105	2	T18295	Ap-3 adaptor compl
9	90.5	7.1	289	2	T50776	hypothetical prote
10	90.5	7.1	783	2	T38690	probable regulator
11	89.5	7.1	1126	2	T01491	ubiquitin-protein
12	89	7.0	305	2	T08121	peroxidase (EC 1.1
13	88	6.9	473	2	T45954	hypothetical prote

14	87.5	6.9	1465	2	S45628	DNA-directed DNA p
15	86	6.8	470	2	H72097	mg++ transporter (
16	86	6.8	470	2	F86526	Mg++ transporter [
17	86	6.8	510	2	T45952	hypothetical prote
18	86	6.8	556	2	S51858	probable membrane
19	86	6.8	581	2	S58201	probable membrane
20	83	6.5	250	2	S30584	hypothetical prote
21	83	6.5	250	2	D69215	conserved hypothet
22	83	6.5	365	2	T06693	hypothetical prote
23	83	6.5	1093	2	T50652	AP-3 complex beta3
24	83	6.5	1094	2	T50651	AP3-complex beta-3
25	82.5	6.5	869	2	A88710	protein C43G2.2 [i
26	82.5	6.5	1483	2	S30015	hypothetical prote
27	82.5	6.5	1757	2	T05204	hypothetical prote
28	82.5	6.5	2335	2	T40186	probable phosphati
29	82.5	6.5	2535	2	T04824	hypothetical prote
30	82	6.5	815	2	G72209	conserved hypothet
31	82	6.5	925	2	T01384	hypothetical prote
32	81.5	6.4	463	2	T15416	hypothetical prote
33	81.5	6.4	549	2	F64640	conserved hypothet
34	81.5	6.4	708	1	TFBOL	lactotransferrin p
35	81	6.4	358	2	S76692	hypothetical prote
36	81	6.4	720	2	JC5131	glycosyltransferas
37	81	6.4	1375	2	T18961	FAB1 protein homol
38	81	6.4	4377	2	A55575	ankyrin 3, long sp
39	80	6.3	281	2	H84720	probable endonucle
40	80	6.3	509	1	VGNVPC	major envelope gly
41	80	6.3	509	2	T10395	protein gp64 - Org
42	80	6.3	985	2	T00633	Ca2+-transporting
43	80	6.3	998	2	T52581	Ca2+-transporting
44	80	6.3	1178	2	S54073	probable membrane
45	80	6.3	1188	2	T46608	zinc finger protei

ALIGNMENTS

RESULT 1

A54648

stanniocalcin precursor - Australian eel

N;Alternate names: Stannius corpuscle secretory protein

C;Species: *Anguilla australis* (Australian eel)

C;Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 07-May-1999

C;Accession: A54648

R;Butkus, A.; Roche, P.J.; Fernley, R.T.; Haralambidis, J.; Penschow, J.D.;

Ryan, G.B.; Trahair, J.F.; Tregear, G.W.; Coghlan, J.P.

Mol. Cell. Endocrinol. 54, 123-133, 1987

A;Title: Purification and cloning of a corpuscles of Stannius protein from *Anguilla australis*.

A;Reference number: A54648; MUID:88083961; PMID:3319739

A;Accession: A54648

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-263 <BUT>

F;1-17/Domain: signal sequence #status predicted <SIG>

F;18-263/Product: stanniocalcin #status predicted <MAT>

Query Match 53.7%; Score 680.5; DB 2; Length 263;
Best Local Similarity 61.4%; Pred. No. 2.3e-51;
Matches 124; Conservative 41; Mismatches 36; Indels 1; Gaps 1;

Qy	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAQNSAEVVRCLNSALQVGC	60
		: :: : : : :::: : : : : ::	
Db	1	MLRMSGLILTLVL-VTAAEYQDESEPLSPRTARFSASSPSDVARCLNGALQVGC	59
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM	120
		: :	
Db	60	DNSTCNTDGMHEICRSFLHGAAKFDTQGKTFVKESLKCIANGITSKVFLTIRRCSSFQKM	119
Qy	121	IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSLLECD EDTVSTIRD	180
		: :	
Db	120	ISEVQEECYSKLDLCSVAQSNPEAMGEVAQVPSQFPNRYYSTLLQSLLTCEDETV EQVRA	179
Qy	181	SLMEKIGPNMASLFHILQTDHC	202
		: :: :	
Db	180	GLVSRLEPEMGVLFOLLTKAC	201

RESULT 2

T51197

stanniocalcin - coho salmon

C;Species: Oncorhynchus kisutch (coho salmon)

C;Date: 13-Sep-1996 #sequence revision 13-Sep-1996 #text change 21-Jul-2000

C;Accession: I51197

R; Wagner, G.F.; Dimattia, G.E.; Davie, J.R.; Copp, D.H.; Friesen, H.G.

Mol. Cell. Endocrinol. 90, 7-15, 1992

A7>Title: Molecular cloning and cDNA sequence analysis of coho salmon stanniocalcin.

A:Reference number: T51197; MUID:93246046; PMID:1363790

A;Accession: I51197

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-256 <WAG>

A;Cross-references: GB:S59519; NID:q299926; PIDN:AAB26419.1; PID:q299927

Query Match 52.2%; Score 662.5; DB 2; Length 256;
Best Local Similarity 53.4%; Pred. No. 8.1e-50;
Matches 125; Conservative 46; Mismatches 54; Indels 9; Gaps 4;

Qy	11	LVISASATHEAEQNDSVSPRKS RVAQNSAEVVRCLNSALQVGC GAFACLENSTCDTDGM	70
		: : : : :: :: : : : ::	
Db	12	LVLGTAATFDTDPEEA-SPRRARFSSNSPSDVARCLNGALAVGCGTFACLENSTCDTDGM	70
Qy	71	YDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORMIAEVQEECY	130
		: : : : : :	
Db	71	HDICQLFFHTAATFNTQGKTFVKESLRCIANGVTSKVFTIRRCGVQRMISEVQEECY	130
Qy	131	KLNVC ³ SIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDT ³ VSTIRDSLMEKIGPNM	190
		: : : : : : : : : : : : :	
Db	131	RLDICGVARSNPEAIGEVVQVPAHF ³ PNRYYSTLLQSL ³ LACDEETVAVVRAGLVARLG ³ PDM	190
Qy	191	ASLFHILQTDHCAQTHPRADFN-----RRRTNEPQKLKVLLRNL ³ RGEEDSPSHI	239
		: : : : : : : :	
Db	191	ETLFOLLONKHCPGSGNOGPN ³ SAPAGWRWPMGSP ³ PSFKI-QPSMRGRD--PTH ³ L	241

RESULT 3

JE0357

stanniocalcin homolog - human

N;Alternate names: STC2

C;Species: Homo sapiens (man)

C;Date: 05-Feb-1999 #sequence_revision 05-Feb-1999 #text_change 21-Jul-2000

C;Accession: JE0357

R;Ishibashi, K.; Miyamoto, K.; Taketani, Y.; Morita, K.; Takeda, E.; Sasaki, S.; Imai, M.

Biochem. Biophys. Res. Commun. 250, 252-258, 1998

A;Title: Molecular cloning of a second human stanniocalcin homologue (STC2).

A;Reference number: JE0357; MUID:98440784; PMID:9753616

A;Accession: JE0357

A;Molecule type: mRNA

A;Residues: 1-302 <ISH>

A;Cross-references: DDBJ:AB012664; NID:g3702223; PIDN:BAA33489.1; PID:g3702224

C;Comment: This protein suppressed expression of renal sodium/phosphate cotransporter.

C;Genetics:

A;Introns: 51/1 98/3 169/2

Query Match 27.9%; Score 354; DB 2; Length 302;

Best Local Similarity 32.4%; Pred. No. 4.6e-23;

Matches 83; Conservative 45; Mismatches 102; Indels 26; Gaps 4;

```

Qy      9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL 60
      | ||::      ||: | | | :| |:: ||:| | | | | | | |
Db     12 LALVLATFDPARGTDATNPPEGPQDRSSQQKGRLSLQNTAEIQHCLVNAGDVGCGVFECF 71

Qy     61 ENSTCDTDGMYDICKSFLYSAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
      ||::| | | :| | | | | | | | | | | | | | | | | | | | | |
Db     72 ENNSCEIRGLHGICMTFLHNAGKFDAQGKSFIKDALKCKAHALRHRFGCISRKCPAIREM 131

Qy    121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSLLCEDDTVSTIRD 180
      ::::| || | | :| | | | | | | | | | | | | | | | | |
Db    132 VSQLQRECYLKHDLC AAAQENTRVIVEMIHF KD LLLHEPYVDLVNLLLTCGEEVKEAITH 191

Qy    181 SLMEKIGPNMASLPHILQ-TDHCAQTHPRADFNRRRTNEPQKL----- 222
      | : | | | | | | | | | | | | | | | | | | | | |
Db    192 SVQVQCEQNWGSLSILSFCTSAIQKPPTAPPERQPQVDRTKLSRAHHGEAGHHLPEPSS 251

Qy    223 KVLLRNLRGEEDSPSH 238
      : | :| | | |
Db    252 RETGRGAKGERGSKSH 267

```

RESULT 4

B60841

teleocalcin - coho salmon (fragment)

C;Species: Oncorhynchus kisutch (coho salmon)

C;Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 30-Sep-1993

C;Accession: B60841

R;Wagner, G.F.; Fenwick, J.C.; Park, C.M.; Milliken, C.; Copp, D.H.; Friesen, H.G.

Gen. Comp. Endocrinol. 72, 237-246, 1988

A;Title: Comparative biochemistry and physiology of teleocalcin from sockeye and coho salmon.

A;Reference number: A60841; MUID:89065334; PMID:3197944

A;Accession: B60841

A;Molecule type: protein

A;Residues: 1-40 <WAG>

C;Comment: This glycoprotein hormone from the corpuscles of Stannius regulates calcium uptake through the gills.

C;Keywords: disulfide bond; glycoprotein; hormone

Query Match 11.8%; Score 150; DB 2; Length 40;
Best Local Similarity 66.7%; Pred. No. 1.9e-06;
Matches 26; Conservative 6; Mismatches 7; Indels 0; Gaps 0;

Qy 35 AAQNSAEVVRCLNSALQVGCGAFACLENSTCDTDGMYDI 73
:: : ::| |||| || |||| ||||| |||||:|
Db 2 SSNSPSDVARCLNGALAVGCGTFACLEXSTCDTDGMHDI 40

RESULT 5

A60841

teleocalcin - sockeye salmon (fragment)

C;Species: Oncorhynchus nerka (sockeye salmon)

C;Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 30-Sep-1993

C;Accession: A60841

R;Wagner, G.F.; Fenwick, J.C.; Park, C.M.; Milliken, C.; Copp, D.H.; Friesen, H.G.

Gen. Comp. Endocrinol. 72, 237-246, 1988

A;Title: Comparative biochemistry and physiology of teleocalcin from sockeye and coho salmon.

A;Reference number: A60841; MUID:89065334; PMID:3197944

A;Accession: A60841

A;Molecule type: protein

A;Residues: 1-40 <WAG>

C;Comment: This glycoprotein hormone from the corpuscles of Stannius regulates calcium uptake through the gills.

C;Keywords: disulfide bond; glycoprotein; hormone

Query Match 11.8%; Score 149; DB 2; Length 40;
Best Local Similarity 76.5%; Pred. No. 2.3e-06;
Matches 26; Conservative 3; Mismatches 5; Indels 0; Gaps 0;

Qy 40 AEVVRCLNSALQVGCGAFACLENSTCDTDGMYDI 73
::| |||| || |||| ||||| |||||:|
Db 7 SDVARCLNGALDVGCGTFACLEXSTCDTDGMHDI 40

RESULT 6

S06337

teleocalcin - rainbow trout (fragment)

N;Alternate names: hypocalcin

C;Species: Oncorhynchus mykiss (rainbow trout)

C;Date: 29-Jan-1993 #sequence_revision 29-Jan-1993 #text_change 18-Jun-1993

C;Accession: S06337

R;Lafeber, F.P.J.G.; Hanssen, R.G.J.M.; Choy, Y.M.; Flik, G.; Herrmann-Erlee, M.P.M.; Pang, P.K.T.; Wendelaar Bonga, S.E.

Gen. Comp. Endocrinol. 69, 19-30, 1988

A;Title: Identification of hypocalcin (teleocalcin) isolated from trout stannius corpuscles.

A;Reference number: S06337; MUID:88196801; PMID:3360288

A;Accession: S06337

A;Molecule type: protein

A;Residues: 1-33 <LAF>

A;Note: 7-Glu was also found

C;Keywords: dimer; glycoprotein; hormone

F;29/Binding site: carbohydrate (Asn) (covalent) #status experimental

Query Match 9.7%; Score 123; DB 2; Length 33;
Best Local Similarity 65.6%; Pred. No. 0.00032;
Matches 21; Conservative 5; Mismatches 6; Indels 0; Gaps 0;

Qy 35 AAQNSAEVVRCLNSALQVGCFAFACLENSTCD 66
:: : ::| |||| || |||| |||||
Db 2 SSNSPSDVARCLNGALAVGCGTFACLENSTCD 33

RESULT 7

T04799

hypothetical protein F10M23.100 - Arabidopsis thaliana

C;Species: Arabidopsis thaliana (mouse-ear cress)

C;Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 11-Jun-1999

C;Accession: T04799

R;Bevan, M.; Lecharny, A.; Cheddor, F.; Krivitzky, M.; Kreis, M.; Hoheisel, J.;

Mewes, H.W.; Mayer, K.F.X.; Schueller, C.

submitted to the Protein Sequence Database, February 1999

A;Reference number: Z15385

A;Accession: T04799

A;Molecule type: DNA

A;Residues: 1-473 <BEV>

A;Cross-references: EMBL:AL035440

A;Experimental source: cultivar Columbia; BAC clone F10M23

C;Genetics:

A;Map position: 4

A;Introns: 24/3; 92/3; 184/3; 256/3; 308/3; 412/3

A;Note: F10M23.100

Query Match 8.0%; Score 102; DB 2; Length 473;
Best Local Similarity 21.0%; Pred. No. 0.49;
Matches 50; Conservative 43; Mismatches 67; Indels 78; Gaps 11;

Qy 26 SVSPRKS RVAAQNSAEVVRCLNSALQVGCFAFACLENSTCDT----DGM YDICKSF-LYS 80
:| :| :||: ||:: | :| | | || | |:
Db 50 NVYKKKVELAAKSRAELLQTLSD-----ATVELSNLTTALGEKSYIDICDSMSLFP 100

Qy 81 AAKFDTQGKAFVKESLKCIA-----NG-- 102
| | :|| | || | |
Db 101 LQPKDTS GT--IKEQLSAIAPALEQLWQQKEERVRAFSDVQSQIQKICEEIAGGLNNGPH 158

Qy 103 VTSKVFLAIRRCSTFQRMIAEVQEECYSKL-----NVCSIAKRN-PEAITEV-- 148
| : |::| || : |::| :| :||: : : :||
Db 159 VVDETDL SLKRLDDFQRLQELQKEKSDRLQKVLEFVSTVHDLCAVLRDLFLSTVTEVHP 218

Qy 149 -----VQLPNHFSNRYYNRLVRSLLECEDTVSTIRDSLMEKIGPNMASLFHILQT 199
|| : || || ::| || : : : : :|::|

RESULT 8

T18295

Ap-3 adaptor complex beta3A chain - mouse

C;Species: Mus musculus (house mouse)

C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999

C;Accession: T18295

R;Feng, L.; Seymour, A.B.; Jiang, S.Y.; To, A.; Peden, A.A.; Novak, E.K.; Zhen, L.; Rusiniak, M.E.; Eicher, E.M.; Robinson, M.S.; Gorin, M.B.; Swank, R.T. Hum. Mol. Genet. 8, 323-330, 1999

A;Title: The beta3A subunit gene (Ap3b1) of the AP-3 adaptor complex is altered in the mouse hypopigmentation mutant pearl, a model for Hermansky-Pudlak syndrome and night blindness.

A;Reference number: Z18864; MUID:99135912; PMID:9931340

A;Accession: T18295

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-1105 <FEN>

A;Cross-references: EMBL:AF103809; NID:g3885987; PID:g3885988; PIDN:AAC78338.1

A;Experimental source: strain C3H/HeJ

C;Genetics:

A;Gene: Ap3b1

A;Map position: 13

Query Match 7.4%; Score 94; DB 2; Length 1105;

Best Local Similarity 21.2%; Pred. No. 6.5;

Matches 55; Conservative 40; Mismatches 104; Indels 60; Gaps 11;

```

Qy      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60
          :||:  :|: :: |      :||:  |  | :|| | | :|      :
Db      308 LLQSRNAAVVMAVAQLYWH-----ISP KSE--AGVISKSLVRLLSNREVQYIVLQNI 358

Qy      61 ENSTCDTDGMYD-ICKSFLYSAAKFDTQGKAFVKESLKC IANGVT SKVFL----- 109
          : : ||:: ||| | : | | | | :||      |
Db      359 ATMSIERKGMFEPYLSKF-YVRSTDPTMIKTLKLEILT NLANEANISTLLREFQTYVRSQ 417

Qy      110 -----AIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPEAITE---VVQLPNHFS 156
          | ||:|  |:| | |:| | || :| : | :| :|
Db      418 DKQFAAATIQTIGRCAT---SISEFTETCFNGL-VCLLSNRDEIVVAESV VVIKLLQMQ 473

Qy      157 NRYYNRLVRSLE-CDEDTVSTIRDSLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRR 215
          : ::| : : | ||  | |:| || |      | :  |
Db      474 PAQHGEIIRHMAKFLDSITVPVARASILWLIGEN-----CERV PKIA----- 515

Qy      216 TNEPQKLKVLLRNLRGEED 234
          | |: : ::  |:|
Db      516 ---PDVLRKMAKSFTSEDD 531

```

RESULT 9

T50776

hypothetical protein [imported] - Vitis vinifera

C;Species: Vitis vinifera

C;Date: 21-Jul-2000 #sequence_revision 21-Jul-2000 #text_change 21-Jul-2000

C;Accession: T50776

R;Matsumoto, S.; Dry, I.B.; Thomas, M.
 DNA Seq. 8, 109-112, 1997
 A;Title: Nucleotide sequence of grapevine (*Vitis vinifera*) cDNA similar to SNAP proteins.
 A;Reference number: Z25233
 A;Accession: T50776
 A;Status: preliminary; translated from GB/EMBL/DDBJ
 A;Molecule type: mRNA
 A;Residues: 1-289 <MAT>
 A;Cross-references: EMBL:AB001375; PIDN:BAA19246.1
 A;Experimental source: strain Shiraz

Query Match 7.1%; Score 90.5; DB 2; Length 289;
 Best Local Similarity 19.9%; Pred. No. 2.7;
 Matches 41; Conservative 33; Mismatches 95; Indels 37; Gaps 5;

```

Qy      8 LLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGCGAFACLENSTCDT 67
      |  :: | : : ||| | : :      :: | : || |      | : | : | :
Db      59 LSTVIQSSDSKHEAAQ--AYADAGHCYKKTSAKEAISCLEQA-----AYLFLDNGRFNM 110

Qy      68 DG-----MYDICKSFLYSAAKFDTQGKAFVKESLKCANGVTSTKVFLAIRRCSTFQR 119
      |      :| :: :| : | :      : |      || :|| : :| :
Db      111 AGKYYKEIAELYELEQNFEQAIIFYEKAADIYQSEEATTAANQCNQAKVAQFAAQLEQYQK 170

Qy      120 MIAEVQEECYSKLN-----VCSIAKRNPEAITEVVQL-----PNHFSNR 158
      |  ::      ||      :| : | : ||| :      |      |
Db      171 AIQIYEDIGRPSLNNNLLKYGVKGHLLNAGICQLCKGDVVVAITNALDRYQEMDPTFSGTR 230

Qy      159 YYNRLVRSILLECEDTVSTIRDLSLME 184
      | ||      || : |      | : : |
Db      231 EYKLLVDLAAAVDEEDVVKFTDAVKE 256
  
```

RESULT 10

T38690

probable regulatory protein - fission yeast (*Schizosaccharomyces pombe*)

C;Species: *Schizosaccharomyces pombe*

C;Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 09-Jun-2000

C;Accession: T38690

R;Brown, D.; Churcher, C.M.; Wood, V.; Barrell, B.G.; Rajandream, M.A.
 submitted to the EMBL Data Library, September 1997

A;Reference number: Z21805

A;Accession: T38690

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-783 <BRO>

A;Cross-references: EMBL:Z99568; PIDN:CAB16735.1; GSPDB:GN00066; SPDB:SPAC3C7.04

A;Experimental source: strain 972h-; cosmid c3C7

C;Genetics:

A;Gene: SPDB:SPAC3C7.04

A;Map position: 1

C;Superfamily: unassigned GAL4-type zinc cluster proteins; GAL4 zinc binuclear cluster homology

F;35-71/Domain: GAL4 zinc binuclear cluster homology <GL4>

Query Match 7.1%; Score 90.5; DB 2; Length 783;
 Best Local Similarity 23.3%; Pred. No. 8.7;

Matches 56; Conservative 34; Mismatches 87; Indels 63; Gaps 12;

```
Qy      10 VLVISASATHEAEQNDSVSPRKSRV-----AAQNSAEVVRCLNSALQVGCAGF----- 57
      ::::|      :|   |||  |:      ||::  :|  | :  |:  |:|
Db      535 IIIMSRPVLLHKMKNAKNSPRVDRINEDCILARHLISLVHLLQNHSQQLSCYSFFDYNIT 594

Qy      58 -----ACLENSTCDTDGMYDICKSFLYSAKFDTQGKAFVKESLKCI----- 99
      |:   |:|  ||   : |||  :  :|   |   :|
Db      595 FSSALVVLLHCV-TEPCEED---DIAMQYAYSALDYMAEGNEAAKNCARVIRLFDAHLKG 650

Qy      100 ----ANGVTSKV-FLAIRRCSTFQRMIAEVQ-----EECYSKLNVCSIAKRNPEAITEVV 149
      || ||:  |:|      :|| ||||      |:  |  |      ||  ::|
Db      651 ARSDGNGNTSQSGFMA-----WQRWIAEVSADDEPEKLMSPYNKSIGGGRNSNSLTPNA 704

Qy      150 QLPNHFSNRYYNR-----LVRSLLECEDTSTIRDLSLMEKIGPNMA---SLFHILQTD 200
      |   |  ::      |  | |:| :  ::  | :  | |:|  ||  :  ||
Db      705 NLGADVS--FFPTDDTSFLLDHSKLDLDDLEKFASTLDPI--KTPDLDANDSSLLNWANTD 760
```

RESULT 11

T01491

ubiquitin-protein ligase homolog F1707.15 - Arabidopsis thaliana

C;Species: Arabidopsis thaliana (mouse-ear cress)

C;Date: 12-Feb-1999 #sequence_revision 12-Feb-1999 #text_change 04-Mar-2000

C;Accession: T01491

R;Vysotskaia, V.S.; Schwartz, J.R.; Toriumi, M.; Yu, G.; Kwan, A.; Oji, O.; Liu, S.; Li, J.; Araujo, R.; Au, M.; Brendel, V.; Buehler, E.; Conway, A.B.; Conway, A.R.; Dewar, K.; Feng, J.; Kim, C.; Kurtz, D.; Li, Y.; Palm, C.J.; Shinn, P.; Sun, H.; Davis, R.W.; Ecker, J.R.; Federspiel, N.A.; Theologis, A.

submitted to the EMBL Data Library, June 1998

A;Description: Arabidopsis thaliana chromosome 1 BAC F1707 sequence.

A;Reference number: Z14334

A;Accession: T01491

A;Status: translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-1126 <VYS>

A;Cross-references: EMBL:AC003671; NID:g2833627; PID:g3176690; GSPDB:GN00059; ATSP:F1707.15

A;Experimental source: cultivar Columbia

C;Genetics:

A;Gene: ATSP:F1707.15

A;Map position: 1

A;Introns: 118/3; 224/3; 292/1; 373/3; 457/2; 826/3; 875/3; 902/3; 1057/3; 1093/2

C;Superfamily: ubiquitin-protein ligase homology

F;756-1120/Domain: ubiquitin-protein ligase homology <UBI>

Query Match 7.1%; Score 89.5; DB 2; Length 1126;

Best Local Similarity 22.1%; Pred. No. 16;

Matches 46; Conservative 39; Mismatches 76; Indels 47; Gaps 8;

```
Qy      14 SASATHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGCAGAFACLENSTCD----- 66
      |:   :||  ||: ||   | ||:  |  ||:      ::  |:
Db      412 SSETQKDAESELVARRK-----NCAEL---YNIFLQLP-----QSDLCNLCLLGY 455

Qy      67 ---TDGMYDICKSFLYSAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAE 123
      :|  :|  :   |   |  |   :|  :|  :||::|   :   ||  |:|
```

```

Db      456 EGLSDKIYSLAGEVLKKLAAVDVTHRKFFTKELSELASGLSSSTVRVLATLSTTQKM--- 512
Qy      124 VQEECYSKLNVCSIAKRNPETAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIR---- 179
          | ||:|      :| |:|: : :: : | : | |: : ::
Db      513 -----SQNTCSMA---GASILRVLQVLSSLTSTIDDSNVGTDKETDQEEQNIMQGLKV 562
Qy      180 --DSLMEKIGPNMASLFHILQTDHCAQT 205
          : | ::| ::      || || | |
Db      563 ALEPLWQELGQCIS--MTELQLDHTAAT 588

```

RESULT 12

T08121

peroxidase (EC 1.11.1.7) - flax (fragment)

C;Species: Linum usitatissimum (flax)

C;Date: 21-May-1999 #sequence_revision 21-May-1999 #text_change 04-Mar-2000

C;Accession: T08121

R;Omann, F.; Tyson, H.

submitted to the EMBL Data Library, February 1998

A;Description: cDNA sequence of a basic peroxidase (FLXPER4) in flax.

A;Reference number: Z16366

A;Accession: T08121

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: mRNA

A;Residues: 1-305 <OMA>

A;Cross-references: EMBL:AF049881; NID:g2944416; PIDN:AAC05277.1; PID:g2944417

A;Experimental source: cv. Stormont Cirrus

C;Genetics:

A;Gene: PER4

C;Superfamily: peroxidase

C;Keywords: chromoprotein; heme; iron; metalloprotein; oxidoreductase

F;23-103/Disulfide bonds: #status predicted

F;50/Active site: Arg #status predicted

F;54,181/Binding site: heme iron (His) (axial ligands) #status predicted

F;56-61/Disulfide bonds: #status predicted

F;109-301/Disulfide bonds: #status predicted

F;188-213/Disulfide bonds: #status predicted

Query Match 7.0%; Score 89; DB 2; Length 305;

Best Local Similarity 21.9%; Pred. No. 3.8;

Matches 57; Conservative 39; Mismatches 92; Indels 72; Gaps 15;

```

Qy      11 LVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRLNSALQVGCGA-FACLE-NSTCDD 68
          |:: :|| |:| |::|      :: : : : | | :| : : |
Db      65 LLLDDTATFTGEKN--AGPNQNSV---RGFDIIDTIKTRVEAACNATVSCADILALAARD 119
Qy      69 GMYDI-----CKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLA----- 110
          |: :      :: |||      || || |:| |
Db      120 GVVLVGGPTWTVP LGRRDARTASQSAANAQIPAPG---SSLGTITNLTNKG LTARDVTI 176
Qy      111 -----IRRCSTFORMIAEVQEECYSKLNV----CSIAKRN-PEA-----ITEVVQLP 152
          ||::||:| |      |: |: : : | |:| : : |
Db      177 LSGAHTIGQARCTTFRQRI-----YNDTNIDPAFATTRRGNC PQAGAGANLAPLDGTP 229
Qy      153 NHFSNRYYNRLV--RSLLCEDEDTVST-IRDSLMEKIGPNMASLFHILQTDHCAQ----- 204
          | |||| || | || |:| : : |:| | |:| || |
Db      230 TQFDNRYQDLVARRGLLHSDQELFNNGTQDALVRTYSNNAAT----FATDFAAAMVRMG 285

```

Qy 205 -----THPRADFNRRTN 217
 | : | | |
 Db 286 NISPLTGTNGEIRFCRRPN 305

RESULT 13

T45954

hypothetical protein F7J8.120 - Arabidopsis thaliana

C;Species: Arabidopsis thaliana (mouse-ear cress)

C;Date: 04-Feb-2000 #sequence_revision 04-Feb-2000 #text_change 20-Jun-2000

C;Accession: T45954

R;Bevan, M.; Zimmermann, W.; Grueneisen, A.; Wambutt, R.; Bancroft, I.; Mewes, H.W.; Lemcke, K.; Mayer, K.F.X.

submitted to the Protein Sequence Database, January 2000

A;Reference number: Z23018

A;Accession: T45954

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-473 <BEV>

A;Cross-references: EMBL:AL137189

A;Experimental source: cultivar Columbia; BAC clone F7J8

C;Genetics:

A;Map position: 5

A;Introns: 29/1; 428/3

A;Note: F7J8.120

C;Superfamily: Arabidopsis thaliana hypothetical protein F7J8.130

Query Match 6.9%; Score 88; DB 2; Length 473;
 Best Local Similarity 22.6%; Pred. No. 7.9;
 Matches 54; Conservative 42; Mismatches 103; Indels 40; Gaps 13;

Qy 27 VSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACLEN---STCD---TDGMYDICKS-FLY 79
 : |::| : :||| : || | | | | | | |
 Db 16 IDEEKNKVVLAEAGTIVRL LAKHRKSDPVTIGCLRNL YTSVVDME LDDFETDACKQMLLY 75
 Qy 80 SAAKFDTQ GKAF-----VKESLKCIANGVTSKVFLAIRRCSTFORMIAE-----VQEEC-- 128
 : | : | | | | : | | | | : : : | |
 Db 76 PKNIREAQYRNFKLNIDT NESLKCFG---CRFFSICRMCSNFNTSLCKCGKLMNEEISF 131
 Qy 129 --YSKLNVCSIAKRNPEA--ITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD SLME 184
 | : : | : | : ||: ::| : : : |::| : || :|: :::
 Db 132 LEYEENDVEGVFMRDKSSFIITDDLRLTDDST---SLLQTLKDLGCADVSKLREQVLD 187
 Qy 185 KIGPNMASLFHILQTDHCAQTH--PRAD--FNRRRTNEPQKLKVLLRNLRGEEDSPSHI 239
 || | : : | | | : : | : | : | : | :
 Db 188 -IG-----LKEVMTLMQCVFTSNTPLTDAFLKNQSSNTVRKIYRKLSDDKGDEAEPDKV 240

RESULT 14

S45628

DNA-directed DNA polymerase (EC 2.7.7.7) alpha 180K chain - mouse

N;Alternate names: DNA polymerase alpha/DNA primase complex 180K chain

C;Species: Mus musculus (house mouse)

C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 27-Oct-2003

C;Accession: S45628; A46642

R;Stadlbauer, F.; Brueckner, A.; Rehfuess, C.; Eckerskorn, C.; Lottspeich, F.; Foerster, V.; Tseng, B.Y.; Nasheuer, H.P.
 Eur. J. Biochem. 222, 781-793, 1994
 A;Title: DNA replication in vitro by recombinant DNA-polymerase-alpha-primase.
 A;Reference number: S45628; MUID:94298818; PMID:8026492
 A;Accession: S45628
 A;Status: preliminary
 A;Molecule type: mRNA
 A;Residues: 1-1465 <STA>
 A;Cross-references: EMBL:D17384; NID:g397829; PIDN:BAA04202.1; PID:g442471
 R;Miyazawa, H.; Izumi, M.; Tada, S.; Takada, R.; Masutani, M.; Ui, M.; Hanaoka, F.
 J. Biol. Chem. 268, 8111-8122, 1993
 A;Title: Molecular cloning of the cDNAs for the four subunits of mouse DNA polymerase alpha-primase complex and their gene expression during cell proliferation and the cell cycle.
 A;Reference number: A46642; MUID:93216788; PMID:8463324
 A;Accession: A46642
 A;Status: preliminary
 A;Molecule type: mRNA; protein
 A;Residues: 4-1465 <MIY>
 A;Experimental source: FM3A cells
 A;Note: sequence extracted from NCBI backbone (NCBIN:129146, NCBIP:129147)
 C;Superfamily: DNA polymerase
 C;Keywords: DNA binding; nucleotidyltransferase; nucleus

Query Match 6.9%; Score 87.5; DB 2; Length 1465;
 Best Local Similarity 20.7%; Pred. No. 33;
 Matches 34; Conservative 32; Mismatches 55; Indels 43; Gaps 7;

Qy 6 AVLLVLVISASAT-----HEAEQNDSVSPRKSrvAAQNSAEVVRLNSALQVGC GAFA 58
 |||: | : :| | : |||: : : : | |
 Db 1236 AVLIAlWLGLDSTQFRVHQYHKDEENDALLGGPAQLTDEEKYK-----DCEKFK 1284
 Qy 59 CLENSTCDTDGMYDICKSFLYSAKFDTQGKAFVKESLKCIANGVT-----SKVFLAIR 112
 || | | | : :|| : : | : : : | : : | : : ||
 Db 1285 CLCPS-CGTENIYD---NVFEGSGLDMEPSLYRCSNVDCCKVSPLTFMVQLSNKLIMDIR 1339
 Qy 113 RCSTFORMIAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFS 156
 || : : | : | | : : : || |||
 Db 1340 RCI-----KKYYDGLIC---EEPTCCSRLRRLPLHFS 1369

RESULT 15

H72097

mg++ transporter (cbs domain) - Chlamydophila pneumoniae (strain CWL029)
 C;Species: Chlamydophila pneumoniae, Chlamydia pneumoniae
 C;Date: 23-Apr-1999 #sequence_revision 23-Apr-1999 #text_change 05-May-2000
 C;Accession: H72097
 R;Kalman, S.; Mitchell, W.; Marathe, R.; Lammel, C.; Fan, J.; Olinger, L.; Grimwood, J.; Davis, R.W.; Stephens, R.S.
 Nature Genet. 21, 385-389, 1999
 A;Title: Comparative genomes of Clamydia pneumoniae and C. trachomatis.
 A;Reference number: A72000; MUID:99206606; PMID:10192388
 A;Accession: H72097
 A;Status: preliminary
 A;Molecule type: DNA

A;Residues: 1-470 <ARN>
A;Cross-references: GB:AE001613; GB:AE001363; NID:g4376550; PIDN:AAD18435.1;
PID:g4376560
A;Experimental source: strain CWL029
C;Genetics:
A;Gene: mgtE
C;Superfamily: magnesium transport protein mgtE

Query Match 6.8%; Score 86; DB 2; Length 470;
Best Local Similarity 22.9%; Pred. No. 12;
Matches 47; Conservative 33; Mismatches 61; Indels 64; Gaps 13;

```

Qy      56 AFACLENSTCDDT-GMYDICK-----SFLYSAAKFDTQGKAFVKESLKCIANGVTSK 106
      || ||      ||  :|: |      |: :  :: :| : :| ||  |:|
Db      19 AFTCL-----STDIHSHDLSKIVIEYNPIDLAYAVSCLPSESRAILYKNLSKI----TAK 69

Qy      107 VFLAIR-----RCSTFQRMIAEVQEECYSKLNVCSIAKRNP--EAITEVVQLPNHFSNRY 159
      |  |      | : |:|:      |  ||:: :: |  ||:  :  :|  :|
Db      70 VAFIINTDSASRWAI FRRL-----SDSEVCALIEQMPPDEAVVVLDDIP----DRR 116

Qy      160 YNRLVRSLLCEDEDTVSTIRDSLMEKIGPNMA-----SLFHIL-----QTDHCAQTHP 207
      | |: :  |      |||  ::| || |      |  |      | ::|
Db      117 YRRILELI---DSKKALKIRD--LQKHGRNTAGRLMTNEFFAFLMETTVKDVSA CIRS NP 171

Qy      208 RADFNRRRTNEPQKLKVLLRNLRGE 232
      |  |      | : : :||
Db      172 GIDLTR-----LVFVLDFKGE 187

```

Search completed: July 19, 2004, 15:33:57
Job time : 19 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: July 19, 2004, 15:33:34 ; Search time 46 Seconds
(without alignments)
1678.315 Million cell updates/sec

Title: US-10-614-990-2
Perfect score: 1268
Sequence: 1 MLQNSAVLLVLVISASATHE.....NLRGEEDSPSHIKRTSHESA 247

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1285345 seqs, 312560633 residues

Total number of hits satisfying chosen parameters: 1285345

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Published Applications_AA:*
1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
16: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result	Query					
No.	Score	Match	Length	DB	ID	Description

1	1268	100.0	247	9	US-09-840-989A-2	Sequence 2, Appli
2	1268	100.0	247	9	US-09-361-736-10	Sequence 10, Appl
3	1268	100.0	247	13	US-10-116-051-2	Sequence 2, Appli
4	1268	100.0	247	14	US-10-177-293-441	Sequence 441, App
5	1268	100.0	247	14	US-10-418-226-10	Sequence 10, Appl
6	1268	100.0	247	15	US-10-465-572-18	Sequence 18, Appl
7	1268	100.0	247	15	US-10-372-683-41	Sequence 41, Appl
8	937	73.9	276	9	US-09-925-300-1426	Sequence 1426, Ap
9	662.5	52.2	256	9	US-09-840-989A-3	Sequence 3, Appli
10	660.5	52.1	204	13	US-10-116-051-10	Sequence 10, Appl
11	628	49.5	170	9	US-09-361-736-9	Sequence 9, Appli
12	628	49.5	170	14	US-10-418-226-9	Sequence 9, Appli
13	358	28.2	70	9	US-09-864-761-37770	Sequence 37770, A
14	354	27.9	302	12	US-10-058-270A-22	Sequence 22, Appl
15	354	27.9	302	12	US-10-364-889-4	Sequence 4, Appli
16	354	27.9	302	14	US-10-177-293-443	Sequence 443, App
17	354	27.9	302	14	US-10-338-395-23	Sequence 23, Appl
18	354	27.9	302	14	US-10-418-226-12	Sequence 12, Appl
19	354	27.9	302	15	US-10-295-027-100	Sequence 100, App
20	354	27.9	302	15	US-10-173-999-80	Sequence 80, Appl
21	351.5	27.7	251	14	US-10-418-226-2	Sequence 2, Appli
22	333.5	26.3	251	9	US-09-361-736-2	Sequence 2, Appli
23	303	23.9	118	13	US-10-116-051-9	Sequence 9, Appli
24	95.5	7.5	299	12	US-10-282-122A-49895	Sequence 49895, A
25	91	7.2	901	10	US-09-828-062-8	Sequence 8, Appli
26	91	7.2	901	16	US-10-768-511-8	Sequence 8, Appli
27	90.5	7.1	783	16	US-10-149-310-96	Sequence 96, Appl
28	90	7.1	281	12	US-09-973-278-172	Sequence 172, App
29	90	7.1	281	12	US-09-973-278-277	Sequence 277, App
30	90	7.1	331	15	US-10-264-049-2324	Sequence 2324, Ap
31	89.5	7.1	622	16	US-10-437-963-161551	Sequence 161551,
32	89.5	7.1	1123	12	US-10-282-122A-70581	Sequence 70581, A
33	89.5	7.1	10203	16	US-10-661-809-23	Sequence 23, Appl
34	86	6.8	401	12	US-10-425-114-63193	Sequence 63193, A
35	86	6.8	470	12	US-10-282-122A-54827	Sequence 54827, A
36	86	6.8	500	15	US-10-289-762-299	Sequence 299, App
37	85.5	6.7	564	12	US-10-424-599-272057	Sequence 272057,
38	85	6.7	281	12	US-10-424-599-172444	Sequence 172444,
39	84.5	6.7	402	16	US-10-437-963-184603	Sequence 184603,
40	83.5	6.6	331	12	US-10-464-261-3	Sequence 3, Appli
41	83.5	6.6	331	12	US-10-464-261-4	Sequence 4, Appli
42	83.5	6.6	1027	12	US-10-654-416-8	Sequence 8, Appli
43	83.5	6.6	1029	12	US-10-654-416-6	Sequence 6, Appli
44	83	6.5	398	12	US-10-282-122A-71213	Sequence 71213, A
45	82.5	6.5	450	12	US-10-425-114-58956	Sequence 58956, A

ALIGNMENTS

RESULT 1

US-09-840-989A-2

; Sequence 2, Application US/09840989A

; Patent No. US20020042372A1

; GENERAL INFORMATION:

; APPLICANT: Olsen et al.

```
; TITLE OF INVENTION: Stanniocalcin Polynucleotides, Polypeptides, and Methods
Based Thereon
; FILE REFERENCE: PF108P2
; CURRENT APPLICATION NUMBER: US/09/840,989A
; CURRENT FILING DATE: 2001-04-25
; PRIOR APPLICATION NUMBER: PCT/US00/29432
; PRIOR FILING DATE: 2000-10-26
; PRIOR APPLICATION NUMBER: US 60/161,740
; PRIOR FILING DATE: 1999-10-27
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 247
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-840-989A-2
```

```
Query Match          100.0%; Score 1268; DB 9; Length 247;
Best Local Similarity 100.0%; Pred. No. 5.5e-125;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
Qy      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

Qy    241 RTSHESA 247
          |||||||
Db    241 RTSHESA 247
```

RESULT 2

US-09-361-736-10

```
; Sequence 10, Application US/09361736
; Patent No. US20020102634A1
; GENERAL INFORMATION:
; APPLICANT: OLSEN, ET AL.
; TITLE OF INVENTION: Human Stanniocalcin-alpha
; NUMBER OF SEQUENCES: 10
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; ADDRESSEE: CECCHI, STEWART & OLSTEIN
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY
; COUNTRY: USA
```

```

; ZIP: 07068
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 INCH DISKETTE
; COMPUTER: IBM PS/2
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/361,736
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/460,529
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: MULLINS, J.G.
; REGISTRATION NUMBER: 33,073
; REFERENCE/DOCKET NUMBER: 325800-334 (PF143)
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201-994-1700
; TELEFAX: 201-994-1744
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 247 AMINO ACIDS
; TYPE: AMINO ACID
; STRANDEDNESS:
; TOPOLOGY: LINEAR
; MOLECULE TYPE: PROTEIN
US-09-361-736-10

```

```

Query Match          100.0%; Score 1268; DB 9; Length 247;
Best Local Similarity 100.0%; Pred. No. 5.5e-125;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 MLQNSAVLLVLVISASATHEAEQNDVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120

Qy    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECD EDTVSTIRD 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECD EDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRN LRG EEDSPSHIK 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRN LRG EEDSPSHIK 240

Qy    241 RTSHESA 247
          |||||||
Db    241 RTSHESA 247

```

```

RESULT 3
US-10-116-051-2
; Sequence 2, Application US/10116051

```

```
; Publication No. US20020146791A1
; GENERAL INFORMATION:
; APPLICANT: Olsen et al.
; TITLE OF INVENTION: CORPUSCLES OF STANNIUS PROTEIN, STANNIOCALCIN
; FILE REFERENCE: PF108P1D1C1
; CURRENT APPLICATION NUMBER: US/10/116,051
; CURRENT FILING DATE: 2002-04-05
; PRIOR APPLICATION NUMBER: 09/312,610
; PRIOR FILING DATE: 1999-05-17
; PRIOR APPLICATION NUMBER: 08/431,117
; PRIOR FILING DATE: 1995-04-28
; PRIOR APPLICATION NUMBER: 08/208,005
; PRIOR FILING DATE: 1994-03-08
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 247
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-116-051-2
```

```
Query Match          100.0%; Score 1268; DB 13; Length 247;
Best Local Similarity 100.0%; Pred. No. 5.5e-125;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
Qy      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRLNSALQVGC GAFACL 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRLNSALQVGC GAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy    121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240

Qy    241 RTSHESA 247
          |||||||
Db    241 RTSHESA 247
```

RESULT 4

```
US-10-177-293-441
; Sequence 441, Application US/10177293
; Publication No. US20030124128A1
; GENERAL INFORMATION:
; APPLICANT: Lillie, James
; APPLICANT: Glatt, Karen
; APPLICANT: Zhao, Xumei
; APPLICANT: Gannavarpu, Manjula
; APPLICANT: Kamatkar, Shubhangi
; APPLICANT: Mertens, Maureen
```

```

; APPLICANT: Myer, Vic
; APPLICANT: Wang, Youzhen
; APPLICANT: Xu, Yongyao
; APPLICANT: Hoersch, Sebastian
; APPLICANT: Monahan, John
; APPLICANT: Meyers, Rachel E.
; APPLICANT: Bast Jr., Robert C.
; APPLICANT: Hortobagyi, Gabriel N.
; APPLICANT: Pusztai, Lajos
; APPLICANT: Meric, Funda
; APPLICANT: Sahin, Aysegul
; APPLICANT: Mills, Gordon B.
; TITLE OF INVENTION: COMPOSITIONS, KITS, AND METHODS FOR IDENTIFICATION,
ASSESSMENT,
; TITLE OF INVENTION: PREVENTION, AND THERAPY OF BREAST CANCER
; FILE REFERENCE: MRI-038
; CURRENT APPLICATION NUMBER: US/10/177,293
; CURRENT FILING DATE: 2002-06-21
; PRIOR APPLICATION NUMBER: US 60/299,887
; PRIOR FILING DATE: 2001-06-21
; PRIOR APPLICATION NUMBER: US 60/301,572
; PRIOR FILING DATE: 2001-06-27
; PRIOR APPLICATION NUMBER: US 60/306,501
; PRIOR FILING DATE: 2001-07-18
; PRIOR APPLICATION NUMBER: US 60/325,002
; PRIOR FILING DATE: 2001-09-25
; PRIOR APPLICATION NUMBER: US 60/362,585
; PRIOR FILING DATE: 2002-03-05
; PRIOR APPLICATION NUMBER: US 60/xxx,xxx
; PRIOR FILING DATE: 2002-05-14
; NUMBER OF SEQ ID NOS: 506
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 441
; LENGTH: 247
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-177-293-441

```

```

Query Match          100.0%; Score 1268; DB 14; Length 247;
Best Local Similarity 100.0%; Pred. No. 5.5e-125;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCINLSALQVGCAGAFACL 60
        |||
Db      1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCINLSALQVGCAGAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
        |||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy    121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSILLECEDTVSTIRD 180
        |||
Db    121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSILLECEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
        |||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

```

Qy 241 RTSHESA 247
| | | | |
Db 241 RTSHESA 247

RESULT 5
US-10-418-226-10
; Sequence 10, Application US/10418226
; Publication No. US20030181663A1
; GENERAL INFORMATION:
; APPLICANT: Human Genome Sciences, Inc.
; TITLE OF INVENTION: Human Stanniocalcin-Alpha
; FILE REFERENCE: PF143P1D2
; CURRENT APPLICATION NUMBER: US/10/418,226
; CURRENT FILING DATE: 2003-04-18
; PRIOR APPLICATION NUMBER: 09/361,736
; PRIOR FILING DATE: 1999-07-28
; PRIOR APPLICATION NUMBER: 08/460,529
; PRIOR FILING DATE: 1995-06-02
; PRIOR APPLICATION NUMBER: PCT/ US94/13206
; PRIOR FILING DATE: 1994-11-30
; NUMBER OF SEQ ID NOS: 12
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 10
; LENGTH: 247
; TYPE: PRT
; ORGANISM: human
US-10-418-226-10

Query Match 100.0%; Score 1268; DB 14; Length 247;
Best Local Similarity 100.0%; Pred. No. 5.5e-125;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60
| | | | |
Db 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60

Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120
| | | | |
Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120

Qy 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDTVSTIRD 180
| | | | |
Db 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDTVSTIRD 180

Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240
| | | | |
Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLRLNLRGEEDSPSHIK 240

Qy 241 RTSHESA 247
| | | | |
Db 241 RTSHESA 247

RESULT 6
US-10-465-572-18

```
; Sequence 18, Application US/10465572
; Publication No. US20030207840A1
; GENERAL INFORMATION:
; APPLICANT: Riggins, Gregory
; APPLICANT: Lal, Anita
; TITLE OF INVENTION: GENES INDUCED BY HYPOXIA
; FILE REFERENCE: 000250.00012
; CURRENT APPLICATION NUMBER: US/10/465,572
; CURRENT FILING DATE: 2003-06-20
; PRIOR APPLICATION NUMBER: US/10/201,642
; PRIOR FILING DATE: 2002-07-24
; PRIOR APPLICATION NUMBER: 60/307,600
; PRIOR FILING DATE: 2001-07-26
; NUMBER OF SEQ ID NOS: 30
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 18
; LENGTH: 247
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-465-572-18
```

```
Query Match          100.0%; Score 1268; DB 15; Length 247;
Best Local Similarity 100.0%; Pred. No. 5.5e-125;
Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
Qy      1 MLQNSAVLLVLVISASATHEAEQNDVSVPKSRVAAQNSAEVVRCCLNSALQVGCGAFACL 60
        ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 MLQNSAVLLVLVISASATHEAEQNDVSVPKSRVAAQNSAEVVRCCLNSALQVGCGAFACL 60

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120
        ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFORM 120

Qy    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 IAEVQEECYSKLNVCSI AKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180

Qy    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
        ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240

Qy    241 RTSHESA 247
        |||||||
Db    241 RTSHESA 247
```

RESULT 7

US-10-372-683-41

```
; Sequence 41, Application US/10372683
; Publication No. US20040009171A1
; GENERAL INFORMATION:
; APPLICANT: GERRITSEN, MARY E.
; APPLICANT: PEALE JR., FRANKLIN V.
; APPLICANT: WU, THOMAS D.
; TITLE OF INVENTION: METHODS FOR THE TREATMENT OF CARCINOMA
; FILE REFERENCE: P1928R1P1
; CURRENT APPLICATION NUMBER: US/10/372,683
```

```
; CURRENT FILING DATE: 2003-02-21
; PRIOR APPLICATION NUMBER: US 10/271,690
; PRIOR FILING DATE: 2002-10-16
; PRIOR APPLICATION NUMBER: US 60/344,534
; PRIOR FILING DATE: 2001-10-18
; NUMBER OF SEQ ID NOS: 49
; SEQ ID NO 41
; LENGTH: 247
; TYPE: PRT
; ORGANISM: Homo sapien
US-10-372-683-41
```

Qy	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKSrvAAQNSAEVVRLCNSALQVGCgAFACL	60
Db	1	MLQNSAVLLVLVISASATHEAEQNDSVSPRKSrvAAQNSAEVVRLCNSALQVGCgAFACL	60
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAfVKESLkCIANGVTSKVFLAIRRCSTfQRM	120
Db	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAfVKESLkCIANGVTSKVFLAIRRCSTfQRM	120
Qy	121	IAEVQEECYskLNVCSIAKRNPeAITEVvQLPNHfSNRYYNRLVRSLLCEDEDTVstIRD	180
Db	121	IAEVQEECYskLNVCSIAKRNPeAITEVvQLPNHfSNRYYNRLVRSLLCEDEDTVstIRD	180
Qy	181	SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKvLLRNlRGEEDSPSHIK	240
Db	181	SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKvLLRNlRGEEDSPSHIK	240
Qy	241	RTSHESA 247	
Db	241	RTSHESA 247	


```
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: SITE
; LOCATION: (43)
; OTHER INFORMATION: Xaa equals any of the naturally occurring L-amino acids
; NAME/KEY: SITE
; LOCATION: (273)
; OTHER INFORMATION: Xaa equals any of the naturally occurring L-amino acids
; NAME/KEY: SITE
; LOCATION: (275)
; OTHER INFORMATION: Xaa equals any of the naturally occurring L-amino acids
US-09-925-300-1426
```

```
Query Match          73.9%; Score 937; DB 9; Length 276;
Best Local Similarity 99.5%; Pred. No. 4.8e-90;
Matches 185; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```

```
Qy      1 MLQNSAVLLVLVISASATHEAEQNDVSPRKSrvAAQNSAEVVRCLNSALQVGCgAFACL 60
          |||
Db      89 MLQNSAVLLVLVISASATHEAEQNDVSPRKSrvAAQNSAEVVRCLNSALQVGCgAFACL 148

Qy      61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAfVKESLKCIAngVTSKVFLAIRRCSTfQRM 120
          |||
Db      149 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAfVKESLKCIAngVTSKVFLAIRRCSTfQRM 208

Qy      121 IAEVQEECYSKLNVCSIakRNPEaITEVVQLPNHfSNRYNRLVRSllECDEdTVSTIRd 180
          |||
Db      209 IAEVQEECYSKLNVCSIakRNPEaITEVVQLPNHfSNRYNRLVRSllECDEdTVSTIRd 268

Qy      181 SLMEKI 186
          |||
Db      269 SLMEXI 274
```

RESULT 9

US-09-840-989A-3

; Sequence 3, Application US/09840989A

; Patent No. US20020042372A1

; GENERAL INFORMATION:

; APPLICANT: Olsen et al.

; TITLE OF INVENTION: Stanniocalcin Polynucleotides, Polypeptides, and Methods Based Thereon

; FILE REFERENCE: PF108P2

; CURRENT APPLICATION NUMBER: US/09/840,989A

; CURRENT FILING DATE: 2001-04-25

; PRIOR APPLICATION NUMBER: PCT/US00/29432

; PRIOR FILING DATE: 2000-10-26

; PRIOR APPLICATION NUMBER: US 60/161,740

; PRIOR FILING DATE: 1999-10-27

; NUMBER OF SEQ ID NOS: 12

; SOFTWARE: PatentIn version 3.1

; SEQ ID NO 3

; LENGTH: 256

; TYPE: PRT

; ORGANISM: Oncorhynchus kisutch

US-09-840-989A-3

Query Match 52.2%; Score 662.5; DB 9; Length 256;
Best Local Similarity 53.4%; Pred. No. 3.6e-61;
Matches 125; Conservative 46; Mismatches 54; Indels 9; Gaps 4;

```
Qy      11 LVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACLENSTCDTDGM 70
      ||:  :|| : :  :: |||::| : : : :| |||| || |||| |||||
Db      12 LVLGTAATFDTDPEEA-SPRRARFSSNSPSDVARCLNGALAVGCGTFACLENSTCDTDGM 70

Qy      71 YDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAEVQEECY 130
      :|||: | :|| | :||| |||||:||||| ||| ||||:|||||
Db      71 HDICQLFFHTAATFNTQGKTFVKESLRCIANGVTSKVFQTIIRRCGVFQRMISEVQEECY 130

Qy     131 KLNVCESIAKRNP EAIT EVVQLPNHFSNRYNRLVRSLLCEDETVSTIRDSLMEKIGPNM 190
      :|::| :|: |||| ||||:| || ||||: |:| ||| |||:|: | |: :||:|
Db     131 RLDICGVARSNP EAI GEV VQVPAHFPNRYSTLLQSL LACDEETVAVVRAGLVARLGPD 190

Qy     191 ASLFHILQTDHCAQTHPRADFN-----RRRTNEPQKLKVLRLNLRGEEDSPSHI 239
      :|| :|| || | : : | | | : :|| : | :|
Db     191 ETLFQLLQNKHC PQGSNQGPNSAPAGWRWPMGSPPSFKI-QPSMRGRD--PTHL 241
```

RESULT 10

US-10-116-051-10

; Sequence 10, Application US/10116051
; Publication No. US20020146791A1
; GENERAL INFORMATION:
; APPLICANT: Olsen et al.
; TITLE OF INVENTION: CORPUSCLES OF STANNIUS PROTEIN, STANNIOCALCIN
; FILE REFERENCE: PF108P1D1C1
; CURRENT APPLICATION NUMBER: US/10/116,051
; CURRENT FILING DATE: 2002-04-05
; PRIOR APPLICATION NUMBER: 09/312,610
; PRIOR FILING DATE: 1999-05-17
; PRIOR APPLICATION NUMBER: 08/431,117
; PRIOR FILING DATE: 1995-04-28
; PRIOR APPLICATION NUMBER: 08/208,005
; PRIOR FILING DATE: 1994-03-08
; NUMBER OF SEQ ID NOS: 10
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 10
; LENGTH: 204
; TYPE: PRT
; ORGANISM: Oncorhynchus kisutch
US-10-116-051-10

Query Match 52.1%; Score 660.5; DB 13; Length 204;
Best Local Similarity 60.8%; Pred. No. 4.3e-61;
Matches 118; Conservative 38; Mismatches 37; Indels 1; Gaps 1;

```
Qy      11 LVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACLENSTCDTDGM 70
      ||:  :|| : :  :: |||::| : : : :| |||| || |||| |||||
Db      12 LVLGTAATFDTDPEEA-SPRRARFSSNSPSDVARCLNGALAVGCGTFACLENSTCDTDGM 70

Qy      71 YDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAEVQEECY 130
      :|||: | :|| | :||| |||||:||||| ||| ||||:|||||
Db      71 HDICQLFFHTAATFNTQGKTFVKESLRCIANGVTSKVFQTIIRRCGVFQRMISEVQEECY 130
```

Qy 131 KLNVCSTAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDTVSTIRDLSLMEKIGPNM 190
 :|::| :|: |||| ||||:| || ||||: |:||| |||:|: :| |: :||:|
 Db 131 RLDICGVARSNPEAIGEVVQVPAHFNPYRYYSTLLQSLACDEETVAVVRAGLVARLGPDM 190
 Qy 191 ASLFHILQTDHCAQ 204
 :|| :|| || |
 Db 191 ETLFQLLQNKHCPQ 204

RESULT 11

US-09-361-736-9

; Sequence 9, Application US/09361736
 ; Patent No. US20020102634A1
 ; GENERAL INFORMATION:
 ; APPLICANT: OLSEN, ET AL.
 ; TITLE OF INVENTION: Human Stanniocalcin-alpha
 ; NUMBER OF SEQUENCES: 10
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
 ; ADDRESSEE: CECCHI, STEWART & OLSTEIN
 ; STREET: 6 BECKER FARM ROAD
 ; CITY: ROSELAND
 ; STATE: NEW JERSEY
 ; COUNTRY: USA
 ; ZIP: 07068
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: 3.5 INCH DISKETTE
 ; COMPUTER: IBM PS/2
 ; OPERATING SYSTEM: MS-DOS
 ; SOFTWARE: WORD PERFECT 5.1
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/361,736
 ; FILING DATE:
 ; CLASSIFICATION:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: 08/460,529
 ; FILING DATE:
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: MULLINS, J.G.
 ; REGISTRATION NUMBER: 33,073
 ; REFERENCE/DOCKET NUMBER: 325800-334 (PF143)
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 201-994-1700
 ; TELEFAX: 201-994-1744
 ; INFORMATION FOR SEQ ID NO: 9:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 170 AMINO ACIDS
 ; TYPE: AMINO ACID
 ; STRANDEDNESS:
 ; TOPOLOGY: LINEAR
 ; MOLECULE TYPE: PROTEIN
 US-09-361-736-9

Query Match 49.5%; Score 628; DB 9; Length 170;
 Best Local Similarity 66.5%; Pred. No. 8.8e-58;
 Matches 113; Conservative 30; Mismatches 27; Indels 0; Gaps 0;

Qy 28 SPRKSRVAAQNSAEVVRCLNSALQVGCGAFACLENSTCDTDGMYDICKSFLYSAAKFDTQ 87
 ||| :| :| : :|| |||| ||||| ||||:||||:||||:||||: |||||
 Db 1 SPRTARFSASSPSDVARCLNGALQVGCSAFACLDNSTCNTDGMHEICRSFLHGAAKFDTQ 60

Qy 88 GKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPEAITE 147
 || ||||| |||||:||||| ||||:||:||:|||||||:||||: ||||: |
 Db 61 GKTFVKESLKCIANGITSKVFLTIRRCSSFQKMISEVQEECYSKLDLCSVAQSNPEAMGE 120

Qy 148 VVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRDSLMEKIGPNMASLFHIL 197
 | |:|: | ||||: |:||| ||||| :| |: :| | || :|
 Db 121 VAQVPSQFPNRYYSTLLQSLTCEDETVQVRAGLVSRLPEMGVLFQLL 170

RESULT 12

US-10-418-226-9

; Sequence 9, Application US/10418226
 ; Publication No. US20030181663A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Human Genome Sciences, Inc.
 ; TITLE OF INVENTION: Human Stanniocalcin-Alpha
 ; FILE REFERENCE: PF143P1D2
 ; CURRENT APPLICATION NUMBER: US/10/418,226
 ; CURRENT FILING DATE: 2003-04-18
 ; PRIOR APPLICATION NUMBER: 09/361,736
 ; PRIOR FILING DATE: 1999-07-28
 ; PRIOR APPLICATION NUMBER: 08/460,529
 ; PRIOR FILING DATE: 1995-06-02
 ; PRIOR APPLICATION NUMBER: PCT/ US94/13206
 ; PRIOR FILING DATE: 1994-11-30
 ; NUMBER OF SEQ ID NOS: 12
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 9
 ; LENGTH: 170
 ; TYPE: PRT
 ; ORGANISM: Anguilla australis
 US-10-418-226-9

Query Match 49.5%; Score 628; DB 14; Length 170;
 Best Local Similarity 66.5%; Pred. No. 8.8e-58;
 Matches 113; Conservative 30; Mismatches 27; Indels 0; Gaps 0;

Qy 28 SPRKSRVAAQNSAEVVRCLNSALQVGCGAFACLENSTCDTDGMYDICKSFLYSAAKFDTQ 87
 ||| :| :| : :|| |||| ||||| ||||:||||:||||:||||: |||||
 Db 1 SPRTARFSASSPSDVARCLNGALQVGCSAFACLDNSTCNTDGMHEICRSFLHGAAKFDTQ 60

Qy 88 GKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPEAITE 147
 || ||||| |||||:||||| ||||:||:||:|||||||:||||: ||||: |
 Db 61 GKTFVKESLKCIANGITSKVFLTIRRCSSFQKMISEVQEECYSKLDLCSVAQSNPEAMGE 120

Qy 148 VVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRDSLMEKIGPNMASLFHIL 197
 | |:|: | ||||: |:||| ||||| :| |: :| | || :|
 Db 121 VAQVPSQFPNRYYSTLLQSLTCEDETVQVRAGLVSRLPEMGVLFQLL 170

RESULT 13

US-09-864-761-37770

; Sequence 37770, Application US/09864761

; Patent No. US20020048763A1
; GENERAL INFORMATION:
; APPLICANT: Penn, Sharron G.
; APPLICANT: Rank, David R.
; APPLICANT: Hanzel, David K.
; APPLICANT: Chen, Wensheng
; TITLE OF INVENTION: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES
USEFUL FOR
; TITLE OF INVENTION: GENE EXPRESSION ANALYSIS BY MICROARRAY
; FILE REFERENCE: Aeomica-X-1
; CURRENT APPLICATION NUMBER: US/09/864,761
; CURRENT FILING DATE: 2001-05-23
; PRIOR APPLICATION NUMBER: US 60/180,312
; PRIOR FILING DATE: 2000-02-04
; PRIOR APPLICATION NUMBER: US 60/207,456
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: US 09/632,366
; PRIOR FILING DATE: 2000-08-03
; PRIOR APPLICATION NUMBER: GB 24263.6
; PRIOR FILING DATE: 2000-10-04
; PRIOR APPLICATION NUMBER: US 60/236,359
; PRIOR FILING DATE: 2000-09-27
; PRIOR APPLICATION NUMBER: PCT/US01/00666
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00667
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00664
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00669
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00665
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00668
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00663
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00662
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00661
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00670
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: US 60/234,687
; PRIOR FILING DATE: 2000-09-21
; PRIOR APPLICATION NUMBER: US 09/608,408
; PRIOR FILING DATE: 2000-06-30
; PRIOR APPLICATION NUMBER: US 09/774,203
; PRIOR FILING DATE: 2001-01-29
; NUMBER OF SEQ ID NOS: 49117
; SOFTWARE: Annomax Sequence Listing Engine vers. 1.1
; SEQ ID NO 37770
; LENGTH: 70
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; OTHER INFORMATION: MAP TO AC012119.1
; OTHER INFORMATION: EXPRESSED IN HELA, SIGNAL = 1.7

; OTHER INFORMATION: EXPRESSED IN HBL100, SIGNAL = 2.4
; OTHER INFORMATION: EXPRESSED IN HEART, SIGNAL = 2.8
; OTHER INFORMATION: EXPRESSED IN FETAL LIVER, SIGNAL = 2.8
; OTHER INFORMATION: EXPRESSED IN LUNG, SIGNAL = 2.4
; OTHER INFORMATION: EXPRESSED IN PLACENTA, SIGNAL = 3.1
; OTHER INFORMATION: EXPRESSED IN BT474, SIGNAL = 1.8
; OTHER INFORMATION: EXPRESSED IN ADULT LIVER, SIGNAL = 1.7
; OTHER INFORMATION: EXPRESSED IN BRAIN, SIGNAL = 2.2
; OTHER INFORMATION: EXPRESSED IN BONE MARROW, SIGNAL = 2.7
; OTHER INFORMATION: SWISSPROT HIT: P52823, EVALUE 3.00e-35
; OTHER INFORMATION: EST_HUMAN HIT: AW954342.1, EVALUE 3.00e-34
US-09-864-761-37770

Query Match 28.2%; Score 358; DB 9; Length 70;
Best Local Similarity 100.0%; Pred. No. 6.9e-30;
Matches 70; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 88 GKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPEAITE 147
|||||
Db 1 GKAFVKESLKCIANGVTSKVFLAIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPEAITE 60

Qy 148 VVQLPNHFSN 157
|||||
Db 61 VVQLPNHFSN 70

RESULT 14

US-10-058-270A-22

; Sequence 22, Application US/10058270A
; Publication No. US20040029114A1
; GENERAL INFORMATION:
; APPLICANT: Mack, David H.
; APPLICANT: Gish, Kurt C.
; APPLICANT: Afar, Daniel
; APPLICANT: Eos Biotechnology, Inc.
; TITLE OF INVENTION: Methods of Diagnosis of Breast Cancer, Compositions and
; TITLE OF INVENTION: Methods of Screening for Modulators of Breast Cancer
; FILE REFERENCE: 018501-005210US
; CURRENT APPLICATION NUMBER: US/10/058,270A
; CURRENT FILING DATE: 2002-01-24
; PRIOR APPLICATION NUMBER: US 60/263,965
; PRIOR FILING DATE: 2001-01-24
; PRIOR APPLICATION NUMBER: US 60/265,928
; PRIOR FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: US 09/829,472
; PRIOR FILING DATE: 2001-04-09
; PRIOR APPLICATION NUMBER: US 60/282,698
; PRIOR FILING DATE: 2001-04-09
; PRIOR APPLICATION NUMBER: US 60/288,590
; PRIOR FILING DATE: 2001-05-04
; PRIOR APPLICATION NUMBER: US 60/294,443
; PRIOR FILING DATE: 2001-05-29
; NUMBER OF SEQ ID NOS: 141
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 22
; LENGTH: 302
; TYPE: PRT

; ORGANISM: Homo sapiens
US-10-058-270A-22

Query Match 27.9%; Score 354; DB 12; Length 302;
Best Local Similarity 32.4%; Pred. No. 1.5e-28;
Matches 83; Conservative 45; Mismatches 102; Indels 26; Gaps 4;

```
Qy      9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQNSAEVVRC LNSALQVGCGAFACL 60
          | ||::      ||: | | | :| ||: ||: ||: ||: | | ||| | |
Db     12 LALVLATFDPARGTDATNPPEGPQDRSSQQKGRLSLQNTAEIQHCLVNAGDVGCGVFECF 71

Qy     61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORM 120
          ||::||: ||: || :||::| ||| |||:|:|:| || | : : | :| : |
Db     72 ENNSCEIRGLHGICMTFLHNAGKFDAQGKSFIKDALKCKAHALRHRFGCISRKCPAIREM 131

Qy    121 IAEVQEECYSKLNVCSIAKRNP EAIT EVVQLPNHFSNRYYNRLVRSLLCEDTVSTIRD 180
          ::::| ||| | ::||: | : | | | : : : | | | || | : |
Db    132 VSQ LQRECYLK HDLCAAQENTRVIVEMIHF KD LLLHEPYVDLVNLLLT CGEEVKEAITH 191

Qy    181 SLMEKIGPNMASLFHILQ-TDHCAQTHPRADFNRRRTNEPQKL----- 222
          | : : | | | | | | | | | | : : | |
Db    192 SVQVQCEQNWGS LCSILSFCTSAIQKPPTAPPERQPQVDRTKLSRAHHGEAGHHLPEPSS 251

Qy    223 KVLLRNLRGEEDSPSH 238
          : | : || | ||
Db    252 RETGRGAKGERGSKSH 267
```

RESULT 15

US-10-364-889-4

; Sequence 4, Application US/10364889
; Publication No. US20030224989A1
; GENERAL INFORMATION:
; APPLICANT: Pahel, Gregory L.
; APPLICANT: Quinn, Kerry
; TITLE OF INVENTION: Compositions and Methods for Treatment of Osteoarthritis
; FILE REFERENCE: 21402-558
; CURRENT APPLICATION NUMBER: US/10/364,889
; CURRENT FILING DATE: 2003-02-12
; PRIOR APPLICATION NUMBER: 60/356,376
; PRIOR FILING DATE: 2002-02-12
; NUMBER OF SEQ ID NOS: 8
; SOFTWARE: CuraSeqList version 0.1
; SEQ ID NO 4
; LENGTH: 302
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-364-889-4

Query Match 27.9%; Score 354; DB 12; Length 302;
Best Local Similarity 32.4%; Pred. No. 1.5e-28;
Matches 83; Conservative 45; Mismatches 102; Indels 26; Gaps 4;

```
Qy      9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQNSAEVVRC LNSALQVGCGAFACL 60
          | ||::      ||: | | | :| ||: ||: ||: ||: | | ||| | |
Db     12 LALVLATFDPARGTDATNPPEGPQDRSSQQKGRLSLQNTAEIQHCLVNAGDVGCGVFECF 71
```

Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORM 120
 ||::||: |:: || :||::| ||| |||:|:|:| ||: : : |:: | : |
 Db 72 ENNSCEIRGLHGICMTFLHNAGKFDAQGKSFIKDALKCKAHALRHRFGCISRKCPAIREM 131

Qy 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECDTSTVSTIRD 180
 ::::| ||| | :||: | : | | |:: : : | || || | |: |
 Db 132 VSQLORECYLKHDLCAAAQENTRIVIVEMIHFKDLLLHEPYVDLVNLLLTCEEVKEAITH 191

Qy 181 SLMEKIGPNMASLFHILQ-TDHCAQTHPRADFNRRRTNEPQKL----- 222
 |: : | || || | | | |: : ||
 Db 192 SVQVQCEQNWGSLCSILSFCTSAIQKPPTAPPERQPQVDRTKLSRAHHGEAGHHLPEPSS 251

Qy 223 KVLRLNLRGEEDSPSH 238
 : | :|| | ||
 Db 252 RETGRGAKGERGSKSH 267

Search completed: July 19, 2004, 15:39:03
 Job time : 47 secs

OM protein - protein search, using sw model

Run on: July 19, 2004, 15:29:43 ; Search time 39 Seconds
(without alignments)
1998.282 Million cell updates/sec

Title: US-10-614-990-2
Perfect score: 1268
Sequence: 1 MLQNSAVLLVLVISASATHE.....NLRGEEDSPSHIKRTSHESA 247

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 1017041

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_25:*
1: sp_archaea:*
2: sp_bacteria:*
3: sp_fungi:*
4: sp_human:*
5: sp_invertebrate:*
6: sp_mammal:*
7: sp_mhc:*
8: sp_organelle:*
9: sp_phage:*
10: sp_plant:*
11: sp_rodent:*
12: sp_virus:*
13: sp_vertibrate:*
14: sp_unclassified:*
15: sp_rvirus:*
16: sp_bacteriap:*
17: sp_archeap:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result	%	Query					
No.	Score	Match	Length	DB	ID		Description

1	1199	94.6	247	6	Q9N0T1	Q9n0t1 bos taurus
2	1192.5	94.0	246	11	Q7TSN9	Q7tsn9 mus musculu
3	779.5	61.5	252	13	Q800I4	Q800i4 lepisosteus
4	778.5	61.4	252	13	Q800I5	Q800i5 amia calva
5	654	51.6	249	13	Q98TB7	Q98tb7 osteoglossu
6	354.5	28.0	296	11	Q9DCS6	Q9dcs6 mus musculu
7	102	8.0	473	10	Q9SZ16	Q9sz16 arabidopsis
8	92	7.3	1108	11	Q91YR4	Q91yr4 mus musculu
9	91.5	7.2	1068	5	Q8IHR6	Q8ihr6 plasmodium
10	90.5	7.1	454	5	Q9GV74	Q9gv74 dictyosteli
11	90.5	7.1	783	3	O14130	O14130 schizosacch
12	89.5	7.1	622	10	Q8H2Y0	Q8h2y0 oryza sativ
13	89.5	7.1	1126	10	O64605	O64605 arabidopsis
14	89.5	7.1	3658	10	Q9M7K6	Q9m7k6 arabidopsis
15	89.5	7.1	9439	16	Q8CP76	Q8cp76 staphylococ
16	89	7.0	305	10	O65029	O65029 linum usita
17	89	7.0	996	13	Q7ZW18	Q7zw18 brachydanio
18	89	7.0	1728	10	Q9LUI2	Q9lui2 arabidopsis
19	88	6.9	473	10	Q9LFC2	Q9lfc2 arabidopsis
20	87	6.9	578	10	Q8LEG3	Q8leg3 arabidopsis
21	86.5	6.8	290	10	Q8LSZ6	Q8lsz6 hevea brasi
22	86	6.8	470	16	Q9Z8Q2	Q9z8q2 chlamydia p
23	86	6.8	510	10	Q9LFC4	Q9lfc4 arabidopsis
24	86	6.8	556	3	Q03899	Q03899 saccharomyc
25	86	6.8	1091	6	Q7YRF1	Q7yrf1 canis famil
26	85.5	6.7	183	10	Q8L5G9	Q8l5g9 hevea brasi
27	85.5	6.7	290	10	Q8L5B7	Q8l5b7 hevea brasi
28	85.5	6.7	290	10	Q948Q0	Q948q0 hevea brasi
29	85.5	6.7	447	3	Q7Z9L8	Q7z9l8 coprinus ci
30	85.5	6.7	634	5	Q95PL8	Q95pl8 trypanosoma
31	85.5	6.7	654	16	Q8CN27	Q8cn27 staphylococ
32	85	6.7	806	10	Q9FFZ5	Q9ffz5 arabidopsis
33	83.5	6.6	290	10	Q8L3V1	Q8l3v1 hevea brasi
34	83.5	6.6	290	10	Q8L5H1	Q8l5h1 hevea brasi
35	83.5	6.6	427	5	Q9N3E2	Q9n3e2 caenorhabdi
36	83.5	6.6	1026	3	O74669	O74669 pneumocysti
37	83.5	6.6	1028	3	O74668	O74668 pneumocysti
38	83.5	6.6	1273	5	Q9BL02	Q9bl02 caenorhabdi
39	83	6.5	250	17	Q04927	Q04927 methanobact
40	83	6.5	260	10	Q8GZS0	Q8gzs0 lupinus alb
41	83	6.5	297	12	Q91BJ2	Q91bj2 spodoptera
42	83	6.5	365	10	Q9SU53	Q9su53 arabidopsis
43	83	6.5	398	16	Q8CRY1	Q8cry1 staphylococ
44	83	6.5	848	6	Q9XS94	Q9xs94 bos taurus
45	83	6.5	1431	16	Q891P4	Q891p4 clostridium

ALIGNMENTS

RESULT 1

Q9N0T1

ID Q9N0T1 PRELIMINARY; PRT; 247 AA.

AC Q9N0T1;

DT 01-OCT-2000 (TrEMBLrel. 15, Created)

DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)

DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

DE Stanniocalcin.
 OS Bos taurus (Bovine).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Bovinae; Bos.
 OX NCBI_TaxID=9913;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Ovary;
 RA DiMattia G.E.;
 RT "bovine stanniocalcin cDNA sequence."
 RL Submitted (APR-2000) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF257506; AAF68996.1; -.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005524; F:ATP binding; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0004672; F:protein kinase activity; IEA.
 DR GO; GO:0006468; P:protein amino acid phosphorylation; IEA.
 DR InterPro; IPR000719; Prot_kinase.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
 SQ SEQUENCE 247 AA; 27555 MW; F9942A715E2A3DE0 CRC64;

Query Match 94.6%; Score 1199; DB 6; Length 247;
 Best Local Similarity 94.7%; Pred. No. 1.5e-105;
 Matches 234; Conservative 5; Mismatches 8; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSrvAAQNSAEVVRCLNSALQVGCgAFACL 60
 |||||:|||||
 Db 1 MLQNSAVILVLVISASATHEAEQNDSVSLRKSrvAAQNSAEVIRCLNSALQVGCgAFACL 60

 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAfVKESLKCIANGVTskVFLAIRRCSTfQRM 120
 |||||
 Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAfVKESLKCIANGVTskVFLAIRRCSTfQRM 120

 Qy 121 IAEVQEECYskLNVCSIAKRnPEAITEVvQLPNHfSNRYnRLVRSLLCEDEDTVstIRD 180
 |||||:||||:|||||
 Db 121 IAEVQEECYtKLNVCSvAKRnPEAITEVvQLPNHfSNRYnRLVRSLLCEDEDTVstIRD 180

 Qy 181 SLMEKIGPNMASLfHILQTDHCAqTHPRADfNRRRTNEPqKLKvLLRNlRGEEDSPSHIK 240
 |||||
 Db 181 SLMEKIGPNMASLfHILQTDHCAHTQQRADfNRRRANEPqKLKvLLRNlRGEVASPSHIK 240

 Qy 241 RTSHEsa 247
 ||| |||
 Db 241 RTSQESA 247

RESULT 2

Q7TSN9

ID Q7TSN9 PRELIMINARY; PRT; 246 AA.
 AC Q7TSN9;
 DT 01-OCT-2003 (TrEMBLrel. 25, Created)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Stanniocalcin 1.

OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=129/SvJ;
 RA Chang A.C., Cha J., Reddel R.R.;
 RT "The murine stanniocalcin 1 gene is not essential for growth and
 development.";
 RL Submitted (MAY-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF512563; AAP47156.1; -.
 SQ SEQUENCE 246 AA; 27423 MW; 4101C37EB6D743B2 CRC64;

Query Match 94.0%; Score 1192.5; DB 11; Length 246;
 Best Local Similarity 93.9%; Pred. No. 6.3e-105;
 Matches 232; Conservative 7; Mismatches 7; Indels 1; Gaps 1;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSALQVGCFAFACL 60
 |||||:| ||||:| |||||||||||||||||||||||||||||::| ||||
 Db 1 MLQNSAVILALVISAAAAHEAEQNDSVSPRKSRVAAQNSAEVVRCLNSACRLAAG-FACL 59
 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORM 120
 |||||||||||||||||||||||||||||||||||:|||||||||||||||
 Db 60 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGITSKVFLAIRRCSTFORM 119
 Qy 121 IAEVQEECYSKLNVCSIAKRNPETAITEVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 180
 |||||:|||||||||||||||||||||||||||||||||:|||||||||||||||
 Db 120 IAEVQEDCYSKLNVCSIAKRNPETAITEVIQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 179
 Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 240
 ||||||||||||||||||||||||||||||||||| |||||
 Db 180 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLRGEEDSPSHIK 239
 Qy 241 RTSHESA 247
 ||| |||
 Db 240 RTSQESA 246

RESULT 3

Q800I4

ID Q800I4 PRELIMINARY; PRT; 252 AA.
 AC Q800I4;
 DT 01-JUN-2003 (TrEMBLrel. 24, Created)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Stanniocalcin precursor.
 GN STC.
 OS Lepisosteus osseus (Long-nosed gar).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Semionotiformes; Lepisosteidae;
 OC Lepisosteus.
 OX NCBI_TaxID=34771;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Amemiya Y., Youson J.H.;
 RT "Primary structure of stanniocalcin in two basal Actinopterygii.";

RL Submitted (MAR-2003) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AB106623; BAC66164.1; -.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005524; F:ATP binding; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0004672; F:protein kinase activity; IEA.
 DR GO; GO:0006468; P:protein amino acid phosphorylation; IEA.
 DR InterPro; IPR000719; Prot_kinase.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 DR PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
 KW Signal.
 FT SIGNAL 1 32 Potential.
 FT CHAIN 33 252 Potential.
 SQ SEQUENCE 252 AA; 27936 MW; 2C99E88DCCED2E33 CRC64;

Query Match 61.5%; Score 779.5; DB 13; Length 252;
 Best Local Similarity 59.8%; Pred. No. 9.5e-66;
 Matches 152; Conservative 44; Mismatches 49; Indels 9; Gaps 3;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKSrvAAQNSAEVVRCLNSALQVGCgAFACL 60
 ||: : :||:|: || :| :||:| |||:|: : :| |||||
 Db 1 MLRKTGILLLLVLLTSA-YELDQNESFSPRRTRVSTHSPSDVARCLNSALQVGCgAFACL 59

 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTskVFLAIRRCSTfQRM 120
 |||||:|||||:|||||:|||||:|||||:|||||:|||||
 Db 60 ENSTCDTDGMHDICKSFLYSAAKFDTQGKVFVKESLKCIANGITSKVFLTIrrRCSTfQRM 119

 Qy 121 IAEVQEECYSKLNVCSIakRNPEaITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 180
 |:|||||:|:| :|| ||:|:| |||:| |||:|:|:|:|:|:|:| :|
 Db 120 ISEVQEECYSKLDICGVAKLNPDAISEVAQLPSHFfPNRYYSKLLQSLMECDDETvsLVRS 179

 Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRAD-----FNRRRTNEPQKLKvLLRNlRGEE 233
 ||: :|| || || :||: | : : || | | : |||
 Db 180 SLVSRLGPEMAMLFQLLQSKPCPSSSLSSPAGAEGRGNWRWPiGPHVFK-MQPNLRREP 238

 Qy 234 DSPSHIKRTSHESA 247
 : ||: :|:
 Db 239 STLFskKRSADDSS 252

RESULT 4

Q800I5

ID Q800I5 PRELIMINARY; PRT; 252 AA.
 AC Q800I5;
 DT 01-JUN-2003 (TrEMBLrel. 24, Created)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Stanniocalcin precursor.
 GN STC.
 OS Amia calva (Bowfin).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Amiiformes; Amiidae; Amia.
 OX NCBI_TaxID=7924;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Amemiya Y., Youson J.H.;

```

RT      "Primary structure of stanniocalcin in two basal Actinopterygii.";
RL      Submitted (MAR-2003) to the EMBL/GenBank/DDBJ databases.
DR      EMBL; AB106622; BAC66163.1; -.
DR      GO; GO:0005576; C:extracellular; IEA.
DR      GO; GO:0005524; F:ATP binding; IEA.
DR      GO; GO:0005179; F:hormone activity; IEA.
DR      GO; GO:0004672; F:protein kinase activity; IEA.
DR      GO; GO:0006468; P:protein amino acid phosphorylation; IEA.
DR      InterPro; IPR000719; Prot_kinase.
DR      InterPro; IPR004978; Stanniocalcin.
DR      Pfam; PF03298; Stanniocalcin; 1.
DR      PROSITE; PS00107; PROTEIN_KINASE_ATP; 1.
KW      Signal.
FT      SIGNAL          1          32          Potential.
FT      CHAIN           33         252          Potential.
SQ      SEQUENCE      252 AA;  27868 MW;  B9D9663610DF0B5D  CRC64;

```

Qy	1	MLQNSAVLLLVVISASATHEAEQNDSVSPRKSrvAAQNSAEVVRCLNSALQVGCgAFACL	60
		: : : : : : : :~ : : :~	
Db	1	MLHKTGILLLLVLLTSA-YELDQNESFSPRRTRVSAHSSSDVARCLNSALQVGCgAFACL	59
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAfVKESLkCIANGVTSKVFLAIRRCSTfQRM	120
		~ : ~	
Db	60	ENSTCDTDGMHDICKSFLYSAAKFDTQGKVFVKESLkCIANGITSKVFLTIRRCSTfQRM	119
Qy	121	IAEVQEECYSKLNVCSIAKRNPEAITeVVQLPNHfSNRYYNRLVRSLLCEDeDTVSTIRD	180
		: ~ :~ : : ~ :~ ~ :~ :~ :~ :~ :	
Db	120	ISEVQEECYTKLDICEVARLNPEAISeVAQLPSHFfPNRYYSKLLQSLMECDeETVSVVRS	179
Qy	181	SLMEKIGPNMASLFHILQTDHC	202
		: : :~ : : :	
Db	180	NLVSRLGPEMSMLFOLLQSKPC	201

Q98TB7

```

RT.   of the hormone and an extracorporeal distribution.";
RL    Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
DR    EMBL; AB060558; BAB43868.1; -.
DR    GO; GO:0005576; C:extracellular; IEA.
DR    GO; GO:0004108; F:citrate (Si)-synthase activity; IEA.
DR    GO; GO:0005179; F:hormone activity; IEA.
DR    GO; GO:0006099; P:tricarboxylic acid cycle; IEA.
DR    InterPro; IPR002020; Citrate_synth.
DR    InterPro; IPR004978; Stanniocalcin.
DR    Pfam; PF03298; Stanniocalcin; 1.
KW    Signal.
FT    SIGNAL          1          31          POTENTIAL.
FT    CHAIN          32         249          POTENTIAL.
SQ    SEQUENCE      249 AA;  27389 MW;  10297D054A2BEB3A CRC64;

```

Qy	1	MLQNSAVLLVLVISASATHEAEQNDSSVSPKSRVAAQNSAEVVRCLNSALQVGC	60
Db	1	MIQKCMLLLLLFFLTASAF--VIDQEEPSTRTARFAANSLSDVARCLSGALQVGC	58
Qy	61	ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCST	120
Db	59	ENSTCDTDGMHEICKTFLYTAAKFDTQGKTFVKESLRCMANGITSKGFLMVRRCS	118
Qy	121	IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFNSRYYNRLVRSLLCEDDTVST	180
Db	119	LADVQEDCYNKLDLGCVARANPEAIGEVAQLPNSFPNRHYSTLLQSLLECDQETV	178
Qy	181	SLMEKIGPNMASLFHILQTDHCAQTHPRADFN	212
Db	179	SMSARLGPEVAMLFKLLQSSSRSGSAAQASNN	210

RESULT 6

```

ID      Q9DCS6          PRELIMINARY;      PRT;      296 AA.
AC      Q9DCS6;
DT      01-JUN-2001 (TrEMBLrel. 17, Created)
DT      01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT      01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE      Stanniocalcin 2.
GN      STC2.
OS      Mus musculus (Mouse).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX      NCBI_TaxID=10090;
RN      [1]
RP      SEQUENCE FROM N.A.
RC      STRAIN=C57BL/6J; TISSUE=Kidney;
RX      MEDLINE=21085660; PubMed=11217851;
RA      Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA      Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA      Aizawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka I.,
RA      Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.

```


GN F10M23.100 OR AT4G26760.
 OS Arabidopsis thaliana (Mouse-ear cress).
 OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
 OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; rosids;
 OC eurosids II; Brassicales; Brassicaceae; Arabidopsis.
 OX NCBI_TaxID=3702;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Bevan M., Lecharny A., Chedford F., Krivitzky M., Kreis M.,
 RA Hoheisel J., Mewes H.W., Mayer K.F.X., Schueller C.;
 RL Submitted (FEB-1999) to the EMBL/GenBank/DDBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (MAY-1999) to the EMBL/GenBank/DDBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RA Lecharny A., Chedford F., Krivitzky M., Kreis M., Mewes H.W.,
 RA Lemcke K., Mayer K.F.X.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
 RN [4]
 RP SEQUENCE FROM N.A.
 RA EU Arabidopsis sequencing project;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AL035440; CAB36522.1; -.
 DR EMBL; AL161565; CAB79531.1; -.
 DR PIR; T04799; T04799.
 DR InterPro; IPR007145; MAP65_ASE1.
 DR Pfam; PF03999; MAP65_ASE1; 1.
 KW Hypothetical protein.
 SQ SEQUENCE 473 AA; 53737 MW; 8CB8B883CF5CCCD1 CRC64;

Query Match 8.0%; Score 102; DB 10; Length 473;
 Best Local Similarity 21.0%; Pred. No. 0.36;
 Matches 50; Conservative 43; Mismatches 67; Indels 78; Gaps 11;

```

Qy      26 SVSPRKSRVAAQNSAEVVRCLNSALQVCGAFACLENSTCDT----DGM YDICKSF-LYS 80
      :| :| :||:: ||::: |:          | :| | |      ||| | |:
Db      50 NVYKKKVELAAKSRAELLQTLSD-----ATVELSNLT TALGEKSYIDICDMSLFP 100

Qy      81 AAKFDTQGKAFVKESLKCIA-----NG-- 102
      | | :|| | ||
Db     101 LQPKTSGT--IKEQLSAIAPALEQLWQQKEERVRAFSDVQSQIQKICEEIAGGLNNGPH 158

Qy     103 VTSKVFLAIRRCSTFQRMIAEVQEECYSKL-----NVCSI AKRN-PEAITEV-- 148
      | : |:::| || : |:|:| :|      ::||: : : :|||
Db     159 VVDETDL SLKRLDDFQRKLQELQKEKSDRLQKVLEFVSTVHDLCAVLRDLFLSTVTEVHP 218

Qy     149 -----VQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRDSLMEKIGPNMASLFIHQ T 199
      || : || || :::| || : : : : : :| :||: |
Db     219 SLDEANGVQTKS-ISNETLARLAKTVLTLKEDKMQRLKK--LQELATQLTDLWNLM D T 273
  
```

RESULT 8
 Q91YR4
 ID Q91YR4 PRELIMINARY; PRT; 1108 AA.
 AC Q91YR4;

DT 01-DEC-2001 (TrEMBLrel. 19, Created)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Similar to adaptor-related protein complex AP-3, beta 1 subunit.
 GN AP3B1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Strausberg R.;
 RL Submitted (OCT-2001) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; BC015068; AAH15068.1; -.
 DR MGD; MGI:1333879; Ap3b1.
 DR GO; GO:0008237; F:metallopeptidase activity; IEA.
 DR GO; GO:0008270; F:zinc ion binding; IEA.
 DR GO; GO:0006508; P:proteolysis and peptidolysis; IEA.
 DR InterPro; IPR002553; Adaptin_N.
 DR InterPro; IPR008938; ARM.
 DR InterPro; IPR006025; Pept_M_Zn_BS.
 DR Pfam; PF01602; Adaptin_N; 1.
 DR PROSITE; PS00142; ZINC_PROTEASE; 1.
 SQ SEQUENCE 1108 AA; 123155 MW; 7B436C3E32C3E2E3 CRC64;

Query Match 7.3%; Score 92; DB 11; Length 1108;
 Best Local Similarity 21.2%; Pred. No. 9;
 Matches 55; Conservative 40; Mismatches 104; Indels 60; Gaps 11;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGCGAFACL 60
 :||: :|: :: | :||: | | :|| | | :| :
 Db 307 LLQSRNAAVVMAVAQLYWH-----ISPKSE--AGVISKSLVRLLSNREVQYIVLQNI 357
 Qy 61 ENSTCDTDGMYD-ICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFL----- 109
 : : ||:: ||| | : | | | | :|| |
 Db 358 ATMSIERKGMFEPYLSKF-YVRSTDPTMIKTLKLEILTNLANEANISTLLREFQTYVRSQ 416
 Qy 110 -----AIRRCSTFQRMIAEVQEECYSKLNVCSI AKRNPEAITE---VVQLPNHFS 156
 | ||:| |:|| : | : | || :: | : | :| :
 Db 417 DKQFAAATIQTIGRCAT---SISEVTDTCNLGL-VCLLSNRDEIVVAESVVVIKKLLQMQ 472
 Qy 157 NRYYNRLVRSLE-CDEDTVSTIRD SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRR 215
 : :| : : | || | |:: || | | : |
 Db 473 PAQHGEIIRHMAKLLDSITVPVARASILW LIGEN-----CERVPKIA----- 514
 Qy 216 TNEPQKLKVLRLNLRGEED 234
 | | : : : | :|
 Db 515 ---PDVLRKMAKSFTSEDD 530

RESULT 9

Q8IHR6

ID Q8IHR6 PRELIMINARY; PRT; 1068 AA.
 AC Q8IHR6;
 DT 01-MAR-2003 (TrEMBLrel. 23, Created)
 DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

DE Coat protein, gamma subunit, putative.
 GN PF11_0463.
 OS Plasmodium falciparum (isolate 3D7).
 OC Eukaryota; Alveolata; Apicomplexa; Haemosporida; Plasmodium.
 OX NCBI_TaxID=36329;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=3D7;
 RX MEDLINE=22255705; PubMed=12368864;
 RA Gardner M.J., Hall N., Fung E., White O., Berriman M., Hyman R.W.,
 RA Carlton J.M., Pain A., Nelson K.E., Bowman S., Paulsen I.T., James K.,
 RA Eisen J.A., Rutherford K., Salzberg S.L., Craig A., Kyes S.,
 RA Chan M.-S., Nene V., Shallom S.J., Suh B., Peterson J., Angiuoli S.,
 RA Pertea M., Allen J., Selengut J., Haft D., Mather M.W., Vaidya A.B.,
 RA Martin D.M.A., Fairlamb A.H., Fraunholz M.J., Roos D.S., Ralph S.A.,
 RA McFadden G.I., Cummings L.M., Subramanian G.M., Mungall C.,
 RA Venter J.C., Carucci D.J., Hoffman S.L., Newbold C., Davis R.W.,
 RA Fraser C.M., Barrell B.;
 RT "Genome sequence of the human malaria parasite Plasmodium
 RT falciparum.";
 RL Nature 419:498-511(2002).
 DR EMBL; AE014843; AAN36043.1; -.
 DR InterPro; IPR002553; Adaptin_N.
 DR InterPro; IPR008938; ARM.
 DR Pfam; PF01602; Adaptin_N; 1.
 SQ SEQUENCE 1068 AA; 124368 MW; 0710F427B066B12F CRC64;

Query Match 7.2%; Score 91.5; DB 5; Length 1068;
 Best Local Similarity 22.3%; Pred. No. 9.6;
 Matches 45; Conservative 31; Mismatches 53; Indels 73; Gaps 11;

Qy 37 QNSAEVVRCLNSALQVGCGAFACLENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESL 96
 :| :: :| : : | | | | | | | : | | |
 Db 581 KNPSKYIRYIYNRL-----LLENSTIRIDGMY----ALFYIA-----L 614

 Qy 97 KCIANGVT SKVFLAIRRCSTFQRMIAEVQEECYSKLN--VCSIAKRNPEAITEVVQLPN- 153
 || | || | : | ::| :| :| : :: | | | :|
 Db 615 KCAEN---SKDILVLLNC-----LLADNDDEVRDRTNFFYYMLKEKIKELDTSNKQISNE 666

 Qy 154 -----HFSNRYYNRLVRSLLCEDEDTVSTIRDLSLMEKIGPNMASLFHI 196
 | : || | | : || | : :| : :| : :|
 Db 667 YEEKLQNNENINEHNNIHYSN---NNLIDQLLEYDQNT-----NIDQLLYF 709

 Qy 197 LQTDHCAQTHPRADFNRRRTNE 218
 : ::| : | : :| : :|
 Db 710 I-SNH-IEKDPKEEFSYQHVKE 729

RESULT 10

Q9GV74

ID Q9GV74 PRELIMINARY; PRT; 454 AA.
 AC Q9GV74;
 DT 01-MAR-2001 (TrEMBLrel. 16, Created)
 DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
 DT 01-OCT-2002 (TrEMBLrel. 22, Last annotation update)
 DE Differentiation associate-1.
 GN DIA-1.

OS Dictyostelium discoideum (Slime mold).
 OC Eukaryota; Mycetozoa; Dictyosteliida; Dictyostelium.
 OX NCBI_TaxID=44689;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=20347020; PubMed=10887082;
 RA Hirose S., Inazu Y., Chae S., Maeda Y.;
 RT "Suppression of the growth/differentiation transition in Dictyostelium
 RT development by transient expression of a novel gene, dial.";
 RL Development 127:3263-3270(2000).
 DR EMBL; AB007026; BAB13513.1; -.
 SQ SEQUENCE 454 AA; 48601 MW; 529D28B2D1908B85 CRC64;

Query Match 7.1%; Score 90.5; DB 5; Length 454;
 Best Local Similarity 21.1%; Pred. No. 4.3;
 Matches 46; Conservative 42; Mismatches 93; Indels 37; Gaps 11;

Qy 45 CLNSALQVGGAGAFACLENSTCDTDGMYDICKSFLYSAKFDTQGK----AFVKESLKCIA 100
 ||| | | : : : || : || | : | | : : : || : : : |
 Db 227 CLNGANGYSCKSY--VENQSCDPSDEYPVCNSD-YQCKCNSKKGKQSCQSYKLTQEC-- 281
 Qy 101 NGVTSKVFLAIRRCSTFORMIAE-----VQEECYSKLNVCSIAKRNPEAITEVVQLPNHF 155
 : : : | | : : | | | | : : : | : : |
 Db 282 KDSSNKLVL----CAKSKNSIPSYKDYVTQINCQSQL--CNYSR---DCIDPKAKVSTCF 332
 Qy 156 SN-----RYYNRLVRSLLCEDTIVSTIRDLSLMEKIGPNMASLFHILQTDHCAQTHPRA 209
 : : ||| : | : | | : : : | : : : : : :
 Db 333 NDLFLMCPRYQPEIGSSSSSSSSSSSSSSSSNSNIFINIINIINIIRSSE-SSNGSNS 391
 Qy 210 DFNRRRTNEPQKLKVLRLNLRGEEDSPSHIKRTSHESA 247
 : : : | | | | | | : : : : : :
 Db 392 NSVSSESSSPSSSSV-----ESSSNSKSNHTSSESS 422

RESULT 11

O14130

ID O14130 PRELIMINARY; PRT; 783 AA.
 AC O14130;
 DT 01-JAN-1999 (TrEMBLrel. 09, Created)
 DT 01-JAN-1999 (TrEMBLrel. 09, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Putative regulatory protein, zinc finger.
 GN SPAC3C7.04.
 OS Schizosaccharomyces pombe (Fission yeast).
 OC Eukaryota; Fungi; Ascomycota; Schizosaccharomycetes;
 OC Schizosaccharomycetales; Schizosaccharomycetaceae;
 OC Schizosaccharomyces.
 OX NCBI_TaxID=4896;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=972h-;
 RA Brown D., Churcher C.M.;
 RL Submitted (SEP-1997) to the EMBL/GenBank/DDBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=972h-;
 RA Wood V., Barrell B.G., Rajandream M.A.;

RL Submitted (SEP-1997) to the EMBL/GenBank/DDBJ databases.
 CC -!- SUBCELLULAR LOCATION: NUCLEAR (BY SIMILARITY).
 CC -!- SIMILARITY: CONTAINS 1 ZN(2)-CYS(6), FUNGAL-TYPE BINUCLEAR CLUSTER
 CC DOMAIN.
 DR EMBL; Z99568; CAB16735.1; -.
 DR PIR; T38690; T38690.
 DR HSSP; P12351; 1HWT.
 DR GeneDB_SPombe; SPAC3C7.04; -.
 DR GO; GO:0005634; C:nucleus; IEA.
 DR GO; GO:0003700; F:transcription factor activity; IEA.
 DR GO; GO:0008270; F:zinc ion binding; IEA.
 DR GO; GO:0006355; P:regulation of transcription, DNA-dependent; IEA.
 DR GO; GO:0006350; P:transcription; IEA.
 DR InterPro; IPR007219; Fungal_trans.
 DR InterPro; IPR001138; Fungi_TrN.
 DR Pfam; PF04082; Fungal_trans; 1.
 DR Pfam; PF00172; Zn_clus; 1.
 DR SMART; SM00066; GAL4; 1.
 DR PROSITE; PS00463; ZN2_CY6_FUNGAL_1; 1.
 DR PROSITE; PS50048; ZN2_CY6_FUNGAL_2; 1.
 KW DNA-binding; Metal-binding; Nuclear protein; Transcription;
 KW Transcription regulation; Zinc.
 SQ SEQUENCE 783 AA; 87957 MW; 4DD04F3865C448D2 CRC64;

Query Match 7.1%; Score 90.5; DB 3; Length 783;
 Best Local Similarity 23.3%; Pred. No. 8.2;
 Matches 56; Conservative 34; Mismatches 87; Indels 63; Gaps 12;

Qy 10 VLVISASATHEAEQNDSVSPRKSRV-----AAQNSAEVVRCLNSALQVGC GAF----- 57
 ::::| :| ||| |: ||:: :| | : |:| :|
 Db 535 IIIMSRPVLLHKMKNAKNSPRVDRINEDCILAARHLISLVHLLQNHSQ LSCYSFFDYNYT 594
 Qy 58 -----ACLENSTCDTDGMYDICKSFLYSAAKFDTQ GKAFVKESL KCI----- 99
 |: |: | || : ||| : :| | : |
 Db 595 FSSALVVLHCV-TEPCEED---DIAMQYAYSALDYMAEGNEAAKN CARVIRLFD AHLKG 650
 Qy 100 ----ANGVTSKV-FLAIRRCSTFORMIAEVQ-----EECYSKLNVCSIAKR NPEAITEVV 149
 || ||: |:| :|| |||| |: | | || ::|
 Db 651 ARSDGNGNTSQSGFMA-----WQRWIAEVS AKDEPEKLMSPYNK SIGGGRNSNSLTPNA 704
 Qy 150 QLPNHFSNRYYNR-----LVRSLLECDEDTVSTIRDSLMEKIGPNMA---SLFHILQTD 200
 | | :: | ||: | : :: | : | |::| || : ||
 Db 705 NLGADVS--FFPTDDTSFLLDHSKLDDDDLEKFASTLDPI--K TTPDLANDSSLLNWANTD 760

RESULT 12

Q8H2Y0

ID Q8H2Y0 PRELIMINARY; PRT; 622 AA.

AC Q8H2Y0;

DT 01-MAR-2003 (TrEMBLrel. 23, Created)

DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)

DT 01-MAR-2003 (TrEMBLrel. 23, Last annotation update)

DE Putative transcription repressor HOTR.

GN OJ1113_E01.11.

OS Oryza sativa (japonica cultivar-group).

OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;

OC Spermatophyta; Magnoliophyta; Liliopsida; Poales; Poaceae;

DR GO; GO:0016874; F:ligase activity; IEA.
 DR GO; GO:0004842; F:ubiquitin-protein ligase activity; IEA.
 DR GO; GO:0006512; P:ubiquitin cycle; IEA.
 DR InterPro; IPR008938; ARM.
 DR InterPro; IPR000569; HECT_domain.
 DR InterPro; IPR000449; UBA_domain.
 DR InterPro; IPR003903; UIM.
 DR Pfam; PF00632; HECT; 1.
 DR Pfam; PF00627; UBA; 1.
 DR Pfam; PF02809; UIM; 1.
 DR SMART; SM00119; HECTc; 1.
 DR SMART; SM00165; UBA; 1.
 DR SMART; SM00726; UIM; 1.
 DR PROSITE; PS50237; HECT; 1.
 DR PROSITE; PS50030; UBA; 1.
 DR PROSITE; PS50330; UIM; 1.
 KW Ligase.
 SQ SEQUENCE 3658 AA; 403582 MW; 1FB4F8EB8C1F73D1 CRC64;

Query Match 7.1%; Score 89.5; DB 10; Length 3658;
 Best Local Similarity 22.1%; Pred. No. 65;
 Matches 46; Conservative 39; Mismatches 76; Indels 47; Gaps 8;

Qy 14 SASATHEAEQNDVSPRKSRVAAQNSAEVVRLNSALQVCGAFACLENSTCD----- 66
 |: :|| ||: || | ||: | ||: :: |:
 Db 2977 SSETQKDAESELVARRK-----NCAEL---YNIFLQLP-----QSDLCNLCMLLGY 3020
 Qy 67 ---TDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORMIAE 123
 :| :| : | | | : | : | :| :| : | || |:
 Db 3021 EGLSDKIYSLAGEVLKKLAADVTHRKFFTKELSELASGLSSSTVRVLATLSTTQKM--- 3077
 Qy 124 VQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLECEDTVSTIR---- 179
 | ||:| :| | :| : : : | : | | : : :
 Db 3078 -----SQNTCSMA---GASILRVLQVLSLSTIDDSNVGTDKETDQEEQNIMQGLKV 3127
 Qy 180 --DSLMEKIGPNMASLFHILQTDHCAQT 205
 : | : : | : : || || | |
 Db 3128 ALEPLWQELGQCIS--MTELQLDHTAAT 3153

RESULT 15

Q8CP76

ID Q8CP76 PRELIMINARY; PRT; 9439 AA.
 AC Q8CP76;
 DT 01-MAR-2003 (TrEMBLrel. 23, Created)
 DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE EbhA protein.
 GN SE1128.
 OS Staphylococcus epidermidis.
 OC Bacteria; Firmicutes; Bacillales; Staphylococcus.
 OX NCBI_TaxID=1282;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ATCC 12228;
 RA Zhang Y., Ren S., Li H., Fu G., Lu L., Lu G., Jia J., Tu Y., Qin Z.,
 RA Chen Z., Wen Y.;

RL Submitted (NOV-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AE016747; AAO04725.1; -.
 DR InterPro; IPR008454; Cna_B.
 DR InterPro; IPR002988; GA.
 DR Pfam; PF05738; Cna_B; 1.
 DR Pfam; PF01468; GA; 39.
 KW Complete proteome.
 SQ SEQUENCE 9439 AA; 1050771 MW; 5A8C68E9AA31CDD4 CRC64;

Query Match 7.1%; Score 89.5; DB 16; Length 9439;
 Best Local Similarity 22.0%; Pred. No. 2e+02;
 Matches 50; Conservative 38; Mismatches 78; Indels 61; Gaps 11;

```

Qy      17 ATHEAEQ---NDSVSPRKSVA-----AQNSAEVVRCLNSALQ 51
      | :|||:  ||  :|: |:|          :|: |:|  |
Db      2190 AKNEAERILGND--NPQVSQVTQALNKIKAIQPKLTEAINMLQNKENNTLVNAKNR--- 2244

Qy      52 VGCGAFACLENSTCDTDGMYDICKSFL--YSAAKFDTQGKAFVKESLKCIANG----- 102
      |||:  |||  : : :  :  |:| | : | :  ::|  | ||
Db      2245 -----LENAVNDTDPTHGMTQETINNYNAKKREAQNE--IQKANMIINNGDATAQDI 2294

Qy      103 -----VTSKVFLAIRRCSTFORMIAEVQEECYSKL--NVCSIAKRNPEAITEVVQLPNHF 155
      :|  |::  |  :  |:||  || :  |:| :|
Db      2295 SSEKSKVEQVLQALQNAKNDLRADKRELOQTAYNKLIQNVNTNGKK-PSSIQNYKSARRNI 2353

Qy      156 SNRY--YNRLVRSLLECEDTVSTIRDSL--MEKIGPNMASLFHILQ 198
      |:|  :||  ||: : |:|  :  | | :  :|||
Db      2354 ENQYNTAKNEAHNVLENTNPTVNAVEDALRKINAIQPEVTKAINILQ 2400
  
```

Search completed: July 19, 2004, 15:33:30
 Job time : 42 secs

OM protein - protein search, using sw model

Run on: July 19, 2004, 15:29:18 ; Search time 13 Seconds
 (without alignments)
 989.333 Million cell updates/sec

Title: US-10-614-990-2
 Perfect score: 1268
 Sequence: 1 MLQNSAVLLVLVISASATHE.....NLRGEEDSPSHIKRTSHESA 247

Scoring table: BLOSUM62
 Gapop 10.0 , Gapext 0.5

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0
 Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
 Maximum Match 100%
 Listing first 45 summaries

Database : SwissProt_42:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

8							
Result	Query						
No.	Score	Match	Length	DB	ID	Description	
1	1268	100.0	247	1	STC1_HUMAN	P52823	homo sapien
2	1234	97.3	247	1	STC1_MOUSE	O55183	mus musculu
3	1231	97.1	247	1	STC1_RAT	P97574	rattus norv
4	682	53.8	250	1	STC_ANGAU	P18301	anguilla au
5	662.5	52.2	256	1	STC_ONCKI	Q08264	oncorhynchu
6	662.5	52.2	256	1	STC_ONCMY	P43648	oncorhynchu
7	617	48.7	179	1	STC_ONCKE	P43647	oncorhynchu
8	354.5	28.0	296	1	STC2_MOUSE	O88452	mus musculu
9	354	27.9	302	1	STC2_HUMAN	O76061	homo sapien
10	352	27.8	302	1	STC2_MACNE	O97561	macaca neme
11	349	27.5	296	1	STC2_RAT	Q9r0k8	rattus norv
12	181.5	14.3	197	1	STC2_CAVPO	P57675	cavia porce
13	156	12.3	40	1	STC_ONCNE	P43649	oncorhynchu
14	94	7.4	1105	1	A3B1_MOUSE	Q9z1t1	mus musculu
15	90.5	7.1	289	1	SNAI_VITVI	P93798	vitis vinif
16	87.5	6.9	1465	1	DPOA_MOUSE	P33609	mus musculu
17	86.5	6.8	509	1	VP67_NPVCF	P41717	choristoneu

18	86	6.8	581	1	YMM7_YEAST	Q03124	saccharomyc
19	86	6.8	695	1	TRFL_HORSE	O77811	equus cabal
20	84.5	6.7	1451	1	DPOA_RAT	O89042	rattus norv
21	83	6.5	1094	1	A3B1_HUMAN	O00203	homo sapien
22	82.5	6.5	1483	1	UFD4_YEAST	P33202	saccharomyc
23	82.5	6.5	2335	1	TOR1_SCHPO	O14356	schizosacch
24	81.5	6.4	708	1	TRFL_BOVIN	P24627	bos taurus
25	81.5	6.4	804	1	S15A_HUMAN	Q8tag9	homo sapien
26	81	6.4	4377	1	ANK3_HUMAN	Q12955	homo sapien
27	80	6.3	509	1	VP64_NPVOP	P13625	orgyia pseu
28	80	6.3	851	1	STR8_MOUSE	Q8k031	mus musculu
29	80	6.3	998	1	ECA3_ARATH	Q9sy55	arabidopsis
30	79.5	6.3	609	1	MC70_YEAST	Q12411	saccharomyc
31	79.5	6.3	708	1	TRFL_BUBBU	O77698	bubalus bub
32	79	6.2	440	1	V117_FOWPV	Q9j5a5	fowlpox vir
33	78.5	6.2	132	1	IL4_HORSE	P42202	equus cabal
34	78.5	6.2	708	1	TRFL_CAPHI	Q29477	capra hircu
35	78.5	6.2	1127	1	MDM1_YEAST	Q01846	saccharomyc
36	78	6.2	458	1	IF3T_TORCA	P23729	torpedo cal
37	78	6.2	688	1	DNAK_ANAVA	O05714	anabaena va
38	78	6.2	803	1	GYRB_BUCAI	P57126	buchnera ap
39	78	6.2	1816	1	KF1B_MOUSE	Q60575	mus musculu
40	77.5	6.1	640	1	CLAT_MOUSE	Q03059	mus musculu
41	77	6.1	249	1	TPIS_TREPA	O83548	treponema p
42	77	6.1	1023	1	STR8_HUMAN	Q92502	homo sapien
43	76.5	6.0	229	1	Z313_MOUSE	Q9et26	mus musculu
44	76.5	6.0	455	1	TBA1_SCHPO	P04688	schizosacch
45	76	6.0	324	1	NAA2_RHILO	Q982f2	rhizobium l

ALIGNMENTS

RESULT 1

STC1_HUMAN

ID STC1_HUMAN STANDARD; PRT; 247.AA.

AC P52823;

DT 01-OCT-1996 (Rel. 34, Created)

DT 01-OCT-1996 (Rel. 34, Last sequence update)

DT 10-OCT-2003 (Rel. 42, Last annotation update)

DE Stanniocalcin 1 precursor (STC-1).

GN STC1 OR STC.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RC TISSUE=Fibrosarcoma, and Lung carcinoma;

RX MEDLINE=96077825; PubMed=7489828;

RA Chang A.C.-M., Janosi J., Hulsbeek M., de Jong D., Jeffrey K.J.,

RA Noble J.R., Reddel R.R.;

RT "A novel human cDNA highly homologous to the fish hormone

RT stanniocalcin.";

RL Mol. Cell. Endocrinol. 112:241-247(1995).

RN [2]

RP SEQUENCE FROM N.A.

RC TISSUE=Fetal lung;
 RX MEDLINE=96312491; PubMed=8700837;
 RA Olsen H.S., Cepeda M.A., Zhang Q.-Q., Rosen C.A., Vozzolo B.L.,
 RA Wagner G.F.;
 RT "Human stanniocalcin: a possible hormonal regulator of mineral
 RT metabolism.";
 RL Proc. Natl. Acad. Sci. U.S.A. 93:1792-1796(1996).
 RN [3]
 RP SEQUENCE FROM N.A.
 RA Jeffrey K.J., Reddel R.R.;
 RT "Characterization of the human stanniocalcin 1 gene.";
 RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
 RN [4]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Colon, Kidney, and Stomach;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 CC -!- FUNCTION: Stimulates renal phosphate reabsorption, and could
 CC therefore prevent hypercalcemia.
 CC -!- SUBUNIT: Homodimer; disulfide-linked (By similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Expressed in most tissues, with the highest
 CC levels in ovary, prostate, heart, kidney and thyroid. In the
 CC kidney, expression is confined to the nephron, specifically in the
 CC distal convoluted tubule and in the collecting tubule. Not
 CC detected in the brain, liver, spleen, peripheral blood leukocytes
 CC and adrenal medulla.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U25997; AAC09472.1; -.

DR EMBL; U46768; AAA88903.1; -.
 DR EMBL; AF242179; AAL79522.1; -.
 DR EMBL; BC029044; AAH29044.1; -.
 DR Genew; HGNC:11373; STC1.
 DR MIM; 601185; -.
 DR GO; GO:0005181; F:glycopeptide hormone; TAS.
 DR GO; GO:0005180; F:peptide hormone; TAS.
 DR GO; GO:0006874; P:calcium ion homeostasis; TAS.
 DR GO; GO:0007166; P:cell surface receptor linked signal transdu. . .; TAS.
 DR GO; GO:0007267; P:cell-cell signaling; TAS.
 DR GO; GO:0007584; P:response to nutrients; TAS.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Signal; Glycoprotein.
 FT SIGNAL 1 17 POTENTIAL.
 FT PROPEP 18 33 POTENTIAL.
 FT CHAIN 34 247 STANNIOCALCIN 1.
 FT DISULFID 45 59 BY SIMILARITY.
 FT DISULFID 54 74 BY SIMILARITY.
 FT DISULFID 65 114 BY SIMILARITY.
 FT DISULFID 98 128 BY SIMILARITY.
 FT DISULFID 135 170 BY SIMILARITY.
 FT DISULFID 202 202 INTERCHAIN (BY SIMILARITY).
 FT CARBOHYD 62 62 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 247 AA; 27621 MW; 1E4A8BD861B49AED CRC64;

Query Match 100.0%; Score 1268; DB 1; Length 247;
 Best Local Similarity 100.0%; Pred. No. 3.4e-102;
 Matches 247; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDVSVPKRSRVAAQNSAEVVRCLNSALQVGCAGAFACL 60
 |||||
 Db 1 MLQNSAVLLVLVISASATHEAEQNDVSVPKRSRVAAQNSAEVVRCLNSALQVGCAGAFACL 60

 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORM 120
 |||||
 Db 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFORM 120

 Qy 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYNRLVRSILLECDEDTVSTIRD 180
 |||||
 Db 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYNRLVRSILLECDEDTVSTIRD 180

 Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLARGEEDSPSHIK 240
 |||||
 Db 181 SLMEKIGPNMASLFHILQTDHCAQTHPRADFNRRRTNEPQKLKVLLRNLARGEEDSPSHIK 240

 Qy 241 RTSHESA 247
 |||||
 Db 241 RTSHESA 247

RESULT 2

STC1_MOUSE

ID STC1_MOUSE STANDARD; PRT; 247 AA.
 AC O55183;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)

DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Stanniocalcin 1 precursor (STC-1).
 GN STC1 OR STC.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/c;
 RX MEDLINE=97179050; PubMed=9027337;
 RA Chang A.C.-M., Dunham M.A., Jeffrey K.J., Reddel R.R.;
 RT "Molecular cloning and characterization of mouse stanniocalcin cDNA."
 RL Mol. Cell. Endocrinol. 124:185-187(1996).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Ustin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences."
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 CC -!- FUNCTION: Stimulates renal phosphate reabsorption, and could
 CC therefore prevent hypercalcemia (By similarity).
 CC -!- SUBUNIT: Homodimer; disulfide-linked (By similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Expressed in many tissues.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U47815; AAC00050.1; -.
 DR EMBL; BC021425; AAH21425.1; -.
 DR MGD; MGI:109131; Stc1.
 DR GO; GO:0005615; C:extracellular space; IDA.
 DR InterPro; IPR004978; Stanniocalcin.

ID STC_ANGAU STANDARD; PRT; 250 AA.
 AC P18301;
 DT 01-NOV-1990 (Rel. 16, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Stanniocalcin precursor (STC) (Corpuscles of stannius protein) (CS)
 DE (Hypocalcin) (Teleocalcin).
 GN STC.
 OS *Anguilla australis* (Australian eel).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Anguilliformes; Anguillidae;
 OC *Anguilla*.
 OX NCBI_TaxID=7940;
 RN [1]
 RP SEQUENCE FROM N.A., AND SEQUENCE OF 33-57.
 RX MEDLINE=88083961; PubMed=3319739;
 RA Butkus A., Roche P.J., Fernley R.T., Haralambidis J.,
 RA Penschow J.D., Ryan G.B., Trahair J.F., Tregear G.W., Coghlan J.P.;
 RT "Purification and cloning of a corpuscles of Stannius protein from
 RT *Anguilla australis*.";
 RL Mol. Cell. Endocrinol. 54:123-133(1987).
 RN [2]
 RP REVISIONS.
 RA Roche P.J.;
 RL Submitted (DEC-1997) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: Its primary function is the prevention of hypercalcemia.
 CC Upon release into the circulation, it lowers calcium transport by
 CC the gills, thereby reducing its rate of influx from the
 CC environment into the extracellular compartment. STC also
 CC stimulates phosphate reabsorption by renal proximal tubules. The
 CC consequence of this action is increased levels of plasma
 CC phosphate, which combines with excess calcium and promotes its
 CC disposal into bone and scales.
 CC -!- SUBUNIT: Homodimer; disulfide-linked.
 CC -!- TISSUE SPECIFICITY: Corpuscles of Stannius.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M36967; AAB91483.1; -.
 DR PIR; A54648; A54648.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Signal; Glycoprotein.
 FT SIGNAL 1 17 POTENTIAL.
 FT PROPEP 18 32 POTENTIAL.
 FT CHAIN 33 250 STANNIOCALCIN.
 FT DISULFID 44 58 BY SIMILARITY.
 FT DISULFID 53 73 BY SIMILARITY.
 FT DISULFID 64 113 BY SIMILARITY.
 FT DISULFID 97 127 BY SIMILARITY.

FT DISULFID 134 169 BY SIMILARITY.
 FT DISULFID 201 201 INTERCHAIN (BY SIMILARITY).
 FT CARBOHYD 61 61 N-LINKED (GLCNAC. . .) (PROBABLE).
 SQ SEQUENCE 250 AA; 27174 MW; BB972BD951F75B3E CRC64;

Query Match 53.8%; Score 682; DB 1; Length 250;
 Best Local Similarity 54.3%; Pred. No. 1.1e-51;
 Matches 138; Conservative 47; Mismatches 57; Indels 12; Gaps 6;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRLNSALQVGC GAFACL 60
 ||: | ::| ||: :| :| :::: :||| :| :| : ::| |||| ||||| |||||
 Db 1 MLRMSG LILTLVL-VTAAEQDESEPLSPRTARFSASSPSDVARCLNGALQVGCSAFACL 59
 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQRM 120
 :||||:||||:||||: ||||| ||||| ||||| ||||| :||||| |||||:|:|
 Db 60 DNSTCNTDGMHEICRSFLHGA AKFDTQGKTFVKESLKCIANGITSKVFLTIRRCSS FQKM 119
 Qy 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRS LLECEDTVSTIRD 180
 |:|||||:||||:|:|:| ||||: || |:|: | ||||: |:| ||| ||||| :|
 Db 120 ISEVQEECYSKLDLCSVAQSNPEAMGEVAQVPSQFPNRYSTLLQSL LTCEDETV EQVRA 179
 Qy 181 SLMEKIGPNMASLFHILQTDHC-----AQTHP-RADFNRRRTNEPQKLKVLLRNLRGEED 234
 |: :: | | ||: || | | | : | | | : ||| :
 Db 180 GLVSRLEPEMGVLFQLLQTKACPPSAAGGTGPVGAGGSWRWPMGPPMFKI-QPNLRSRD- 237
 Qy 235 SPSHI--KRTSHES 246
 |:|: |:| |
 Db 238 -PTHLFAKKRSTSS 250

RESULT 5

STC_ONCKI

ID STC_ONCKI STANDARD; PRT; 256 AA.
 AC Q08264;
 DT 01-FEB-1995 (Rel. 31, Created)
 DT 01-FEB-1995 (Rel. 31, Last sequence update)
 DT 16-OCT-2001 (Rel. 40, Last annotation update)
 DE Stanniocalcin precursor (STC) (Corpuscles of stannius protein) (CS)
 DE (Hypocalcin) (Teleocalcin).
 GN STC.
 OS Oncorhynchus kisutch (Coho salmon).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8019;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=93246046; PubMed=1363790;
 RA Wagner G.F., Dimattia G.E., Davie J.R., Copp D.H., Friesen H.G.;
 RT "Molecular cloning and cDNA sequence analysis of coho salmon
 RT stanniocalcin."
 RL Mol. Cell. Endocrinol. 90:7-15(1992).
 RN [2]
 RP SEQUENCE OF 34-73.
 RX MEDLINE=89065334; PubMed=3197944;
 RA Wagner G.F., Fenwick J.C., Park C.M., Milliken C., Copp D.H.,
 RA Friesen H.G.;

RT "Comparative biochemistry and physiology of teleocalcin from sockeye
 RT and coho salmon.";
 RL Gen. Comp. Endocrinol. 72:237-246(1988).
 CC -!- FUNCTION: Its primary function is the prevention of hypercalcemia.
 CC Upon release into the circulation, it lowers calcium transport by
 CC the gills, thereby reducing its rate of influx from the
 CC environment into the extracellular compartment. STC also
 CC stimulates phosphate reabsorption by renal proximal tubules. The
 CC consequence of this action is increased levels of plasma
 CC phosphate, which combines with excess calcium and promotes its
 CC disposal into bone and scales.
 CC -!- SUBUNIT: Homodimer; disulfide-linked.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Produced and secreted by the corpuscles of
 CC stannius.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; S59519; AAB26419.1; -.
 DR PIR; B60841; B60841.
 DR PIR; I51197; I51197.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Signal; Glycoprotein; Calcium transport.
 FT SIGNAL 1 18 POTENTIAL.
 FT PROPEP 19 33 BY SIMILARITY.
 FT CHAIN 34 256 STANNIOCALCIN.
 FT CARBOHYD 62 62 N-LINKED (GLCNAC. . .).
 SQ SEQUENCE 256 AA; 28074 MW; E688B930B394A8D3 CRC64;

Query Match 52.2%; Score 662.5; DB 1; Length 256;
 Best Local Similarity 53.4%; Pred. No. 5.3e-50;
 Matches 125; Conservative 46; Mismatches 54; Indels 9; Gaps 4;

QY 11 LVISASATHEAEQNDSPRKSVAQAQNSAEVVRCLNSALQVCGGAFACLENSTCDTDGM 70
 ||: ||: : : : : |||::| : : : :| |||| || |||| |||||
 Db 12 LVLGTAATFDTDPEEA-SPRRARFSSNSPSDVARCLNGALAVGCGTFACLENSTCDTDGM 70
 QY 71 YDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSTKVFLAIRRCSTFQRMIAEVQEECY 130
 :|||: | :||| |:||| |||||:||||||| |||| ||||:|||||
 Db 71 HDICQLFFHTAATFNTQGKTFVKESLRCIANGVTSTKVFTIRRCGVFQRMISEVQEECY 130
 QY 131 KLVNCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRDSLMEKIGPNM 190
 :|::| :|: |||| ||||:| || ||||: |::|| |||::| :| |: :|||:
 Db 131 RLDICGVARSNPEAIGEVVQVPAHFNPYRYSLLQSLACDEETVAVVRAGLVARLGPD 190
 QY 191 ASLFHILQTDHCAQTHPRADFN-----RRRTNEPQKLKVLRLRGEEDSPSHI 239
 :||: ||| || | : : | : :||: |::| : ||:
 Db 191 ETLFQLLQNKHCPQGSNQGPNAPAGWRWPMGSPPSFKI-QPSMRGRD--PTHL 241

RESULT 6

STC_ONCMY

ID STC_ONCMY STANDARD; PRT; 256 AA.
AC P43648; Q98SE1;
DT 01-NOV-1995 (Rel. 32, Created)
DT 28-FEB-2003 (Rel. 41, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Stanniocalcin precursor (STC) (Corpuscles of stannius protein) (CS)
DE (Hypocalcin) (Teleocalcin).
GN STC.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Ovary;
RA McCudden C.R., Wagner G.F.;
RT "Rainbow trout ovarian stanniocalcin."
RL Submitted (DEC-2000) to the EMBL/GenBank/DDBJ databases.
RN [2]
RP SEQUENCE OF 34-66.
RC TISSUE=Stannius corpuscles;
RX MEDLINE=88196801; PubMed=3360288;
RA Lafeber F.P.J.G., Hanssen R.G.J.M., Choy Y.M., Flik G.,
RA Herrmann-Erlee M.P.M., Pang P.K.T., Wendelaar Bonga S.E.;
RT "Identification of hypocalcin (teleocalcin) isolated from trout
RT Stannius corpuscles."
RL Gen. Comp. Endocrinol. 69:19-30(1988).
CC -!- FUNCTION: Its primary function is the prevention of hypercalcemia.
CC Upon release into the circulation, it lowers calcium transport by
CC the gills, thereby reducing its rate of influx from the
CC environment into the extracellular compartment. STC also
CC stimulates phosphate reabsorption by renal proximal tubules. The
CC consequence of this action is increased levels of plasma
CC phosphate, which combines with excess calcium and promotes its
CC disposal into bone and scales.
CC -!- SUBUNIT: Homodimer; disulfide-linked.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Produced and secreted by the corpuscles of
CC stannius.
CC -!- SIMILARITY: Belongs to the stanniocalcin family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AF326317; AAK01423.1; -.
DR EMBL; AF326318; AAK01424.1; -.
DR InterPro; IPR004978; Stanniocalcin.
DR Pfam; PF03298; Stanniocalcin; 1.

KW Hormone; Signal; Glycoprotein; Calcium transport.
 FT SIGNAL 1 18 POTENTIAL.
 FT PROPEP 19 33
 FT CHAIN 34 256 STANNIOCALCIN.
 FT CARBOHYD 62 62 N-LINKED (GLCNAC. . .).
 FT VARIANT 41 41 D -> E.
 SQ SEQUENCE 256 AA; 28104 MW; E688A0E0B394A8D3 CRC64;

Query Match 52.2%; Score 662.5; DB 1; Length 256;
 Best Local Similarity 53.4%; Pred. No. 5.3e-50;
 Matches 125; Conservative 46; Mismatches 54; Indels 9; Gaps 4;

Qy 11 LVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVCGAFACLENSTCDTDGM 70
 ||: ||: : : : |||::| : : : :| |||| || |||| |||||
 Db 12 LVLGTAATFDTDPEEA-SPRRARFSSNSPSDVARCLNGALAVGCGTFACLENSTCDTDGM 70
 Qy 71 YDICKSFLYSAAKFDTQ GKAFVKESLKC IANGVTSKVFLAIRRCSTFQRMIAEVQEECY 130
 :|||: | :||| |:||| ||||:| ||||| |||| | ||||:| |||||
 Db 71 HDICQLFFHTAATFNTQ GKTFVKESLRCIANGVTSKVFTIRRCGVFQRMISEVQEECY 130
 Qy 131 KLVNC SIAKRNPEAITEVVQLPNHFSNRYNRLVRSLLCEDEDTVSTIRDSLMEKIGPNM 190
 :||:| :|: |||| ||||:| || ||||: |::|| |||:|: :| |: ::||:|
 Db 131 RLDICGVARSNPEAIGEVVQVPAHFNPRIYSTLLQSLACDEETVAVVRAGLVARLGPDM 190
 Qy 191 ASLFHILQTDHCAQTHPRADFN-----RRRTNEPQKLKVLRLNLRGEEDSPSHI 239
 :||:| | | : : | | | : ||| : |:
 Db 191 ETLFQLLQNKHCPQGSNQGPNSAPAGWRWPMGSPPSFKI-QPSMRGRD--PTHL 241

RESULT 7

STC_ONCKE

ID STC_ONCKE STANDARD; PRT; 179 AA.

AC P43647; Q91427;

DT 01-NOV-1995 (Rel. 32, Created)

DT 01-NOV-1997 (Rel. 35, Last sequence update)

DT 16-OCT-2001 (Rel. 40, Last annotation update)

DE Stanniocalcin (STC) (Corpuscles of stannius protein) (CS) (Hypocalcin)
 DE (Teleocalcin).

GN STC.

OS Oncorhynchus keta (Chum salmon).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;

OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.

OX NCBI_TaxID=8018;

RN [1]

RP SEQUENCE FROM N.A., AND SEQUENCE.

RC TISSUE=Stannius corpuscles;

RX MEDLINE=96077816; PubMed=7489819;

RA Yamashita K., Koide Y., Itoh H., Kawada N., Kawauchi H.;

RT "The complete amino acid sequence of chum salmon stanniocalcin, a
 RT calcium-regulating hormone in teleosts.";

RL Mol. Cell. Endocrinol. 112:159-167(1995).

RN [2]

RP SEQUENCE OF 1-33.

RC TISSUE=Stannius corpuscles;

RX MEDLINE=93055697; PubMed=1430418;

RA Sundell K., Bjoernsson B.T., Itoh H., Kawauchi H.;

RT "Chum salmon (*Oncorhynchus keta*) stanniocalcin inhibits in vitro
 RT intestinal calcium uptake in Atlantic cod (*Gadus morhua*).";
 RL J. Comp. Physiol. B 162:489-495(1992).
 RN [3]
 RP DISULFIDE BONDS.
 RX MEDLINE=99216273; PubMed=10198206;
 RA Hulova I., Kawauchi H.;
 RT "Assignment of disulfide linkages in chum salmon stanniocalcin.";
 RL Biochem. Biophys. Res. Commun. 257:295-299(1999).
 CC -!- FUNCTION: Its primary function is the prevention of hypercalcemia.
 CC Upon release into the circulation, it lowers calcium transport by
 CC the gills, thereby reducing its rate of influx from the
 CC environment into the extracellular compartment. STC also
 CC stimulates phosphate reabsorption by renal proximal tubules. The
 CC consequence of this action is increased levels of plasma
 CC phosphate, which combines with excess calcium and promotes its
 CC disposal into bone and scales.
 CC -!- SUBUNIT: Homodimer; disulfide-linked.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Produced and secreted by the corpuscles of
 CC stannius.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; S80134; AAB35648.2; -.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Glycoprotein; Calcium transport.
 FT DISULFID 12 26
 FT DISULFID 21 41
 FT DISULFID 32 81
 FT DISULFID 65 95
 FT DISULFID 102 137
 FT DISULFID 169 169 INTERCHAIN.
 FT CARBOHYD 29 29 N-LINKED (GLCNAC. . .).
 FT CONFLICT 160 160 P -> L (IN REF. 1; AA SEQUENCE).
 FT CONFLICT 170 170 S -> P (IN REF. 1; AA SEQUENCE).
 SQ SEQUENCE 179 AA; 19518 MW; 0298CAC33E2BE445 CRC64;

Query Match 48.7%; Score 617; DB 1; Length 179;
 Best Local Similarity 66.1%; Pred. No. 2.9e-46;
 Matches 109; Conservative 28; Mismatches 28; Indels 0; Gaps 0;

Qy 40 AEVVRCLNSALQVGCFAACLENSTCDTDGMYDICKSFLYSAAKFDQTQKAFVKESLKCI 99
 ::| |||| || |||| ||||| |||||:|::| |::|| |::|| |||||:|
 Db 7 SDVARCLNGALDVGCGTFACLENSTCDTDGMHDICQLFFHTAATFNTQGKTFVKESLRCI 66
 Qy 100 ANGVTSKVFLAIRRCSTFQRMIAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRY 159
 ||||| |||| |||||:|||||:|::| |::| |||| |::||
 Db 67 ANGVTSKVFQTIIRRCGVFQRMISEVQEECYSLDICGVARSNPEAIGEVVQVPAHFNPY 126

QY 160 YNRLVRSLLCEDDEDTVSTIRDSLMEKIGPNMASLFHILQTDHCAQ 204
|: |: :||| |||: ||: :| |: : :||:| : | :|| ||:|
Db 127 YSTLLQSLACDEETVAVVRAGLVARLGPDMETPFOLLONKHCSQ 171

RESULT 8

STC2 MOUSE

```

ID   STC2_MOUSE STANDARD; PRT; 296 AA.
AC   O88452;
DT   30-MAY-2000 (Rel. 39, Created)
DT   30-MAY-2000 (Rel. 39, Last sequence update)
DT   10-OCT-2003 (Rel. 42, Last annotation update)
DE   Stanniocalcin 2 precursor (STC-2).
GN   STC2.
OS   Mus musculus (Mouse).
OC   Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC   Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX   NCBI_TaxID=10090;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE=98389283; PubMed=9723890;
RA   Chang A.C.-M., Reddel R.R.;
RT   "Identification of a second stanniocalcin cDNA in mouse and human:
RT   stanniocalcin 2.";
RL   Mol. Cell. Endocrinol. 141:95-99(1998).
RN   [2]
RP   SEQUENCE FROM N.A., AND CHARACTERIZATION.
RC   TISSUE=Breast carcinoma;
RX   MEDLINE=99378040; PubMed=10450831;
RA   Moore E.E., Kuestner R.E., Conklin D.C., Whitmore T.E., Downey W.,
RA   Buddle M.M., Adams R.L., Bell L.A., Thompson D.L., Wolf A., Chen L.,
RA   Stamm M.R., Grant F.J., Lok S., Ren H., de Jongh K.S.;
RT   "Stanniocalcin 2: characterization of the protein and its localization
RT   to human pancreatic alpha cells.";
RL   Horm. Metab. Res. 31:406-414(1999).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   TISSUE=Breast tumor;
RX   MEDLINE=22388257; PubMed=12477932;
RA   Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA   Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA   Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA   Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA   Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA   Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA   Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA   Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
RA   Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
RA   Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
RA   Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
RA   Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
RA   Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
RA   Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
RA   Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
RA   Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
RA   Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;

```

```

RT      "Generation and initial analysis of more than 15,000 full-length
RT      human and mouse cDNA sequences.";
RL      Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
CC      -!- FUNCTION: Has an anti-hypocalcemic action on calcium and phosphate
CC      homeostasis.
CC      -!- SUBUNIT: Homodimer; disulfide-linked (By similarity).
CC      -!- SUBCELLULAR LOCATION: Secreted (Potential).
CC      -!- TISSUE SPECIFICITY: Found in a variety of tissues including
CC      skeletal muscle, small intestine, kidney, liver and brain.
CC      -!- SIMILARITY: Belongs to the stanniocalcin family.
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC      the European Bioinformatics Institute. There are no restrictions on its
CC      use by non-profit institutions as long as its content is in no way
CC      modified and this statement is not removed. Usage by and for commercial
CC      entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC      or send an email to license@isb-sib.ch).
CC      -----
DR      EMBL; AF056244; AAC27507.1; -.
DR      EMBL; AF031035; AAD01921.1; -.
DR      EMBL; BC012206; AAH12206.1; -.
DR      MGD; MGI:1316731; Stc2.
DR      InterPro; IPR004978; Stanniocalcin.
DR      Pfam; PF03298; Stanniocalcin; 1.
KW      Hormone; Signal; Glycoprotein.
FT      SIGNAL          1          24          POTENTIAL.
FT      CHAIN           25         296          STANNIOCALCIN 2.
FT      CARBOHYD        73         73          N-LINKED (GLCNAC. . .) (POTENTIAL).
SQ      SEQUENCE      296 AA;  32601 MW;  0C1EF4008912DE68 CRC64;

```


STC2_HUMAN

ID STC2_HUMAN STANDARD; PRT; 302 AA.
AC 076061;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 15-MAR-2004 (Rel. 43, Last annotation update)
DE Stanniocalcin 2 precursor (STC-2) (Stanniocalcin-related protein)
DE (STCRP) (STC-related protein).
GN STC2.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98389283; PubMed=9723890;
RA Chang A.C.-M., Reddel R.R.;
RT "Identification of a second stanniocalcin cDNA in mouse and human:
RT stanniocalcin 2.";
RL Mol. Cell. Endocrinol. 141:95-99(1998).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Osteosarcoma;
RX MEDLINE=98440784; PubMed=9753616;
RA Ishiabshi K., Miyamoto K., Taketani Y., Morita K., Takeda E.,
RA Sasaki S., Imai M.;
RT "Molecular cloning of a second human stanniocalcin homologue (STC2).";
RL Biochem. Biophys. Res. Commun. 250:252-258(1998).
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE=99145369; PubMed=10022771;
RA DiMattia G.E., Varghese R., Wagner G.F.;
RT "Molecular cloning and characterization of stanniocalcin-related
RT protein.";
RL Mol. Cell. Endocrinol. 146:137-140(1998).
RN [4]
RP SEQUENCE FROM N.A., AND CHARACTERIZATION.
RC TISSUE=Breast carcinoma;
RX MEDLINE=99378040; PubMed=10450831;
RA Moore E.E., Kuestner R.E., Conklin D.C., Whitmore T.E., Downey W.,
RA Buddle R.M., Adams R.L., Bell L.A., Thompson D.L., Wolf A., Chen L.,
RA Stamm M.R., Grant F.J., Lok S., Ren H., de Jongh K.S.;
RT "Stanniocalcin 2: characterization of the protein and its localization
RT to human pancreatic alpha cells.";
RL Horm. Metab. Res. 31:406-414(1999).
RN [5]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney, and Muscle;
RX MEDLINE=22388257; PubMed=12477932;
RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
RA Baha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,

RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 CC -!- FUNCTION: Has an anti-hypocalcemic action on calcium and phosphate
 CC homeostasis.
 CC -!- SUBUNIT: Homodimer; disulfide-linked.
 CC -!- SUBCELLULAR LOCATION: Secreted (Potential).
 CC -!- TISSUE SPECIFICITY: Expressed in a variety of tissues including
 CC muscle, heart, pancreas, kidney, spleen, prostate, small
 CC intestine, colon and peripheral blood Leucocytes.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AF055460; AAC27036.1; -.
 DR EMBL; AB012664; BAA33489.1; -.
 DR EMBL; AF098462; AAC97948.1; -.
 DR EMBL; AF031036; AAD01922.1; -.
 DR EMBL; BC000658; AAH00658.1; -.
 DR EMBL; BC006352; AAH06352.1; -.
 DR EMBL; BC013958; AAH13958.1; -.
 DR PIR; JE0357; JE0357.
 DR Genew; HGNC:11374; STC2.
 DR MIM; 603665; -.
 DR GO; GO:0005181; F:glycopeptide hormone; TAS.
 DR GO; GO:0005180; F:peptide hormone; TAS.
 DR GO; GO:0007166; P:cell surface receptor linked signal transdu. . .; TAS.
 DR GO; GO:0007267; P:cell-cell signaling; TAS.
 DR GO; GO:0007584; P:response to nutrients; TAS.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Signal; Glycoprotein.
 FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 302 STANNIOCALCIN 2.
 FT CARBOHYD 73 73 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 302 AA; 33248 MW; 9B90D8911524FA22 CRC64;

Query Match 27.9%; Score 354; DB 1; Length 302;
 Best Local Similarity 32.4%; Pred. No. 2.5e-23;
 Matches 83; Conservative 45; Mismatches 102; Indels 26; Gaps 4;

QY 9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60

CC -----
 DR EMBL; AF035377; AAD02027.1; -.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Signal; Glycoprotein.
 FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 302 STANNIOCALCIN 2.
 FT CARBOHYD 73 73 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 302 AA; 33281 MW; 62953CE958AF64C1 CRC64;

Query Match 27.8%; Score 352; DB 1; Length 302;
 Best Local Similarity 32.8%; Pred. No. 3.7e-23;
 Matches 84; Conservative 44; Mismatches 102; Indels 26; Gaps 5;

Qy 9 LVLVIS-----ASATHEAE-QNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACL 60
 | ||:: ||: | | | :| |:: ||: ||: || | :| ||| | |
 Db 12 LALVLATIDPARGTDATNPPEG PQDRSSQQKGRLSLQNTAEIQHCLVNAGDVGC GVFE CF 71
 Qy 61 ENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCSTFQRM 120
 ||::||: ||: || :||::| ||| |||:|:|:| ||: : : : | :| : |
 Db 72 ENNSCEIRGLHGICMTFLHNAGKFDAQGKSF IKDALKCKAHALRHRFGCISRKCPAIREM 131
 Qy 121 IAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVSTIRD 180
 : ::| ||| | :|: | :| | | :| : : | || ||| | : |
 Db 132 VFQLQRECYLKHDLCAAAQENTRIVIVEMIHFKDLLLHEPYVDLVNLLLTGEEVKEAITH 191
 Qy 181 SLMEKIGPNMASLFHILQTDHCAQTHP-----RADFNRRRTNE-----PQ-KL 222
 | : : | || || | | | | | :| | | | :
 Db 192 SVQVQCEQNWGSLSILSFCTSAIQRPPTAPPERQPQVDRAKLSRAHHGEAGHHLPEPSS 251
 Qy 223 KVLLRNLRGEEDSPSH 238
 : | :|| | ||
 Db 252 RETGRGAKGERGSKSH 267

RESULT 11

STC2_RAT
 ID STC2_RAT STANDARD; PRT; 296 AA.
 AC Q9R0K8;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 16-OCT-2001 (Rel. 40, Last annotation update)
 DE Stanniocalcin 2 precursor (STC-2).
 GN STC2.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Sprague-Dawley;
 RX MEDLINE=99439722; PubMed=10508929;
 RA Honda S., Kashiwagi M., Ookata K., Tojo A., Hirose S.;
 RT "Regulation by lalpha,25-dihydroxyvitamin D(3) of expression of
 RT stanniocalcin messages in the rat kidney and ovary."
 RL FEBS Lett. 459:119-122(1999).
 CC -!- FUNCTION: Has an anti-hypocalcemic action on calcium and phosphate

CC homeostasis.
 CC -!- SUBUNIT: Homodimer; disulfide-linked (By similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted (Potential).
 CC -!- TISSUE SPECIFICITY: Expressed in a variety of tissues. Strongly
 CC expressed in ovary and to a lesser extent in kidney.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AB030707; BAA85251.1; -.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Signal; Glycoprotein.
 FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 296 STANNIOCALCIN 2.
 FT CARBOHYD 73 73 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SQ SEQUENCE 296 AA; 32621 MW; 0903639858D9B2DC CRC64;

Query Match 27.5%; Score 349; DB 1; Length 296;
 Best Local Similarity 31.8%; Pred. No. 6.6e-23;
 Matches 81; Conservative 44; Mismatches 106; Indels 24; Gaps 4;

Qy 7 VLLVLVISASATHEAEQNDVSP-----RKSrvAAQNSAEVVRCLNSALQVGCGA 56
 | | | | : | | | : | | : | | : | | : | | : | | |
 Db 10 VTLALVF--ATLDPARGTDSTNPPEGPQDRGSQQKGRSLQNTAEIQHCLVNAGDVGCGV 67
 Qy 57 FACLENSTCDTDGMYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVTSKVFLAIRRCST 116
 | | | | : | | : | | : | | | | | | : | | : | | : | | : | |
 Db 68 FECFENNSCEIQGLHGICMTFLHNAGKFDAQGKSFIKDALRCKAHALRHKFGCISRKCPA 127
 Qy 117 FORMIAEVQEECYSKLNVCSIAKRNPEAITEVVQLPNHFSNRYYNRLVRSLLCEDEDTVS 176
 : | : : | | | | : | | : | | : | | : | | : | | : | | : | |
 Db 128 IREMVYQLQRECYLKHDLCSSAAQENVVIVEMIHFKDLLLHEPYVDLVNLLLTGCGEDVRE 187
 Qy 177 TIRDSLMEKIGPNMASLFHIL-----QTDHCAQTH----PRADFNRRRTNEPQKLKV 224
 : | : : : | | : | | : | | : | | : | | : | | : | | : | |
 Db 188 AVTRSVQAQCEQSWGGLCSILSFCTSNIRPPTAAPEHQPLADRAQLSRPYHRDTHHLLT 247
 Qy 225 LLRNLRGEEDSPSHI 239
 | : | | | | :
 Db 248 ANRGAKGERGSKSHL 262

RESULT 12

STC2_CAVPO

ID STC2_CAVPO STANDARD; PRT; 197 AA.

AC P57675;

DT 16-OCT-2001 (Rel. 40, Created)

DT 16-OCT-2001 (Rel. 40, Last sequence update)

DT 16-OCT-2001 (Rel. 40, Last annotation update)

DE Stanniocalcin 2 (STC-2) (Fragments).

GN STC2.
 OS Cavia porcellus (Guinea pig).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Hystricognathi; Caviidae; Cavia.
 OX NCBI_TaxID=10141;
 RN [1]
 RP SEQUENCE.
 RX MEDLINE=99378040; PubMed=10450831;
 RA Moore E.E., Kuestner R.E., Conklin D.C., Whitmore T.E., Downey W.,
 RA Buddle M.M., Adams R.L., Bell L.A., Thompson D.L., Wolf A., Chen L.,
 RA Stamm M.R., Grant F.J., Lok S., Ren H., de Jongh K.S.;
 RT "Stanniocalcin 2: characterization of the protein and its localization
 RT to human pancreatic alpha cells.";
 RL Horm. Metab. Res. 31:406-414(1999).
 CC -!- FUNCTION: Has an anti-hypocalcemic action on calcium and phosphate
 CC homeostasis.
 CC -!- SUBUNIT: Homodimer; disulfide-linked (By similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted (Potential).
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 KW Hormone.
 FT NON_CONS 60 61
 FT NON_CONS 64 65
 FT NON_CONS 69 70
 FT NON_CONS 75 76
 FT NON_CONS 92 93
 FT NON_CONS 154 155
 SQ SEQUENCE 197 AA; 21899 MW; 1512DA859C8A8E67 CRC64;

Query Match 14.3%; Score 181.5; DB 1; Length 197;
 Best Local Similarity 25.8%; Pred. No. 1.1e-08;
 Matches 58; Conservative 27; Mismatches 85; Indels 55; Gaps 6;

Qy 25 DSVSPRKSRVAAQNSAEVVRCLNSALQVGCAGAFACLENSTCDTDGMYDICKSFLYSAAKF 84
 | | : | | : | | : | | : | | : | | : | | : | | : |
 Db 12 DRGSQQKGRSLQNTAEIQHCLVNAGDVGCGVFECFENNXCXIXXLHXI----- 60
 Qy 85 DTQGKAFVKESLKCANGVTSKVFLAIRRCSTFORMIAEVQEECYSKLNVCSIAKRNPEA 144
 : | : | | : | | : | | : | | : | | : | | : | | : |
 Db 61 -----SFIKAH-----ALRFGCISREMFVQLQRECYLKHDLCLMINFR---- 97
 Qy 145 ITEVVQLPNHFSNRYNRLVRSLLCEDEDTVSTIRDLSLMEKIGPNMASLFHIL-----QT 199
 : : | | | | | | : | : | | | | | : : | | | | | |
 Db 98 -----DLLLHEPYVDLVNLLLTGEGDVKEAVTRSIQAQCEQNWGGLCSILSFCTSNV 149
 Qy 200 DHCAQTHPRADFNRRTNEP-----QKLKVLLRNLRGEEDSPSH 238
 | | | | : : | | : : | | : : | | | | | |
 Db 150 QRPXAXQPXAD--RAQVSRPHHHTGHHLLEAIXGAKGERGSKSH 192

RESULT 13
 STC_ONCNE
 ID STC_ONCNE STANDARD; PRT; 40 AA.
 AC P43649;
 DT 01-NOV-1995 (Rel. 32, Created)
 DT 01-NOV-1995 (Rel. 32, Last sequence update)
 DT 16-OCT-2001 (Rel. 40, Last annotation update)
 DE Stanniocalcin (STC) (Corpuscles of stannius protein) (CS) (Hypocalcin)

DE (Teleocalcin) (Fragment).
 GN STC.
 OS Oncorhynchus nerka (Sockeye salmon).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8023;
 RN [1]
 RP SEQUENCE.
 RX MEDLINE=89065334; PubMed=3197944;
 RA Wagner G.F., Fenwick J.C., Park C.M., Milliken C., Copp D.H.,
 RA Friesen H.G.;
 RT "Comparative biochemistry and physiology of teleocalcin from sockeye
 RT and coho salmon.";
 RL Gen. Comp. Endocrinol. 72:237-246(1988).
 CC -!- FUNCTION: Its primary function is the prevention of hypercalcemia.
 CC Upon release into the circulation, it lowers calcium transport by
 CC the gills, thereby reducing its rate of influx from the
 CC environment into the extracellular compartment. STC also
 CC stimulates phosphate reabsorption by renal proximal tubules. The
 CC consequence of this action is increased levels of plasma
 CC phosphate, which combines with excess calcium and promotes its
 CC disposal into bone and scales.
 CC -!- SUBUNIT: Homodimer; disulfide-linked.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Produced and secreted by the corpuscles of
 CC stannius.
 CC -!- SIMILARITY: Belongs to the stanniocalcin family.
 DR PIR; A60841; A60841.
 DR InterPro; IPR004978; Stanniocalcin.
 DR Pfam; PF03298; Stanniocalcin; 1.
 KW Hormone; Glycoprotein; Calcium transport.
 FT CARBOHYD 29 29 N-LINKED (GLCNAC. . .).
 FT UNSURE 29 29
 FT NON_TER 40 40
 SQ SEQUENCE 40 AA; 4134 MW; 0C517B7BBBC5EE6C CRC64;

Query Match 12.3%; Score 156; DB 1; Length 40;
 Best Local Similarity 79.4%; Pred. No. 2.5e-07;
 Matches 27; Conservative 3; Mismatches 4; Indels 0; Gaps 0;

Qy 40 AEVVRCLNSALQVGCGAFACLENSTCDTDGMYDI 73
 : : | | | | | | | | | | | | | | | | : :
 Db 7 SDVARCLNGALDVGCGTFACLENSTCDTDGMHDI 40

RESULT 14
 A3B1_MOUSE
 ID A3B1_MOUSE STANDARD; PRT; 1105 AA.
 AC Q9Z1T1;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Adapter-related protein complex 3 beta 1 subunit (Beta-adaptin 3A)
 DE (AP-3 complex beta-3A subunit) (Beta-3A-adaptin).
 GN AP3B1.
 OS Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=C3H/HeJ;
 RX MEDLINE=99135912; PubMed=9931340;
 RA Feng L., Seymour A.B., Jiang S.Y., To A., Peden A.A., Novak E.K.,
 RA Zhen L., Rusiniak M.E., Eicher E.M., Robinson M.S., Gorin M.B.,
 RA Swank R.T.;
 RT "The beta-3A subunit gene (Ap3b1) of the AP-3 adaptor complex is
 RT altered in the mouse hypopigmentation mutant pearl, a model for
 RT Hermansky-Pudlak syndrome and night blindness.";
 RL Hum. Mol. Genet. 8:323-330(1999).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=129/Sv;
 RX MEDLINE=20512043; PubMed=11056055;
 RA Feng L., Rigatti B.W., Novak E.K., Gorin M.B., Swank R.T.;
 RT "Genomic structure of the mouse ap3b1 gene in normal and pearl mice.";
 RL Genomics 69:370-379(2000).
 CC -!- FUNCTION: Part of the AP-3 complex, an adaptor-related complex
 CC which is not clathrin-associated. The complex is associated with
 CC the Golgi region as well as more peripheral structures. It
 CC facilitates the budding of vesicles from the Golgi membrane and
 CC may be directly involved in trafficking to lysosomes.
 CC -!- SUBUNIT: Assembly protein complex 3 (AP-3) is a heterotetramer
 CC composed of two large chains (delta and beta3), a medium chain
 CC (mu3) and a small chain (sigma3).
 CC -!- PTM: Phosphorylated on serine residues (By similarity).
 CC -!- DISEASE: Defects in AP3B1 are the cause of the autosomal recessive
 CC phenotype 'pearl' (pe). Pearl mice exhibit hypopigmentation,
 CC lysosomal secretion abnormalities, and platelet-dense granules
 CC with reduced levels of adenine nucleotides and serotonin. The
 CC changes in platelets lead to prolonged bleeding. Additionally,
 CC pearl mice exhibit reduced sensitivity in the dark-adapted state.
 CC -!- SIMILARITY: Belongs to the adaptor complexes large subunit
 CC family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AF103809; AAC78338.1; -.
 DR EMBL; AF255589; AAG23622.1; -.
 DR EMBL; AF255566; AAG23622.1; JOINED.
 DR EMBL; AF255567; AAG23622.1; JOINED.
 DR EMBL; AF255568; AAG23622.1; JOINED.
 DR EMBL; AF255569; AAG23622.1; JOINED.
 DR EMBL; AF255570; AAG23622.1; JOINED.
 DR EMBL; AF255571; AAG23622.1; JOINED.
 DR EMBL; AF255572; AAG23622.1; JOINED.
 DR EMBL; AF255573; AAG23622.1; JOINED.

DR EMBL; AF255574; AAG23622.1; JOINED.
 DR EMBL; AF255575; AAG23622.1; JOINED.
 DR EMBL; AF255576; AAG23622.1; JOINED.
 DR EMBL; AF255577; AAG23622.1; JOINED.
 DR EMBL; AF255578; AAG23622.1; JOINED.
 DR EMBL; AF255579; AAG23622.1; JOINED.
 DR EMBL; AF255580; AAG23622.1; JOINED.
 DR EMBL; AF255581; AAG23622.1; JOINED.
 DR EMBL; AF255582; AAG23622.1; JOINED.
 DR EMBL; AF255583; AAG23622.1; JOINED.
 DR EMBL; AF255584; AAG23622.1; JOINED.
 DR EMBL; AF255585; AAG23622.1; JOINED.
 DR EMBL; AF255586; AAG23622.1; JOINED.
 DR EMBL; AF255587; AAG23622.1; JOINED.
 DR EMBL; AF255588; AAG23622.1; JOINED.
 DR PIR; T18295; T18295.
 DR MGD; MGI:1333879; Ap3b1.
 DR InterPro; IPR002553; Adaptin_N.
 DR InterPro; IPR008938; ARM.
 DR Pfam; PF01602; Adaptin_N; 1.
 KW Golgi stack; Protein transport; Transport; Phosphorylation.
 FT DOMAIN 678 802 GLU/SER-RICH.
 SQ SEQUENCE 1105 AA; 122869 MW; 586B818CE4FB5AEE CRC64;

Query Match 7.4%; Score 94; DB 1; Length 1105;
 Best Local Similarity 21.2%; Pred. No. 3.1;
 Matches 55; Conservative 40; Mismatches 104; Indels 60; Gaps 11;

Qy 1 MLQNSAVLLVLVISASATHEAEQNDSVSPRKS RVAQAQNSAEVVRCLNSALQVGC GAFACL 60
 :||: :||: :| :||: | :|| | :| :
 Db 308 LLQSRNAAVVMAVAQLYWH-----ISP KSE--AGVISKSLVRLRLRSNREVQYIVLQNI 358
 Qy 61 ENSTCDTDGMYD-ICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFL----- 109
 : : ||:: ||| | : | | | :|| |
 Db 359 ATMSIERKGMFEPYLSKF-YVRSTDPTMIKTLKLEILTNLANEANISTLLREFQTYVRSQ 417
 Qy 110 -----AIRRCSTFORMIAEVQEECYSKLNVCSIAKRNP EAIT E---VVQLPNHFS 156
 | ||:| | :| | |:: | || :: | : : | :| :
 Db 418 DKQFAAATIQTIGRCAT---SISEFTETCFENGL-VCLLSNRDEIVVAESV VVIKLLQMQ 473
 Qy 157 NRYYNRLVRSLE-CEDETVSTIRDSLMEKIGPNMASL FHLQTDHCAQTHPRADFNRRR 215
 : ::| : : | || | |:: || | | : |
 Db 474 PAQHGEIIRHMAKFLDSITVPVARASILWLIGEN-----CERV PKIA----- 515
 Qy 216 TNEPQKLKVLRLNLRGEED 234
 | | : : : | :|
 Db 516 ---PDVLRKMAKSFTSEDD 531

RESULT 15

SNA_A VITVI

ID SNA_A VITVI STANDARD; PRT; 289 AA.

AC P93798;

DT 16-OCT-2001 (Rel. 40, Created)

DT 16-OCT-2001 (Rel. 40, Last sequence update)

DT 16-OCT-2001 (Rel. 40, Last annotation update)

DE Alpha-soluble NSF attachment protein (Alpha-SNAP) (N-ethylmaleimide-

DE sensitive factor attachment protein, alpha).

OS *Vitis vinifera* (Grape).

OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;

OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; rosids;

OC Vitaceae; *Vitis*.

OX NCBI_TaxID=29760;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=cv. Shiraz; TISSUE=Fruit;

RX MEDLINE=98182598; PubMed=9522131;

RA Matsumoto S., Dry I.B., Thomas M.;

RT "Nucleotide sequence of grapevine (*Vitis vinifera*) cDNA similar to

RT SNAP proteins.";

RL DNA Seq. 8:109-112(1997).

CC -!- FUNCTION: Required for vesicular transport between the endoplasmic

CC reticulum and the Golgi apparatus (By similarity).

CC -!- SUBCELLULAR LOCATION: Cytoplasmic peripheral membrane protein (By

CC similarity).

CC -!- SIMILARITY: Belongs to the SNAP family.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).

CC -----

DR EMBL; AB001375; BAA19246.1; -.

DR PIR; T50776; T50776.

DR InterPro; IPR000744; NSF_attach.

DR InterPro; IPR008941; TPR-like.

DR InterPro; IPR001440; TPR.

DR Pfam; PF02071; NSF; 4.

DR PRINTS; PR00448; NSFATTACHMNT.

KW Transport; Protein transport; Endoplasmic reticulum; Golgi stack.

SQ SEQUENCE 289 AA; 32485 MW; 939E49A56C1388D4 CRC64;

Query Match 7.1%; Score 90.5; DB 1; Length 289;

Best Local Similarity 19.9%; Pred. No. 1.2;

Matches 41; Conservative 33; Mismatches 95; Indels 37; Gaps 5;

Qy 8 LLVLVISASATHEAEQNDSVSPRKS RVAAQNSAEVVRCLNSALQVGC GAFACLENSTCDT 67

| :: |: : ||| | : : :: | : || | |: |:| :

Db 59 LSTVIQSSDSKHEAAQ--AYADAGHCYKKTSAKEAISCLEQA-----AYLF LDNGRFNM 110

Qy 68 DG-----MYDICKSFLYSAAKFDTQGKAFVKESLKCIANGVT SKVFLAIRRCSTFQR 119

| :|:: ::| : |: : | || :|| : :|:

Db 111 AGKYYKEIAELYELEQNFEQAIIFYEKAADIYQSEEATTAANQCN AKVAQFAAQLEQYQK 170

Qy 120 MIAEVQEECYSKLN-----VCSIAKRNP EAIT EVVQL-----PNHFSNR 158

| :: || :| : | : ||| : | |

Db 171 AIQIYEDIGRPSLNNNLLKYGVKGHLLNAGICQLCKGDVVAITN ALDRYQEMDPTFSGTR 230

Qy 159 YYNRLVRSLLCEDEDTVSTIRDSLME 184

| || ||: | |:|

Db 231 EYKLLVDLAAAVDEEDVVKFTDAVKE 256

Search completed: July 19, 2004, 15:32:39
Job time : 15 secs